


Submit To Appropriate District Office Two Copies District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008				
		1. WELL API NO.				30-015-39206				
		2 Type of Lease				<input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN				
		3 State Oil & Gas Lease No								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4 Reason for filing						5 Lease Name or Unit Agreement Name				
<input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19 15 17 13 K NMAC)						Yale State				
7 Type of Completion:						6. Well Number				
<input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER						030				
8 Name of Operator						9 OGRID				
COG OPERATING LLC						229137				
10 Address of Operator						11 Pool name or Wildcat				
550 West Texas Ave Suite 100, Midland, Texas 79701						MAR LOCO, GLORIETA-YESO, 97866				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	J	2	17S	30E		1675	South	1500	East	Eddy
BH:										
13 Date Spudded	14 Date T D Reached	15 Date Rig Released		16 Date Completed (Ready to Produce)		17 Elevations (DF and RKB, RT, GR, etc) 3772' GR				
9/9/11	9/19/11	9/20/11		10/17/11						
18 Total Measured Depth of Well		19 Plug Back Measured Depth		20 Was Directional Survey Made?		21 Type Electric and Other Logs Run				
6150		6103		No		CN/RBL/Gamma Ray/CCL				
22. Producing Interval(s), of this completion - Top, Bottom, Name										
Yeso										
23 CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB /FT		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8		48		465		17-1/2		500sx		
8-5/8		24		1428		11		500sx		
5-1/2		17		6150		7-7/8		1700sx		
24 LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25 TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
						2-7/8	5550			
26 Perforation record (interval, size, and number)						27 ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC				
4610 - 4860 1 SPF, 26 holes OPEN						DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED				
4980 - 5230 1 SPF, 26 holes OPEN						4610 - 4860 See Attachment				
5290 - 5540 1 SPF, 26 holes OPEN						4980 - 5230 See Attachment				
5600 - 5850 1 SPF, 26 holes OPEN						5290 - 5540 See Attachment				
						5600 - 5850 See Attachment				
28 PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod or Shut-in)				
11/14/11		Pumping, 2-1/2" x 2" x 24' RHBC pump				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl	Gas - Oil Ratio			
11/14/11	24		Test Period	190	14	401	74			
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (Corr)				
						38.3				
29 Disposition of Gas (Sold, used for fuel, vented, etc)						30 Test Witnessed By				
Sold						Kent Greenway				
31 List Attachments										
Logs, C102, C103, Deviation Report, C104										
32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit										
33. If an on-site burial was used at the well, report the exact location of the on-site burial										
Latitude				Longitude			NAD 1927 1983			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name		Title			Date		
			Chasity Jackson		Regulatory Analyst			11/15/11		
E-mail Address cjackson@concho.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates <u>1426</u>	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres <u>3084</u>	T. Simpson	T. Mancos	T. McCracken
T. Glorieta <u>4533</u>	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb <u>5980</u>	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Yeso <u>4624</u>	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

Yale State #30
API#: 30-015-39206
EDDY, NM

C-105 (#27) ADDITIONAL INFORMATION

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
4610 - 4860	Acidized w/3,435 gals 15% HCL.
	Frac w/103,558 gals gel, 112,309# 16/30 white
	sand, 16,455# 16/30 CRC.

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
4980 - 5230	Acidized w/4,000 gals 15% HCL.
	Frac w/116,236 gals gel, 146,127# 16/30 white
	sand, 31,271# 16/30 CRC.

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5290 - 5540	Acidized w/3,600 gals 15% HCL.
	Frac w/115,942 gals gel, 146,425# 16/30 white
	sand, 29,549# 16/30 CRC.

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5600 - 5850	Acidized w/3,600 gals 15% HCL.
	Frac w/116,057 gals gel, 146,817# 16/30 white
	sand, 31,199# 16/30 CRC.