District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haut-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application (that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure									
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.									
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance									
L.									
Operator: OXY USA Inc. OGRID #: 16696									
Address: PO BOX 50250 - Midland, TX 79710									
Facility or well name: Sterling Silver Fed 33 # 111									
API Number: 30 - 0/5 - 39831 OCD Permit Number: NR 212395									
U/L or Qtr/Qtr P Section 33 Township 23S Range 31E, NMPM County: Eddy									
Center of Proposed Design: Latitude N 32.2545298° Longitude 103.7756250° NAD: ⊠1927 ☐ 1983									
Surface Owner: ☑Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment									
☐ Closed-loop System: Subsection II of 19.15.17.11 NMAC									
Operation Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)									
☐ Above Ground Steel Tanks or ☐ Haul-off Bins									
3.									
Signs: Subsection C of 19.15.17.11 NMAC									
☑ 12"x 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers									
Signed in compliance with 19.15.3.103 NMAC									
4. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC									
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are									
attached.									
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC									
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC ☐ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC									
Previously Approved Design (attach copy of design) API Number:									
Previously Approved Operating and Maintenance Plan API Number:									
5. Wasta Damayal Clasura For Classed Loan Systems That Helling Above Crowned Steel Tanks or Houle of Ding Only, (10 15 17 13 D.NMAC)									
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two									
facilities are required.									
Disposal Facility Name: Control Recovery Inc. Disposal Facility Permit Number: R9166									
Disposal Facility Name: Sundance Landfill Disposal Facility Permit Number: NM-01-003 Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations Yes (If yes, please provide the information below) No									
Required for impacted areas which will not be used for future service and operations:									

luis tarazona@oxy.com

Operator Application Certification:

Name (Print):
Signature:

e-mail address:

Date:

Telephone: ___(713) 366-5771_

Soil Backfill and Cover Design Specifications -- based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.


7. OCD Approval: 🛛 P	ermit Application (including closure plan) Closure Plan (only)							
OCD Representative S	ignature: Approval Date: 01/20/d0/2							
Title:	DIST II Supervise OCD Permit Number: 212395							
Closure Report (required within 60 days of closure completion): Subsection K of 19.15 17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:								
9.								
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.								
Disposal Facility Nam	e: Disposal Facility Permit Number:							
Disposal Facility Nam	e: Disposal Facility Permit Number:							
Were the closed-loop sy Yes (If yes, please	system operations and associated activities performed on or in areas that will not be used for future service and operations? ase demonstrate compliance to the items below) No							
Required for impacted areas which will not be used for future service and operations								
	Photo Documentation) nd Cover Installation							
	plication Rates and Seeding Technique							
10. Operator Closure Cert	fication.							
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and								
belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.								
Name (Print):	Title:							
Signature:	Date:							
e-mail address:	Telephone:							

٠

•

•


.




OXY FLEX III PAD (SCOMI Closed Loop System)

Level Area-No Caliche-For Offices and Living Quarters 150' 230 Notes for Rotating Mouse hote for a FlexRig3 & 25' Substructure: 1) 76' of mouse hole below ground level 2) If conductor pipe is less than 85 below ground level, recommend cement mouse hole in place in order to prevent break that & circulation / washout that mouse hole. 3) Use 14" (mini. Nominal size) pipe. This can be spiral weld or low pressure pipe, 10 3/4" is used in some applications but due to inaccuracles in location of mouse hole & potential out of alignment or centered in hole, 14" pipe recommended. 4) Cement mouse hole in 16 1/2" or 18 3/4" hole. 5) Cellar will need to be oblong in order to accommodate mouse hole (i.e. 5' x 10', 6' x 10',) Operator decision 170° Clear all braish + Mousehole Well 20' off pad to allow Drk truck to drive off pad SPLOACEMENANTA END & maneuver drk into position 30' **第一次27-0** VOLUME TAKE 110' LDE 1000 Dewatering system *DE 1000 ·CRI rolloff box Flare pit

100 ft





Wellname:			Permit #:		Rig Mobe D	ate:		
County:						Rig Demobe Date:		
Inspection Date	Time	By Whom	Any drips or leaks fron contained?* Explain.	ı steel tanks,	lines or	pumps not	Has any disposed	hazardous waste beer of in system?
	·							
			151100	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			,	
					2			
			_					
				-				

All circulating systems to be inspected DAILY during drilling operations.

*Any leak of the steel tanks, lines or pumps shall be reported to the NMOCD and repaired within 48 hours.