District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank X		
Operator: Yates Petroleum CorporationTelephone: _505-748-4500e Address: _105. South 4 th street, Artesia, N.M. 88210 Facility or well name: Dice State Unit #2API #: 30-005-63715U/L or County:EddyLatitude32.6721Longitu Surface Owner: Federal	Qtr/Qtr M_ Sec _15_ T _10s R26e	
Pit Type: Drilling Production Disposal Work over X Emergency Lined Unlined X Liner type: Synthetic Thicknessmil Clay Pit Volume NA_bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not	APR 0 6 2005
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points)X (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)X
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)X
Ranking Score (Total Points) To points		
trench for drilling waste that will reside over the former drilling pit area. Soil samples will be taken on bottom and sides of the former work over pit and tested for B-Tex, TPH, and Chlorides. When soil sampling results are under the RRAL for TPH and B-Tex the pit area will be backfilled to grade using like material and clean soils. The first or the former work over pit and tested for B-Tex, TPH, and Chlorides. When soil sampling results are under the RRAL for TPH and B-Tex the pit area will be backfilled to grade using like material and clean soils. The first or the former work over pit and tested for B-Tex, TPH, and Chlorides. When soil sampling results are under the RRAL for TPH and B-Tex the pit area will be backfilled to grade using like material and clean soils.		
I hereby certify that the information above is true and complete to the best-of my knowledge and belief.—I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines], a general permit, or an (attached) alternative OCD-approved plan Date: _4/5/2005 Printed Name/Title _Dan Dolan/Reclamation Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. APPR 1 2 2005		
Approval: Printed Name/Title	Signature Signature	APR 12 2005