

30-015-39349

A Gyrodata Directional Survey

for

FASKEN OIL AND RANCH, LTD.

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE
Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

Run Date: 9/15/2011 7:56:16 PM

Surveyor: Michael Hattar, Will Skelton, Natilo Pena

Calculation Method: MINIMUM CURVATURE

Survey surface coordinates obtained from: Well Plan/Plot

Survey Latitude: 32.558066 deg. N Longitude: 104.514298 deg. W

Azimuth Correction:

Gyro: 0.10000 deg to Grid North

Proposed Well Direction: 270.000 deg

Depth Reference: Rotary Table

Vertical Section Calculated from Well Head Location

Closure Calculated from Well Head Location

Horizontal Coordinates Calculated from Well Head Location

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. AZIMUTH feet deg.	HORIZONTAL COORDINATES feet
0.00	0.00	0.00	0.0	0.00	0.00	0.0 0.0	0.00 N 0.00 E

0 - 1949 FT. RATE GYROSCOPIC MULTISHOT SURVEY RUN INSIDE 4 1/2" DRILLPIPE							
ALL MEASURED DEPTHS AND COORDINATES REFERENCED TO PATTERSON #101 R.K.B. OF 18 FT.							

99.00	0.44	51.78	-0.3	0.44	99.00	0.4 51.8	0.24 N 0.30 E
124.00	0.43	48.37	-0.4	0.11	124.00	0.6 51.2	0.36 N 0.44 E
149.00	0.42	44.96	-0.6	0.11	149.00	0.8 50.1	0.48 N 0.58 E
174.00	0.41	48.40	-0.7	0.12	174.00	0.9 49.4	0.61 N 0.71 E
199.00	0.39	55.05	-0.8	0.20	199.00	1.1 49.8	0.72 N 0.85 E
224.00	0.37	61.71	-1.0	0.19	224.00	1.3 50.9	0.80 N 0.99 E
249.00	0.35	68.37	-1.1	0.18	249.00	1.4 52.4	0.87 N 1.13 E
274.00	0.37	66.96	-1.3	0.10	273.99	1.6 53.9	0.93 N 1.27 E
299.00	0.42	61.76	-1.4	0.22	298.99	1.7 54.9	1.00 N 1.43 E
324.00	0.46	56.56	-1.6	0.23	323.99	1.9 55.3	1.10 N 1.59 E
349.00	0.50	51.35	-1.8	0.24	348.99	2.1 55.2	1.22 N 1.76 E
374.00	0.56	48.30	-1.9	0.26	373.99	2.4 54.6	1.37 N 1.94 E
399.00	0.63	46.26	-2.1	0.28	398.99	2.6 53.9	1.55 N 2.13 E
424.00	0.70	44.22	-2.3	0.29	423.99	2.9 53.1	1.75 N 2.33 E
449.00	0.76	42.17	-2.5	0.29	448.99	3.2 52.1	1.99 N 2.55 E
474.00	0.80	42.06	-2.8	0.13	473.98	3.6 51.1	2.24 N 2.78 E
499.00	0.81	42.85	-3.0	0.08	498.98	3.9 50.4	2.50 N 3.02 E

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. feet	AZIMUTH deg.	HORIZONTAL COORDINATES feet	
524.00	0.83	43.64	-3.3	0.08	523.98	4.3	49.8	2.76 N	3.26 E
549.00	0.85	44.43	-3.5	0.08	548.98	4.6	49.3	3.02 N	3.52 E
574.00	0.84	44.65	-3.8	0.02	573.97	5.0	49.0	3.29 N	3.77 E
599.00	0.83	44.60	-4.0	0.06	598.97	5.4	48.7	3.54 N	4.03 E
624.00	0.81	44.55	-4.3	0.06	623.97	5.7	48.4	3.80 N	4.28 E
649.00	0.79	44.50	-4.5	0.06	648.97	6.1	48.2	4.05 N	4.53 E
674.00	0.79	45.01	-4.8	0.04	673.96	6.4	48.0	4.29 N	4.77 E
699.00	0.79	45.78	-5.0	0.04	698.96	6.8	47.9	4.53 N	5.01 E
724.00	0.78	46.55	-5.3	0.04	723.96	7.1	47.8	4.77 N	5.26 E
749.00	0.78	47.32	-5.5	0.04	748.96	7.4	47.8	5.00 N	5.51 E
774.00	0.79	51.73	-5.8	0.24	773.95	7.8	47.8	5.23 N	5.77 E
799.00	0.80	57.84	-6.0	0.34	798.95	8.1	48.1	5.43 N	6.05 E
824.00	0.81	63.95	-6.4	0.35	823.95	8.5	48.7	5.60 N	6.36 E
849.00	0.83	70.06	-6.7	0.35	848.95	8.8	49.4	5.74 N	6.69 E
874.00	0.81	74.02	-7.0	0.23	873.94	9.1	50.2	5.85 N	7.03 E
899.00	0.78	76.95	-7.4	0.20	898.94	9.5	51.1	5.93 N	7.36 E
924.00	0.76	79.89	-7.7	0.19	923.94	9.8	52.0	6.00 N	7.69 E
949.00	0.73	82.82	-8.0	0.19	948.94	10.0	52.9	6.05 N	8.01 E
974.00	0.74	83.68	-8.3	0.06	973.94	10.3	53.8	6.09 N	8.33 E
999.00	0.76	83.55	-8.7	0.10	998.93	10.6	54.7	6.12 N	8.66 E
1024.00	0.79	83.43	-9.0	0.10	1023.93	10.9	55.6	6.16 N	8.99 E
1049.00	0.82	83.31	-9.3	0.10	1048.93	11.2	56.4	6.20 N	9.34 E

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. AZIMUTH feet deg.	HORIZONTAL COORDINATES feet
1074.00	0.84	84.67	-9.7	0.12	1073.93	11.5 57.2	6.24 N 9.70 E
1099.00	0.86	86.72	-10.1	0.15	1098.92	11.9 58.1	6.27 N 10.07 E
1124.00	0.88	88.77	-10.4	0.15	1123.92	12.2 59.0	6.28 N 10.45 E
1149.00	0.90	90.82	-10.8	0.15	1148.92	12.5 59.9	6.28 N 10.84 E
1174.00	0.92	90.63	-11.2	0.07	1173.91	12.9 60.8	6.28 N 11.23 E
1199.00	0.93	89.38	-11.6	0.10	1198.91	13.2 61.7	6.28 N 11.64 E
1224.00	0.95	88.12	-12.1	0.10	1223.91	13.6 62.4	6.29 N 12.05 E
1249.00	0.96	86.87	-12.5	0.10	1248.90	14.0 63.2	6.31 N 12.46 E
1274.00	0.96	88.35	-12.9	0.10	1273.90	14.3 63.9	6.32 N 12.88 E
1299.00	0.95	91.12	-13.3	0.19	1298.90	14.7 64.6	6.33 N 13.30 E
1324.00	0.94	93.89	-13.7	0.19	1323.89	15.1 65.3	6.31 N 13.71 E
1349.00	0.93	96.66	-14.1	0.18	1348.89	15.4 66.1	6.27 N 14.12 E
1374.00	0.93	96.93	-14.5	0.02	1373.89	15.8 66.8	6.22 N 14.52 E
1399.00	0.94	96.01	-14.9	0.06	1398.88	16.2 67.5	6.18 N 14.93 E
1424.00	0.94	95.10	-15.3	0.06	1423.88	16.5 68.2	6.14 N 15.34 E
1449.00	0.95	94.18	-15.8	0.06	1448.88	16.9 68.8	6.10 N 15.75 E
1474.00	0.94	94.65	-16.2	0.05	1473.87	17.3 69.4	6.07 N 16.16 E
1499.00	0.92	95.76	-16.6	0.10	1498.87	17.6 70.0	6.03 N 16.56 E
1524.00	0.90	96.88	-16.9	0.10	1523.87	18.0 70.5	5.99 N 16.95 E
1549.00	0.88	97.99	-17.3	0.10	1548.86	18.3 71.1	5.94 N 17.34 E
1574.00	0.87	99.14	-17.7	0.08	1573.86	18.7 71.6	5.88 N 17.72 E

A Gyrodata Directional Survey

FASKEN OIL & RANCH

Lease: GOSSETT 20 Well: 3H, 4 1/2" DRILL PIPE

Location: PATTERSON #101, EDDY COUNTY, NEW MEXICO

Job Number: MD0911GVCW393

MEASURED DEPTH feet	INCL deg.	AZIMUTH deg.	VERTICAL SECTION feet	DOGLEG SEVERITY deg./ 100 ft.	VERTICAL DEPTH feet	CLOSURE DIST. feet	AZIMUTH deg.	HORIZONTAL COORDINATES feet	
1599.00	0.86	100.31	-18.1	0.07	1598.86	19.0	72.2	5.82 N	18.09 E
1624.00	0.86	101.48	-18.5	0.07	1623.86	19.3	72.7	5.75 N	18.46 E
1649.00	0.85	102.65	-18.8	0.07	1648.85	19.7	73.2	5.67 N	18.82 E
1674.00	0.83	103.13	-19.2	0.11	1673.85	20.0	73.8	5.59 N	19.18 E
1699.00	0.79	103.30	-19.5	0.14	1698.85	20.3	74.2	5.51 N	19.52 E
1724.00	0.76	103.46	-19.9	0.14	1723.85	20.6	74.7	5.43 N	19.85 E
1749.00	0.72	103.63	-20.2	0.14	1748.84	20.9	75.1	5.35 N	20.17 E
1774.00	0.67	106.73	-20.5	0.27	1773.84	21.1	75.5	5.28 N	20.46 E
1799.00	0.60	111.23	-20.7	0.32	1798.84	21.4	75.9	5.19 N	20.72 E
1824.00	0.54	115.72	-20.9	0.31	1823.84	21.6	76.3	5.09 N	20.95 E
1849.00	0.47	120.21	-21.1	0.30	1848.84	21.7	76.7	4.98 N	21.14 E
1874.00	0.43	123.62	-21.3	0.19	1873.84	21.9	77.1	4.88 N	21.31 E
1899.00	0.41	126.53	-21.5	0.14	1898.84	22.0	77.5	4.77 N	21.46 E
1924.00	0.38	129.43	-21.6	0.14	1923.84	22.1	77.8	4.67 N	21.60 E
1949.00	0.35	132.33	-21.7	0.13	1948.84	22.2	78.1	4.56 N	21.72 E

Final Station Closure: Distance: 22.19 ft Az: 78.13 deg.



SURVEY CALCULATION PROGRAM

OPERATOR: Fasken Oil and Ranch, Ltd.						Supervisors:						
WELL: Gossett 20 #3H						Tony Bautista MWD						
LOCATION: Eddy Co.N.M						David Martinez MWD						
JOB NUMBER: WT-11514						Luis Suarez DD						
Curr<	Prev<	DIFF				S/Ahead	PROJ	Roman Duran DD				
		0.0					0.00	Bobby Grice Co. Rep				
Slide Seen			A/BR	BRN	JNT			D/S	Taylor Billingsley Co. Rep			
0.00			0.00		0.0			Patterson 101 Rig				

Target # 1	MD 3500	TVD 2586.00	Vertical Section 1145.60	N-S 2.30	E-W 1245.60	Sec/Plane 270.10	TARGET TRACKING TO CENTER				
SVY NUM	MD	INC	TRUE AZM	COURSE LENGTH	TVD	SECT	N-S	E-W	DLS/100	ABOVE(+) BELOW(-)	RIGHT(+) LEFT(-)
TIE	1949	0 35	132.33	1949.00	1948.84	-21 70	4 56	21 72	0.00	675.02	4 60
1	1997	1.00	172.50	48.00	1996.84	-21 88	4 05	21.88	1.60	627.02	4 08
2	2029	2 60	272.30	32.00	2028.82	-21 19	3 80	21.19	9 19	595.02	3 84
3	2061	6 90	270.20	32.00	2060.71	-18 54	3 83	18.55	13 45	563.07	3 87
4	2093	10 50	269.00	32.00	2092.33	-13 70	3.79	13 71	11 26	531.32	3 81
5	2124	13.60	266.10	31.00	2122.65	-7.24	3.49	7.24	10 19	500.84	3 51
6	2156	17.20	266.10	32.00	2153.49	1 24	2 91	-1 23	11 25	469.77	2 91
7	2188	20 80	266.90	32.00	2183.75	11.63	2 29	-11 63	11.28	439.26	2.27
8	2220	24.50	268.40	32.00	2213.27	23 94	1 79	-23 94	11.70	409.41	1 75
9	2251	28.20	270.00	31.00	2241.05	37 70	1.61	-37.69	12.15	381.29	1 55
10	2283	31 80	271.10	32.00	2268.76	53.69	1.78	-53.69	11 38	353.17	1.68
11	2315	35 30	270.70	32.00	2295.42	71 37	2 05	-71.37	10 96	326.05	1 93
12	2346	38 50	270.20	31.00	2320.21	89 98	2 19	-89.98	10.37	300.78	2.04
13	2377	42 10	270.00	31.00	2343.85	110 03	2 23	-110.03	11 62	276.63	2.03
14	2408	45 70	269.70	31.00	2366.18	131 52	2.17	-131.52	11.63	253.75	1 94
15	2439	48.40	269.50	31.00	2387.30	154 21	2 01	-154.21	8 72	232.04	1 74
16	2470	48 60	269.00	31.00	2407.84	177.43	1.71	-177.42	1 37	210.91	1.40
17	2502	50.20	268.80	32.00	2428.67	201.72	1.24	-201.71	5 02	189.46	0.89
18	2534	50.50	268.40	32.00	2449.08	226.35	0 64	-226.35	1.34	168.41	0.24
19	2565	52.30	268.60	31.00	2468.42	250.56	0 00	-250.56	5.83	148.45	-0 43
20	2596	54.40	268.80	31.00	2486.93	275.43	-0 56	-275.43	6 79	129.30	-1 04
21	2628	57 20	268.80	32.00	2504.91	301 88	-1.12	-301.88	8.75	110.64	-1 64
22	2659	60 20	269.10	31.00	2521.02	328 36	-1.60	-328.37	9 71	93.86	-2 17
23	2690	63 00	269.70	31.00	2535.76	355.63	-1 88	-355.63	9.19	78.42	-2.50
24	2722	65 30	270.00	32.00	2549.71	384 42	-1 96	-384.43	7 24	63.72	-2.63
25	2753	67 90	270.50	31.00	2562.02	412.87	-1 83	-412.87	8 52	50.68	-2.55
26	2784	71.10	270.50	31.00	2572.88	441 90	-1 58	-441.91	10.32	39.08	-2 35
27	2815	74.70	270.50	31.00	2581.99	471 53	-1.32	-471.53	11 61	29.21	-2.14
28	2847	77 60	270.40	32.00	2589.65	502 59	-1 08	-502.59	9 07	20.75	-1.95
29	2878	80.80	270.40	31.00	2595.46	533 04	-0 86	-533.04	10 32	14.16	-1.79
30	2958	87.90	269.80	80.00	2603.33	612 60	-0.73	-612.60	8.91	4.25	-1.80
31	2990	88.50	269.50	32.00	2604.33	644 58	-0.92	-644.58	2 10	2.43	-2 05
32	3022	89.80	269.70	32.00	2604.81	676 58	-1.15	-676.58	4 11	1.13	-2.33
33	3053	91 20	269.70	31.00	2604.54	707 57	-1 31	-707.58	4 52	0.60	-2 54
34	3085	91 30	269.50	32.00	2603.84	739.56	-1.53	-739.57	0.70	0.48	-2.82
35	3148	92 10	269.70	63.00	2601.97	802.53	-1 97	-802.54	1.31	0.74	-3.37
36	3212	92 20	269.70	64.00	2599.57	866.49	-2 31	-866.49	0 16	1.49	-3 82
37	3275	91 70	269.90	63.00	2597.43	929 45	-2.53	-929.46	0 85	2.02	-4.15
38	3339	92 00	270.00	64.00	2595.36	993 42	-2 58	-993.42	0.49	2.45	-4.32
39	3403	91 10	270.20	64.00	2593.63	1057 39	-2 47	-1057.40	1.44	2 54	-4.32
40	3466	91 10	269.80	63.00	2592.42	1120 38	-2 47	-1120.39	0 63	2.13	-4.43
41	3530	91.20	269.70	64.00	2591.13	1184.37	-2.75	-1184.37	0 22	1 77	-4.82



OPERATOR: Fasken Oil and Ranch, Ltd.							Supervisors:					
WELL: Gossett 20 #3H							Tony Bautista		MWD			
LOCATION: Eddy Co.N.M							David Martinez		MWD			
JOB NUMBER: WT-11514							Luis Suarez		DD			
Curr<	Prev<	DIFF	S/Ahead			PROJ	Roman Duran		DD			
		0.0				0.00	Bobby Grice		Co. Rep			
Slide Seen			A/BR	BRN	JNT		D/S	Taylor Billingsley		Co. Rep		
0.00			0.00		0.0		Patterson 101		Rig			
Target # 1		MD 3500	TVD 2586.00	Vertical Section 1145.60		N-S 2.30	E-W 1245.60	Sec/Plane	270.10	TARGET TRACKING		
										TO CENTER		
SVY NUM	MD	INC	TRUE AZM	COURSE LENGTH		TVD	SECT	N-S	E-W	DLS/ 100	ABOVE(+) BELOW(-)	RIGHT(+) LEFT(-)
42	3593	91.40	269.70	63.00	2589.71	1247.35	-3.08	-1247.36	0.32	1.59	-5.26	
43	3656	91.50	270.00	63.00	2588.11	1310.33	-3.24	-1310.34	0.50	1.56	-5.53	
44	3719	91.80	269.70	63.00	2586.30	1373.30	-3.41	-1373.31	0.67	1.76	-5.81	
45	3783	91.80	269.80	64.00	2584.29	1437.27	-3.69	-1437.28	0.16	2.13	-6.20	
46	3845	92.00	269.50	62.00	2582.23	1499.23	-4.07	-1499.24	0.58	2.60	-6.68	
47	3908	91.40	269.80	63.00	2580.36	1562.20	-4.45	-1562.21	1.06	2.85	-7.18	
48	3971	91.80	270.00	63.00	2578.60	1625.18	-4.56	-1625.19	0.71	2.99	-7.40	
49	4034	91.20	270.20	63.00	2576.95	1688.15	-4.45	-1688.17	1.00	3.02	-7.40	
50	4098	91.10	269.80	64.00	2575.67	1752.14	-4.45	-1752.15	0.64	2.67	-7.51	
51	4162	91.00	269.50	64.00	2574.50	1816.13	-4.84	-1816.14	0.49	2.20	-8.01	
52	4224	91.40	270.00	62.00	2573.20	1878.11	-5.11	-1878.13	1.03	1.91	-8.39	
53	4288	91.50	269.70	64.00	2571.58	1942.09	-5.28	-1942.10	0.49	1.88	-8.67	
54	4351	91.30	270.50	63.00	2570.04	2005.07	-5.17	-2005.09	1.31	1.81	-8.67	
55	4415	91.10	270.70	64.00	2568.70	2069.06	-4.50	-2069.07	0.44	1.50	-8.11	
56	4478	90.80	270.20	63.00	2567.65	2132.05	-4.01	-2132.06	0.93	0.93	-7.73	
57	4542	90.60	269.70	64.00	2566.87	2196.04	-4.06	-2196.05	0.84	0.07	-7.89	
58	4605	92.00	270.00	63.00	2565.44	2259.02	-4.23	-2259.03	2.27	-0.11	-8.17	
59	4668	91.70	269.80	63.00	2563.41	2321.99	-4.34	-2322.00	0.57	0.30	-8.39	
60	4732	91.90	271.10	64.00	2561.40	2385.96	-3.83	-2385.97	2.05	0.67	-8.00	
61	4795	91.80	270.40	63.00	2559.37	2448.92	-3.01	-2448.93	1.12	1.09	-7.28	
62	4857	92.30	270.40	62.00	2557.15	2510.88	-2.58	-2510.89	0.81	1.72	-6.96	
63	4920	92.00	271.10	63.00	2554.78	2573.83	-1.75	-2573.84	1.21	2.47	-6.25	
64	4983	92.20	271.20	63.00	2552.48	2636.78	-0.49	-2636.78	0.35	3.16	-5.09	
65	5045	91.40	271.10	62.00	2550.53	2698.73	0.75	-2698.74	1.30	3.52	-3.96	
66	5108	91.60	270.70	63.00	2548.88	2761.71	1.74	-2761.71	0.71	3.55	-3.08	
67	5172	91.60	270.00	64.00	2547.09	2825.68	2.13	-2825.68	1.09	3.70	-2.80	
68	5235	90.80	270.00	63.00	2545.77	2888.67	2.13	-2888.67	1.27	3.40	-2.91	
69	5298	90.90	269.70	63.00	2544.84	2951.66	1.97	-2951.66	0.50	2.72	-3.18	
70	5361	91.40	269.50	63.00	2543.57	3014.64	1.53	-3014.64	0.85	2.36	-3.73	
71	5424	90.80	270.50	63.00	2542.36	3077.63	1.53	-3077.63	1.85	1.96	-3.84	
72	5487	90.70	269.80	63.00	2541.54	3140.62	1.69	-3140.63	1.12	1.17	-3.79	
73	5550	90.80	269.50	63.00	2540.71	3203.62	1.31	-3203.62	0.50	0.37	-4.28	
74	5614	91.00	269.10	64.00	2539.71	3267.60	0.53	-3267.61	0.70	-0.26	-5.18	
75	5677	91.50	269.80	63.00	2538.34	3330.58	-0.08	-3330.59	1.37	-0.50	-5.89	
76	5740	91.70	271.40	63.00	2536.58	3393.55	0.58	-3393.56	2.56	-0.36	-5.34	
77	5796	91.50	271.40	56.00	2535.01	3449.52	1.95	-3449.52	0.36	-0.23	-4.07	
78	5858	91.40	271.20	62.00	2533.44	3511.48	3.36	-3511.48	0.36	-0.25	-2.77	
79	5920	91.30	271.10	62.00	2531.98	3573.46	4.60	-3573.45	0.23	-0.38	-1.64	
80	5982	91.30	270.90	62.00	2530.58	3635.43	5.68	-3635.43	0.32	-0.57	-0.66	
81	6043	92.20	270.50	61.00	2528.71	3696.40	6.43	-3696.39	1.61	-0.27	-0.02	
82	6106	91.80	271.80	63.00	2526.51	3759.35	7.69	-3759.34	2.16	0.31	1.13	
83	6170	91.80	272.80	64.00	2524.50	3823.27	10.26	-3823.26	1.56	0.68	3.59	



SURVEY CALCULATION PROGRAM

OPERATOR: Fasken Oil and Ranch, Ltd.						Supervisors:						
WELL: Gossett 20 #3H						Tony Bautista MWD						
LOCATION: Eddy Co.N.M						David Martinez MWD						
JOB NUMBER: WT-11514						Luis Suarez DD						
Curr<	Prev<	DIFF				S/Ahead	PROJ	Roman Duran DD				
		0.0					0.00	Bobby Grice Co. Rep				
Slide Seen			A/BR	BRN	JNT			D/S	Taylor Billingsley Co. Rep			
0.00			0.00		0.0				Patterson 101 Rig			
Target # 1		MD 3500	TVD 2586.00	Vertical Section 1145.60		N-S 2.30	E-W 1245.60	Sec/Plane 270.10	TARGET TRACKING TO CENTER			
SVY NUM	MD	INC	TRUE AZM	COURSE LENGTH		TVD	SECT	N-S	E-W	DLS/100	ABOVE(+) BELOW(-)	RIGHT(+) LEFT(-)
84	6233	91.60	275.30	63.00	2522.63	3886.09	14.71	-3886.07	3.98	0.94	7.92	
85	6296	91.60	273.70	63.00	2520.88	3948.88	19.65	-3948.85	2.54	1.09	12.75	
87	6359	91.40	272.10	63.00	2519.23	4011.78	22.83	-4011.74	2.56	1.12	15.83	
88	6423	91.80	270.50	64.00	2517.44	4075.74	24.28	-4075.70	2.58	1.27	17.17	
89	6486	91.50	270.00	63.00	2515.63	4138.71	24.56	-4138.67	0.93	1.47	17.33	
90	6549	91.30	268.60	63.00	2514.09	4201.68	23.79	-4201.65	2.24	1.39	16.46	
91	6613	90.90	268.30	64.00	2512.86	4265.64	22.06	-4265.61	0.78	0.98	14.61	
92	6676	91.20	267.50	63.00	2511.70	4328.59	19.75	-4328.56	1.36	0.52	12.20	
93	6739	91.00	267.40	63.00	2510.49	4391.51	16.95	-4391.48	0.35	0.11	9.28	
94	6803	91.50	267.50	64.00	2509.10	4455.42	14.10	-4455.41	0.80	-0.13	6.32	
95	6866	91.40	268.40	63.00	2507.50	4518.36	11.85	-4518.34	1.44	-0.15	3.96	
96	6930	91.20	269.80	64.00	2506.05	4582.33	10.84	-4582.32	2.21	-0.34	2.85	
97	6993	90.90	270.20	63.00	2504.90	4645.32	10.84	-4645.31	0.79	-0.80	2.74	
98	7057	90.50	270.70	64.00	2504.11	4709.31	11.35	-4709.30	1.00	-1.66	3.13	
99	7101	90.20	271.20	44.00	2503.85	4753.31	12.08	-4753.29	1.33	-2.53	3.78	
TD	7151	90.20	271.20	50.00	2503.67	4803.30	13.12	-4803.28	0.00	-3.63	4.74	