

District I - (575) 393-6161
1625 N French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St Francis Dr., Santa Fe, NM 87505

RECEIVED

APR 09 2012

NM OCD ARTESIA

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-015-21174
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-10716
7. Lease Name or Unit Agreement Name Caroline State
8. Well Number 8
9. OGRID Number 025575
10. Pool name or Wildcat E. Millman Seven Rivers
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3401' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other: P & A

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 South Fourth Street, Artesia, NM 88210

4. Well Location
Unit Letter D : 660 feet from the North line and 330 feet from the West line
Section 28 Township 19S Range 28E NMPM Eddy County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3-26-2012 MIRU, POOH with production equipment.
3-27-2012 RIH with workstring to 1013 feet, pump 13 barrels fresh water to circulate, pump additional 7 barrels to clean up well. Spot 100 SX Class C cement to surface, POOH with tubing. Estimated top of cement, did not tag.
3-28-2012 RIH, tag plug at 293 feet, pressure up on well to 400 PSI, held. Spot 25 SX Class C cement to surface. Prep to remove wellhead and install dry hole marker.
3-30-2012 Dig out cellar, cut off wellhead, install dry hole marker and fill cellar. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

Approved for plugging of well bore only.
Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms. www.cmrnd.state.nm.us/oed

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE SColl TITLE Regulatory Reporting Technician DATE April 6, 2012

Type or print name Sharon Coll E-mail address: scoll@yatespetroleum.com PHONE: 575-748-4507

For State Use Only

APPROVED BY: [Signature] TITLE DATE 4/10/2012
Conditions of Approval (if any):

Approved for plugging of well bore only.
Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms. www.cmrnd.state.nm.us/oed