

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-10471
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name J L KEEL B
8. Well Number: 029
9. OGRID Number 269324
10. Pool name or Wildcat GRAYBURG JACKSON;SR-Q-G-SA


SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other INJECTION	
2. Name of Operator LINN OPERATING, INC.	
3. Address of Operator 600 TRAVIS, SUITE 5100, HOUSTON, TEXAS 77002	
4. Well Location Unit Letter <u>K</u> ; 1980 feet from the <u>S</u> line and <u>1980</u> feet from the <u>W</u> line Section <u>08</u> Township <u>17S</u> Range <u>31E</u> NMPM <u>EDDY</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3713'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	
OTHER: RETURN TO INJECTION <input checked="" type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

LINN proposes to MIRU and POH with tubing and packer to locate and repair the problem and RTI.



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Terry B. Callahan

TITLE: REGULATORY SPECIALIST III DATE APRIL 24, 2012

Type or print name TERRY B. CALLAHAN E-mail address: tcallahan@linnenergy.com PHONE: 281-840-4272

For State Use Only

APPROVED BY:

Rutha Ince

TITLE

Compliance Officer


DATE

4/25/12

Conditions of Approval (if any):

DEVON ENERGY CORPORATION WELLBORE SCHEMATIC

WELL NAME: J.L. KEEL "B" #29			FIELD: GRAYBURG-JACKSON			
LOCATION: 1980'FSL & 1980'FWL, SEC 8-T17S-R31E			COUNTY: EDDY			STATE: NM
ELEVATION: GL=3713', KB=UNK			SPUD DATE: 10/28/64		COMP DATE: 11/09/64	
API#: 30-015-10471		PREPARED BY: C.H. CARLETON		UPDATED: K. BYERS		DATE: 07/23/98
	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING:	0' - 555'	8 5/8"	24#	J-55		11"
CASING:	0' - 3700'	4 1/2"	9.5#	J-55		6 3/4"
CASING:						
TUBING:	0' - 2806'	2 3/8"	4.7#	J-55	EUE 8rd	
TUBING:						



☒ CURRENT ☐ PROPOSED

OPERATOR: DEVON ENERGY CORPORATION(NEVADA)

BRADENHEAD SQUEEZE W/150 SXS, CEMENT TO 355'

8 5/8" CASING @ 555' W/220 SXS. TOC @ SURFACE.

PERF & SQUEEZE @ 1500' W/400 SXS, CEMENT TO 600' (TEMP SURVEY)

DETAIL OF PERFORATIONS

GRAYBURG: 2883'

U.GRAYBURG: 2912', 15', 32', 38', 42'

LOCO HILLS: 2996'-3004'

METEX: 3032', 44', 55', 57', 66', 70'

L.GRAYBURG: 3096', 98', 3104', 23', 25'

PREMIER: 3140'-3145', 3149'-3153', 3166'-3170'

VACUUM: 3227'-3234', 3238'-3246', 60', 63', 78', 81'

LOVINGTON: 3302', 16', 21', 53'

U.JACKSON: 3435', 40', 57', 59'

M.JACKSON: 3470'-3481', 3525'-3534', 3546'-3550', 3555'-3558',
3578'-3584', 3590'-3606'

L.JACKSON: 3610'-3624', 3637'-3646', 3653'-3660'

NOTE: ALL PERFS @ 2 SPF

BAKER MODEL AD-1 PACKER @ 2809'

PERFORATIONS: 2883'- 3660' (OA) - 290 HOLES

PBD @ 3697'

4 1/2" CASING @ 3700' W/360 SXS. TOC @ 1690' (TEMP SURVEY)

TD @ 3700'