


Submit To Appropriate District Office Two Copies District I 1625 N French Dr, Hobbs, NM 88240 District II 811 S First St, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised August 1, 2011
		1. WELL API NO. 30-015-39960
		2. Type Of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN
		3. State Oil & Gas Lease No. 648
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		
4 Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15 17.13 K NMAC)		5. Lease Name or Unit Agreement Name East Millman Unit
		6. Well Number 241
7 Type of Completion <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER		
8. Name of Operator Stephens & Johnson Operating Co.		9. OGRID Number 19958
10 Address of Operator P O Box 2249, Wichita Falls, TX 76307		11. Pool name or Wildcat Millman-Yates-SR-QN-GB-SA East
12 Location	Unit Letter	Section
Surface:	B	14
BH:		
13. Date Spudded 4/3/2012		14 Date T D. Reached 4/7/2012
15. Date Rig Released 4/8/2012		16. Date Completed (Ready to Produce) 5/9/2012
17 Elevations (DF & RKB, RT, GR, etc) 3430' KB		
18. Total Measured Depth of Well 2747'		19. Plug Back Measured Depth 2718'
20. Was Directional Survey Made? No		21 Type Electric and Other Logs Run DLL, Density-Neutron
22. Producing Interval(s), of this completion - Top, Bottom, Name 2211' -2475' Grayburg		
23 CASING RECORD (Report all strings set in well)		
CASING SIZE	WEIGHT LB /FT	DEPTH SET
8 5/8"	24	300'
5 1/2"	15.50	2734'
24. LINER RECORD		25. TUBING RECORD
SIZE	TOP	BOTTOM
26. Perforation record (interval, size, and number) One shot at: 2211, 2213, 2215, 2217, 2255, 2260, 2268, 2273, 2277, 2305, 2308, 2311, 2314, 2317, 2320, 2323, 2382, 2418, 2433, 2435, 2437, 2449, 2455, 2475 KB		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 2211' -2475' 108,909 gals 10# Brine, 1000# 20/40 sand, 11.410# LiteProp 108 (14/40) 4000# Super LC 20/40 sand
28. PRODUCTION		
Date First Production 5/9/2012		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping 2 1/2" x 2" x 16'
Well Status (Prod or Shut-in) Producing		
Date of Test 5/23/2012	Hours Tested 24	Choke Size
Prod'n For Test Period	Oil - Bbl. 27.0	Gas - MCF 35.0
Water - Bbl. 153.0	Gas - Oil Ratio 1296	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold		30 Test Witnessed By Mark Hope
31. List Attachments Deviation Survey, Dual Laterolog, Density-Neutron Log		
32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit.		
33 If an on-site burial was used at the well, report the exact location of the on-site burial		
Latitude		Longitude
		NAD: 1927 1983
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief		
Signature	Printed Name	Title
	William M. Kincaid	Petroleum Engineer
E-mail address		Date
mkincaid@sjoc.net		6/5/2012

1 2

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn "A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen 1694	T. Silurian	T. Menefee	T. Madison
T. Grayburg 2037	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2478	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permain	

OIL OR GAS SANDS OR ZONES

No. 3, from ----- to -----

No. 4, from to

IMPORTANT WATER SANDS

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology

WELL NAME AND NUMBER East Millman Unit No. 241
LOCATION Section 14, T19S, R28E, Unit B, 597 FNL, 1919 FEL, Eddy County
OPERATOR Stephens & Johnson Operating, Co.
DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation test and obtained the following results:

Degrees @ Depth	Degrees @ Depth	Degrees @ Depth
.5° @ 546'		
1.1° @ 797'		
.7° @ 1080'		
.9° @ 1395'		
.3° @ 1434'		
.3° @ 2434'		

Drilling Contractor- UNITED DRILLING, INC.

By: Luisa Noriega
(Luisa Noriega)

Title: Assistant Office Manager

Subscribed and sworn to before me this 9th day of April, 2012.

My Commission Expires: 10/8/12

Carlos Martin
Notary Public
Chaves New Mexico
County State