

Submit 1 Copy To Appropriate District Office.
District I - (575) 393-6161
1625 N French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-39165
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 W. Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Snapping 2 State
4. Well Location Unit Letter <u>O</u> <u>330</u> feet from the <u>South</u> line and <u>2360</u> feet from the East line Section <u>2</u> Township <u>26S</u> Range <u>31E</u> NMPM <u>Eddy</u> County		8. Well Number <u>8H</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3241' GR		9. OGRID Number 6137
		10. Pool name or Wildcat Bone Spring <u>Jennings; B.S., West</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Drilling Operations ☒


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1/23/2012 - 4/13/2012

MIRU. ND Wellhead. NU BOP. RIH w/string mill & tbg. Tag cement @ 6063'. Test Casing 1000 psi, OK. Drill cement and DV tool @ 6070'. Circ hole clean. RU Wireline & run CBL log from 9250' to surface. Had good bond. Found TOC @ 2830'. RIH & perforate from 9226-13642'; 660 holes. Frac (9226 - 13642') in 11 stages, total of 1,541,100# 20/40 sd, 633,400 # 40/70 sd, 53600# 100 mesh sd, 49,500 gals 15% HCL. Set tbg & pkr @ 8439'. Turn well to production.

Spud Date:

Rig Release Date:



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: Patti Riechers TITLE: Sr. Staff Operations Tech DATE: 6/22/2012

Type or print name: Patti Riechers E-mail address: patti.riechers@dvn.com PHONE: 405-228-4248

For State Use Only

APPROVED BY: J. C. Shepard TITLE: Podgost DATE: 7/2/2012

Conditions of Approval (if any):



SNAPPING 2 STATE 8H

WEST UNRESTRICTED

Perforation Summary

District	County		Field Name		Project Group		State/Province						
PERMIAN BASIN	EDDY		AVALON SHALE		PB NEW MEXICO		NM						
Surface Legal Location			API/UWI	Latitude (DMS)	Longitude (DMS)	Ground Elev MSL (ft)	KB - Ground Level (ft)	Orig KB Elevation (ft)	Tubing Head Elevation (ft)				
SEC2 T26S R31E			3001539165	32° 3' 56.839" N	103° 44' 52.159" W	3,241 00	26.20	3,267.20					
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Desc	Gun Size (in)	Chg Typ	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method
1/30/2012	AVALON SHALE, OH	9,226.0	8,997.3	9,227.3	8,996.4			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,308.0	9,011.2	9,309.3	9,011.3			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,389.0	9,013.6	9,390.3	9,013.5			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,471.0	9,011.2	9,472.3	9,011.1			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,553.0	9,007.9	9,554.3	9,007.9			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,635.0	9,007.3	9,636.3	9,007.3			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,717.0	9,006.3	9,718.3	9,006.3			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,798.0	9,004.8	9,799.3	9,004.8			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,880.0	9,002.9	9,881.3	9,002.9			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	9,962.0	9,001.7	9,963.3	9,001.7			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,044.0	9,000.9	10,045.3	9,000.9			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,125.0	8,999.0	10,126.3	8,999.0			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,207.0	8,999.5	10,208.3	8,999.5			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,289.0	9,000.6	10,290.3	9,000.7			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,371.0	9,001.6	10,372.3	9,001.7			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,452.0	9,002.7	10,453.3	9,002.8			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,534.0	9,003.5	10,535.3	9,003.5			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,616.0	9,004.9	10,617.3	9,004.9			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,698.0	9,005.2	10,699.3	9,005.1			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,779.0	9,003.9	10,780.3	9,003.8			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,861.0	9,004.6	10,862.3	9,004.6			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	10,943.0	9,002.3	10,944.3	9,002.3			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,025.0	9,000.4	11,026.3	9,000.4			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,106.0	8,998.7	11,107.3	8,998.7			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,188.0	8,997.1	11,189.3	8,997.0			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,270.0	8,996.0	11,271.3	8,996.0			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,352.0	8,993.3	11,353.3	8,993.2			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,433.0	8,991.4	11,434.3	8,991.4			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,515.0	8,992.3	11,516.3	8,992.3			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,597.0	8,992.7	11,598.3	8,992.7			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,679.0	8,992.5	11,680.3	8,992.5			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,761.0	8,991.3	11,762.3	8,991.3			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,842.0	8,990.8	11,843.3	8,990.7			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	11,924.0	8,986.4	11,925.3	8,986.4			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,006.0	8,984.1	12,007.3	8,984.1			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,088.0	8,984.1	12,089.3	8,984.1			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,169.0	8,982.9	12,170.3	8,982.8			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,251.0	8,980.5	12,252.3	8,980.4			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,333.0	8,976.6	12,334.3	8,976.6			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,415.0	8,972.8	12,416.3	8,972.8			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,496.0	8,969.3	12,497.3	8,969.3			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,578.0	8,971.2	12,589.3	8,970.4			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,660.0	8,967.7	12,661.3	8,967.7			3 3/8		25.0	6.0	60	WIRELINE
1/30/2012	AVALON SHALE, OH	12,742.0	8,968.3	12,743.3	8,968.3			3 3/8		25.0	6.0	60	WIRELINE



SNAPPING 2 STATE 8H

WEST UNRESTRICTED

Perforation Summary

District PERMIAN BASIN		County EDDY		Field Name AVALON SHALE		Project Group PB NEW MEXICO			State/Province NM						
Surface Legal Location SEC2 T26S R31E		API/UWI 3001539165		Latitude (DMS) 32° 3' 56.839" N		Longitude (DMS) 103° 44' 52.159" W		Ground Elev MSL (ft) 3,241.00		KB - Ground Level (ft) 26.20		Orig KB Elevation (ft) 3,267.20		Tubing Head Elevation (ft)	
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Desc	Gun Size (in)	Chg Typ	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (*)	Conveyance Method		
1/30/2012	AVALON SHALE, OH	12,823.0	8,970.3	12,824.3	8,970.3			3 3/8		25.0	6.0	60	WIRELINE		
1/30/2012	AVALON SHALE, OH	12,905.0	8,972.0	12,906.3	8,972.1			3 3/8		25.0	6.0	60	WIRELINE		
1/30/2012	AVALON SHALE, OH	12,987.0	8,973.0	12,988.3	8,973.0			3 3/8		25.0	6.0	60	WIRELINE		
1/30/2012	AVALON SHALE, OH	13,069.0	8,972.6	13,070.3	8,972.6			3 3/8		25.0	6.0	60	WIRELINE		
1/30/2012	AVALON SHALE, OH	13,150.0	8,973.5	13,151.3	8,973.5			3 3/8		25.0	6.0	60	WIRELINE		
1/30/2012	AVALON SHALE, OH	13,232.0	8,973.7	13,233.3	8,973.7			3 3/8		25.0	6.0	60	WIRELINE		
1/30/2012	AVALON SHALE, OH	13,313.0	8,974.6	13,314.3	8,974.6			3 3/8	MILLENNIUM	25.0	6.0	60	TUBING		
1/30/2012	AVALON SHALE, OH	13,396.0	8,975.6	13,397.3	8,975.7			3 3/8	MILLENNIUM	25.0	6.0	60	TUBING		
1/30/2012	AVALON SHALE, OH	13,477.0	8,976.7	13,478.3	8,976.7			3 3/8	MILLENNIUM	25.0	6.0	60	TUBING		
1/30/2012	AVALON SHALE, OH	13,559.0	8,977.8	13,560.3	8,977.8			3 3/8	MILLENNIUM	25.0	6.0	60	TUBING		
1/30/2012	AVALON SHALE, OH	13,641.0	8,979.1	13,642.3	8,979.1			3 3/8	MILLENNIUM	25.0	6.0	60	TUBING		