

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S. St. Francis Dr , Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-39773
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. V-7377
7. Lease Name or Unit Agreement Name Skeen 21 State Com
8. Well Number 2H
9. OGRID Number 14744
10. Pool name or Wildcat Hay Hollow; Bone Spring 30215
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3017'

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Mewbourne Oil Company	
3. Address of Operator PO Box 5270 Hobbs, NM 88241	
4. Well Location Unit Letter B : 330 feet from the North line and 1980 feet from the East line Section 21 Township 26S Range 28E NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3017'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☒ Completion Sundry	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


03/30/12 Frac Bone Spring Ports from 7149' MD (6843' TVD) to 11180' MD (6816' TVD) in 20 stages w/935,670 gals 15# Linear Gel carrying 375,180# 100 Mesh sand & 1,262,406 gals 20# XL carrying 1,450,720# 20/40 sand & 285,000 SB Excel.

04/10/12 RIH w/2 7/8" 6.5# L80 tbg to 6441'.

Put well on production.

Spud Date: 01/08/2012

Rig Release Date: 02/03/2012



Accepted for record
NMOCD

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jackie Lathan TITLE Hobbs Regulatory DATE 04/23/12

Type or print name Jackie Lathan E-mail address: jlathan@mewbourne.com PHONE: 575-393-5905

For State Use Only

APPROVED BY Dr. Dade TITLE Dr. Supervisor DATE 04/27/12
Conditions of Approval (if any):

*Do It Once.
Do It Right*

**Confidential Information - not to be disclosed
outside Mewbourne Oil Company**

Final Completion

Prepared for		Company	Date		
Micky Young		Mewbourne Oil Company	3-Feb-12		
Well Name		Type of Installation	Location		
Skeen 21 State Com #2H		20-Stage 4-1/2" StackFRAC® HD	Eddy County, NM		
Depth	Drawing	Description	OD(in)	ID(in)	Length
REV_			Page 1 of 3		
TD 11,235					
TVD 6,812					
KOP 6,235					
TOL 6,833 261bbls		***Drillable FracPORT's to be shipped without handling pups*** Latched Seal Assembly 7" 23-32 ppf x 3.875" Lower Bore x 4.75" Upper Bore SF Liner Hanger Packer PN: 108425-000004 (Shear Pins: 2 @ 482 plus 1 @ 241 : 1,205 psi setting pressure) SF Bottom Guide SNU 0007335	5.875"	4.750	3.30
SHOE 7,079		7" 26# P-110 LT&C Casing		3.875	2.51
			5.850"	3.850	0.93
					2.91
Stage 20 7,149 266bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 8 Packers Plus 4-1/2" Drillable FracPORT™ with 3.625" Seat for 3.750" High Pressure Ball PN: 121332-000024 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1022042 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	306.14
			5.630"	3.625	2.65
				3.840	
RSII 7,235		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017057 3' x 4-1/2" 11.60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	77.16
			4.500"	4.000	6.11
			5.750"	3.875	5.25
Stage 19 7,360 269bbls		Packers Plus 4-1/2" Drillable FracPORT™ with 3.500" Seat for 3.625" High Pressure Ball PN: 121332-000023 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1022017 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.04
			4.500"	4.000	116.99
			5.630"	3.500	2.65
				3.840	
RSII 7,446		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017052 3' x 4-1/2" 11.60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	77.20
			4.500"	4.000	6.11
			5.750"	3.875	5.25
Stage 18 7,572 272bbls		Packers Plus 4-1/2" Drillable FracPORT™ with 3.375" Seat for 3.500" High Pressure Ball PN: 121332-000022 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1019506 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.02
			4.500"	4.000	117.14
			5.630"	3.375	2.65
				3.840	
RSII 7,657		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017061 3' x 4-1/2" 11.60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	76.93
			4.500"	4.000	6.10
			5.750"	3.875	5.25
Stage 17 7,743 275bbls		Packers Plus 4-1/2" Drillable FracPORT™ with 3.250" Seat for 3.375" High Pressure Ball PN: 121332-000021 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3017103 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3 6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.05
			4.500"	4.000	77.19
			5.630"	3.250	2.65
				3.840	
RSII 7,864		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017060 3' x 4-1/2" 11.60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	112.95
			4.500"	4.000	6.10
			5.750"	3.875	5.25
Stage 16 7,990 279bbls		Packers Plus 4-1/2" Drillable FracPORT™ with 3.125" Seat for 3.250" High Pressure Ball PN: 121332-000020 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3016278 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	77.19
			4.500"	4.000	6.10
			5.750"	3.875	5.25
				3.840	
RSII 8,076		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017045 3' x 4-1/2" 11.60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	3.05
			4.500"	4.000	117.82
			5.630"	3.125	2.65
				3.840	
Stage 15 8,199 282bbls		Packers Plus 4-1/2" Drillable FracPORT™ with 3.000" Seat for 3.125" High Pressure Ball PN: 121332-000019 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3016192 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	77.19
			4.500"	4.000	6.10
			5.750"	3.875	5.25
				3.840	
			4.500"	4.000	75.12
Service Center		Contact	Telephone		
Midland, TX		432-563-8024 Scott Mabry	Chad Williams 405-255-3222		



Do It Once
Do It Right.

Confidential Information - not to be disclosed
outside Mewbourne Oil Company

**Final
Completion**

Prepared for		Company	Date		
Micky Young		Mewbourne Oil Company	3-Feb-12		
Well Name		Type of Installation	Location		
Skeen 21 State Com #2H		20-Stage 4-1/2" StackFRAC® HD	Eddy County, NM		
Depth	Drawing	Description	OD(in)	ID(in)	Length
Page 2 of 3					
REV_		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.11
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
8,282		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017047			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.05
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	112.23
Stage 14		Packers Plus 4-1/2" Drillable FracPORT™ with 2.875" Seat for 3.000" High Pressure Ball	5.630"	2.875	2.65
8,403		PN: 121332-000018 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3016347		3.840	
285bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	77.14
		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.07
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
8,489		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA3014304			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.09
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	117.18
Stage 13		Packers Plus 4-1/2" Drillable FracPORT™ with 2.750" Seat for 2.875" High Pressure Ball	5.630"	2.750	2.65
8,614		PN: 121332-000017 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1022518		3.840	
288bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	76.73
		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.08
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
8,700		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017056			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.02
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	109.87
Stage 12		Packers Plus 4-1/2" Drillable FracPORT™ with 2.625" Seat for 2.750" High Pressure Ball	5.630"	2.625	2.65
8,818		PN: 121332-000016 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3017006		3.840	
291bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	114.89
		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.09
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
8,942		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017038			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.04
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	113.34
Stage 11		Packers Plus 4-1/2" Drillable FracPORT™ with 2.500" Seat for 2.625" High Pressure Ball	5.630"	2.500	2.65
9,063		PN: 121332-000015 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3016961		3.840	
295bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	76.83
		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.10
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
9,149		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017049			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.06
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	117.77
Stage 10		Packers Plus 4-1/2" Drillable FracPORT™ with 2.375" Seat for 2.500" High Pressure Ball	5.630"	2.375	2.65
9,275		PN: 121332-000014 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1022595		3.840	
299bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	73.24
		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.11
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
9,357		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017046			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.05
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	112.11
Stage 9		Packers Plus 4-1/2" Drillable FracPORT™ with 2.250" Seat for 2.375" High Pressure Ball	5.630"	2.250	2.65
9,477		PN: 121332-000013 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1022739		3.840	
302bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	78.37
		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.09
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
9,564		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017044			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.00
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	115.62
Stage 8		Packers Plus 4-1/2" Drillable FracPORT™ with 2.125" Seat for 2.250" High Pressure Ball	5.630"	2.125	2.65
9,688		PN: 121332-000012 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3016868		3.840	
305bbls		4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4.500"	4.000	78.42
		6' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	6.06
RSII		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer	5.750"	3.875	5.25
9,775		PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA3014305			
		3' x 4-1/2" 11.60# P-110 LTC Pup Joint	4.500"	4.000	3.12
		4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4.500"	4.000	114.88
Service Center Telephone Contact			Telephone		
Midland, TX 432-563-8024 Scott Mabry			Chad Williams 405-255-3223		




Do It Once
Do It Right

Confidential Information - not to be disclosed
outside Mewbourne Oil Company

**Final
Completion**

Prepared for Micky Young	Company Mewbourne Oil Company	Date 3-Feb-12
Well Name Skeen 21 State Com #2H	Type of Installation 20-Stage 4-1/2" StackFRAC® HD	Location Eddy County, NM

Depth	Drawing	Description	OD(in)	ID(in)	Length
Page 3 of 3					
REV_					
Stage 7 9,899 308bbbls		Packers Plus 4-1/2" Drillable FracPORT™ with 2.000" Seat for 2.125" High Pressure Ball PN: 121332-000011 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1022649 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11 60# P-110 LTC Pup Joint	5 630"	2.000 3.840	2 65
RSII 9,984		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA3014301 3' x 4-1/2" 11.60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4 500" 4 500" 5 750"	4 000 4 000 3.875	76.91 6 07 5 25
Stage 6 10,107 312bbbls		Packers Plus 4-1/2" Drillable FracPORT™ with 1.875" Seat for 2.000" High Pressure Ball PN: 121332-000010 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA3016396 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3 6' x 4-1/2" 11 60# P-110 LTC Pup Joint	4 500" 4 500" 5 630"	4 000 4 000 1.875 3.840	3 08 114 69 2 65
RSII 10,228		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017091 3' x 4-1/2" 11 60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4 500" 4 500" 5 750"	4 000 4 000 3.875	2 99 112 63 5 25
Stage 5 10,348 315bbbls		Packers Plus 4-1/2" Drillable FracPORT™ with 1.750" Seat for 1.875" High Pressure Ball PN: 121332-000009 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1021014 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3 6' x 4-1/2" 11 60# P-110 LTC Pup Joint	4 500" 4 500" 5 630"	4 000 4 000 1.750 3.840	112 14 6 07 2 65
RSII 10,469		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017096 3' x 4-1/2" 11 60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4 500" 4 500" 5 750"	4.000 4.000 3.875	3 00 76 95 5 25
Stage 4 10,554 318bbbls		Packers Plus 4-1/2" Drillable FracPORT™ with 1.625" Seat for 1.750" High Pressure Ball PN: 121332-000008 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1017278 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3 6' x 4-1/2" 11 60# P-110 LTC Pup Joint	4 500" 4 500" 5 630"	4 000 4 000 1.625 3.840	117 21 6 06 2 65
RSII 10,680		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA3014303 3' x 4-1/2" 11 60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4 500" 4 500" 5 750"	4 000 4 000 3.875	3 10 76 23 5 25
Stage 3 10,765 322bbbls		Packers Plus 4-1/2" Drillable FracPORT™ with 1.500" Seat for 1.625" High Pressure Ball PN: 121332-000007 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1016058 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2 6' x 4-1/2" 11 60# P-110 LTC Pup Joint	4 500" 4 500" 5 630"	4.000 4.000 1.500 3.840	77 75 6 07 2 65
RSII 10,851		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2010280 3' x 4-1/2" 11 60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3	4 500" 4 500" 5 750"	4 000 4.000 3.875	3 09 113 12 5 25
Stage 2 10,973 325bbbls		Packers Plus 4-1/2" Drillable FracPORT™ with 1.375" Seat for 1.500" High Pressure Ball PN: 121332-000006 (5 shear pins at 314 psi each: 1,570 psi opening pressure)S# EA1009730 4-1/2" 11.60# P-110 LTC LINER JOINTS: 3 6' x 4-1/2" 11 60# P-110 LTC Pup Joint	4 500" 4 500" 5 750"	4 000 4 000 3.875	113.93 6 11 5 25
RSII 11,096		Packers Plus 7" x 4-1/2" RockSEAL® II 10K Centralized Hydraulic Set Open Hole Packer PN: 124929-000004 (4 shear pins at 522 psi each: 2,088 psi setting pressure)S# EA2017054 3' x 4-1/2" 11 60# P-110 LTC Pup Joint 4-1/2" 11.60# P-110 LTC LINER JOINTS: 2	4 500" 4 500"	4.000 4 000	3 03 72 51
Stage 1 11,180 328bbbls		Customer 4-1/2" Pump Off Sub (Pinned above 4000 PSI)			3 10
Service Center Midland, TX	Telephone 432-563-8024	Contact Scott Mabry	Telephone Chad Williams 405-255-3223		