

District I
1625 N. French Dr , Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

JUL 17 2012

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.
NMOCD ARTESIA

Form C-141
Revised August 8, 2011

Release Notification and Corrective Action

nJMW1221430661		OPERATOR		<input checked="" type="checkbox"/> Initial Report	<input type="checkbox"/> Final Report
Name of Company: BOPCO, L.P. 260737		Contact: Tony Savoie			
Address: 522 W. Mermod, Suite 704 Carlsbad, N.M. 88220		Telephone No. 432-556-8730			
Facility Name: Poker Lake Unit 78 SWD		Facility Type: Salt Water Disposal Tank Battery			
Surface Owner: Federal		Mineral Owner: Federal		API No. 30-015-27536	

LOCATION OF RELEASE

Unit Letter A	Section 25	Township 24S	Range 30E	Feet from the	North/South Line	Feet from the	East/West Line	County Eddy
------------------	---------------	-----------------	--------------	---------------	------------------	---------------	----------------	----------------

Latitude: N 32.194069 Longitude: W 103.827614

NATURE OF RELEASE

Type of Release Produced Water and crude oil	Volume of Release 600 bbls produced water and 10 bbls crude oil	Volume Recovered 500 bbls total fluid
Source of Release Tank overflow and containment failure	Date and Hour of Occurrence: 7/11/12 Approximately 5:00 p.m.	Date and Hour of Discovery: 7/11/12 Approximately 5:00 p.m.
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? NMOCD Emergency #104 and BLM	
By Whom? Tony Savoie	Date and Hour : 7/11/12 NMOCD at 7:10 p.m. BLM e-mail 7:39 p.m.	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

The SWD was without power when the tanks started overflowing, electricians were on-site and vacuum trucks were on the way to the facility when the new 0 perm containment wall separated at a seam. Screws were used to secure the wall and keep it from totally collapsing.

Describe Area Affected and Cleanup Action Taken.*

The area affected was undergoing a remediation to clean up a previous produced water spill, most of the water along with a large amount of rain water ponded up in one of the excavations in the pasture. A total of 1050 bbls of water and oil was recovered; the water tested at about 25,000 mg/kg chlorides, which is about 1/2 the normal chloride concentration for the produced water. Remediation efforts are continuing following the NMOCD and BLM guidelines for spill remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: Tony Savoie		OIL CONSERVATION DIVISION	
Printed Name: Tony Savoie		Signed By M/L Berman	
Title: Waste Mgmt. and Remediation Specialist		Approved by Environmental Specialist:	
E-mail Address: tasavoie@basspet.com		Approval Date: AUG 01 2012	Expiration Date:
Date: 7/16/12	Phone: 432-556-8730	Conditions of Approval:	Attached <input type="checkbox"/>

* Attach Additional Sheets If Necessary

Remediation per OCD Rules & Guidelines. SUBMIT REMEDIATION PROPOSAL NOT LATER THAN:

9/1/12

2RP-1234