Submit To Appropriate District Office State of New Mexico Form C-105 Two Copies Revised August 1, 2011 District I Energy, Minerals and Natural Resources 1625 № French Dr , Hobbs, NM 88240 1. WELL API NO. District II 30-015-39112 811 S First St, Artesia, NM 88210 Oil Conservation Division District III Type of Lease 1000 Rio Brazos Rd, Aztec, NM 87410 1220 South St. Francis Dr. ■ STATE ☐ FEE ☐ FED/INDIAN District IV State Oil & Gas Lease No Santa Fe, NM 87505 1220 S St Francis Dr , Santa Fe, NM 87505 THE PART OF THE PA WELL COMPLETION OR RECOMPLETION REPORT AND LOG 5. Lease Name or Unit Agreement Name 4 Reason for filing **ROGERS** ☑ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) 6 Well Number C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or AUG 06 2012 #33; attach this and the plat to the C-144 closure report in accordance with 19 15.17.13.K NMAC) Type of Completion. NMOCD ARTESIA NEW WELL □ WORKOVER □ DEEPENING □ PLUGBACK □ DIFFERENT RESERVOIR □ OTHER 8 Name of Operator 9. OGRID **OXY USA INC** 16696 11. Pool name or Wildcat 10. Address of Operator PO BOX 4294 ATOKA, GLORIETA-YESO (3250) HOUSTON, TX 77210 Feet from the N/S Line Feet from the E/W Line Unit Ltr Section Township Range Lot County 12.Location 1650 990 EDDY Surface: 23 188 26E Н E BH: 13. Date Spudded 14 Date T D Reached 15 Date Rig Released 16. Date Completed (Ready to Produce) 17 Elevations (DF and RKB, 06/12/2012 06/13/2012 07/16/2012 RT, GR, etc.) 3310' GR 06/07/2012 18 Total Measured Depth of Well 19 Plug Back Measured Depth Type Electric and Other Logs Run 20. Was Directional Survey Made? 3685.5 YES TRIPLE COMBO 22 Producing Interval(s), of this completion - Top, Bottom, Name 2929' - 3603' YESO **CASING RECORD** (Report all strings set in well) 23 DEPTH SET HOLE SIZE CEMENTING RECORD CASING SIZE WEIGHT LB./FT. AMOUNT PULLED 12 1/4" 9 5/8" 36# J55 LTC 900' 740SX TO SURFACE 5 1/2" 17# L80 LTC 3722 7 7/8" 640SX TO SURFACE 24. LINER RECORD 25 TUBING RECORD SIZE TOP **BOTTOM** SACKS CEMENT | SCREEN SIZE **DEPTH SET** PACKER SET 2 7/8" 2857 Perforation record (interval, size, and number) 27 ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. 2929'-2933', 3069'-3072', 3288'-3290.5', 3392'-3394 5', 3439'-3441', 4 SPF, 56 DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED holes, 0 43" EHD 3591'-3603', 5 SPF, 50 holes, 0 48" EHD See attachment **PRODUCTION** Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod or Shut-in) 07/30/2012 PUMPING PROD Date of Test Hours Tested Choke Size Prod'n For Oil - Bbl Gas - MCF Water - Bbl Gas - Oil Ratio 07/31/2012 NONE 137 140 1693 1022 SCF/BBL Test Period Gas - MCF Water - Bbl Flow Tubing Casing Pressure Calculated 24-Oil - Bh Oil Gravity - API - (Corr) Press. Hour Rate 39 deg API 29 Disposition of Gas (Sold, used for fuel, vented, etc. FLARED, WITH INTENT TO BE SOLD LATER ON Test Witnessed By 31 List Attachments 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit 33. If an on-site burial was used at the well, report the exact location of the on-site burial Latitude NAD 1927 1983 Longitude I hereby certiff that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Name JENNIFER DUARTE Title REGULATORY ANALYST Date 08/03/2012 Signature

duarte@oxy.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	astern New Mexico	Northwestern New Mexico			
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"		
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"		
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"		
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"		
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville		
T. Queen_	T. Silurian	T. Menefee	T. Madison		
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert		
T. San Andres	T. Simpson	T. Mancos	T. McCracken		
T. Glorieta 2679'	T. McKee	T. Gallup	T. Ignacio Otzte		
T. Paddock 2840'	T. Ellenburger	Base Greenhorn	T.Granite		
T. Blinebry 3397'	T. Gr. Wash	T. Dakota			
T.Tubb	T. Delaware Sand	T. Morrison			
T. Drinkard	T. Bone Springs	T.Todilto			
T. Abo	T.1 st Bone Spring Sand	T. Entrada			
T. Wolfcamp	T. 2 nd Bone Spring Lime	T. Wingate			
T. Penn	T. 2 nd Bone Spring Sand	T. Chinle			
T. Cisco (Bough C)	T	T. Permian_			

			SANDS OR ZONES
No. 1, from	to	No. 3, from	to
		No. 4, from	
	IMPORTANT	WATER SANDS	
Include data on rate of water	r inflow and elevation to which wa	ter rose in hole.	
No. 1, from	to	feet	********
No. 2, from	to	feet	*******
		feet	
I	LITHOLOGY RECORD	(Attach additional sheet if nece	ssary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
			,				
1							
			,				
}	li:						
1							