

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-25098
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Lightfoot Com.
8. Well Number 2
9. OGRID Number 16696
10. Pool name or Wildcat Malaga Afoka
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2979' GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator OXY USA Inc.	
3. Address of Operator P.O. Box 50250 Midland, TX 79710	
4. Well Location Unit Letter P : 660 feet from the south line and 660 feet from the east line Section 14 Township 24S Range 28E NMPM County Eddy	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2979' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.



See Attached

P&A 8/24/12

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OCD Web Page under
Forms, www.emnrd.state.nm.us/oed.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 8/27/11

Type or print name _____ E-mail address: david_stewart@oxy.com PHONE: 432-685-5717
For State Use Only

APPROVED BY David Stewart TITLE _____ DATE 8/30/2012

Conditions of Approval (if any):

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OCD Web Page under
Forms, www.emnrd.state.nm.us/oed.

Lightfoot Com #2

- 8/13/12 MIRU PU, dig out cellar to surf head, ND WH.
- 8/14/12 ND WH, NU BOP, Could not rel on/off tool.
- 8/15/12 RU kill truck, pump 55bbl 10# brine to kill well., rel on/off tool, let csg/tbg equalize, unable to rel packer. Rec verbal approval Phil Hawkins-NMOCD to leave pkr in hole. Rel on/off tool, POOH.
- 8/16/12 RIH w/ WL w/ gauge ring & tag pkr @ 11864', POOH. RIH w/ CIBP & set @ 11868', POOH w/ WL.
- 8/17/12 RIH w/ tbg & tag CIBP @ 11868'
- 8/20/12 Circ hole w/ 10# MLF, M&P 35sx CL H cmt, PUH to 9893'. M&P 30sx CI H cmt, PUH, WOC.
- 8/21/12 RIH w/ tbg & tag cmt @ 9400', OK'd by Phil Hawkins-NMOCD, PUH to 8105', spot 30sx CL H cmt, PUH, WOC. RIH & tag cmt @ 7965', PUH to 6379'.
- 8/22/12 Had to work on pulling unit & cement pump truck. Load hole w/ 10# MLF, M&P 30sx CI C cmt, PUH, WOC.
- 8/23/12 RIH & tag cmt @ 6271', PUH to 5855', M&P 35sx CI C cmt w/ 2% CaCl₂, PUH, WOC. RIH w/ WL & tag cmt @ 5730'. PUH & perf @ 4250', POOH w/ WL. RIH w/ pkr & set @ 3883', EIR 2BPM w/ full returns, sqz 100sx CL C cmt, WOC.
- 8/24/12 Rel pkr & POOH, RIH w/ WL & tag cmt @ 4035', PUH & perf @ 2710', POOH. RIH & set pkr @ 1972', EIR @ 2BPM w/ full returns, sqz 220sx CL C cmt w/ 2% CaCl₂, WOC. Combined plugs @ 2710' & 2370', appr by Phil Hawkins-NMOCD. Rel pkr, RIH w/ WL & tag cmt @ 2190', PUH & perf @ 650', POOH. RIH & set pkr @ 30', EIR w/ full returns, circ 275sx CL C cmt to surface. Rel pkr, POOH, ND BOP, top off csg, RDPU.