District I 1625 N French Dr , Hobbs, NM 88240 District II 811 S First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit

to the appropriate NMOCD District Office.

Form C-144 CLEZ

Revised August 1, 2011

Closed-Loop System Permit or Closure Plan Application

1220 South St. Francis Dr.

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

	water, ground water or the v's rules, regulations or ordinances.
	, , , , , , , , , , , , , , , , , , , ,
Operator: CIMAREX ENERGY CO. OF COLORADO OGRID#: 162683	
Address: 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701	
Facility or well name: KEOHANE ET AL FEDERAL #002	
API Number: 30-015-05621 OCD Permit Number: 213376	
U/L or Qtr/Qtr L Section 28 Township 18S Range 31E County: ED	
Center of Proposed Design: LatitudeLongitude	NAD: 🔲 1927 🔲 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	
1.	
▼ Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit o	
X Above Ground Steel Tanks or ☐ Haul-off Bins	RECEIVED
Signs: Subsection C of 19.15.17.11 NMAC	AUC 9 1 2012
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	AUG 3 1 2012
☐ Signed in compliance with 19.15.16.8 NMAC	NMOCD ARTESIA
4. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bo	x, that the documents are
attached. ☑ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMA	
	C and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:	C and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Number: API Number:	C and 19.15.17.13 NMAC
Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19)	0.15.17.13.D NMAC)
Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use atta	0.15.17.13.D NMAC) achment if more than two
Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attafacilities are required. CANDY MARLEY Disposal Facility Name: R 3 6 0 Disposal Facility Permit Number:	0.15.17.13.D NMAC) achment if more than two NM 01-0019 NM 01-0006
Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attafacilities are required. CANDY MARLEY Disposal Facility Name: R 3 6 0 Disposal Facility Permit Number:	0.15.17.13.D NMAC) achment if more than two NM 01-0019 NM 01-0006
Previously Approved Operating and Maintenance Plan API Number: 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attafacilities are required. GANDY MARLEY	0.15.17.13.D NMAC) schment if more than two NM 01-0019 NM 01-0006 NM 01-0003
Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attafacilities are required.	0.15.17.13.D NMAC) schment if more than two NM 01-0019 NM 01-0006 NM 01-0003
Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use atta facilities are required.	0.15.17.13.D NMAC) schment if more than two NM 01-0019 NM 01-0006 NM 01-0003 r future service and operations?
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attal facilities are required. □ GANDY MARLEY □ Disposal Facility Name: R 3 6 0 □ Disposal Facility Permit Number: □ □ Disposal Facility Name: □ SUNDANCE □ Disposal Facility Permit Number: □ Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for □ Yes (If yes, please provide the information below) □ No Required for impacted areas which will not be used for future service and operations: □ Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.1 □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	0.15.17.13.D NMAC) schment if more than two NM 01-0019 NM 01-0006 NM 01-0003 r future service and operations?
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attal facilities are required. □ GANDY MARLEY □ Disposal Facility Name: R 3 6 0 □ Disposal Facility Permit Number: □ □ Disposal Facility Name: □ SUNDANCE □ Disposal Facility Permit Number: □ Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for □ Yes (If yes, please provide the information below) □ No Required for impacted areas which will not be used for future service and operations: □ Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	0.15.17.13.D NMAC) schment if more than two NM 01-0019 NM 01-0006 NM 01-0003 r future service and operations?
Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use atta facilities are required.	D.15.17.13.D NMAC) Inchment if more than two NM 01-0019 NM 01-0006 NM 01-0003 In future service and operations? 7.13 NMAC
Previously Approved Operating and Maintenance Plan API Number:	D.15.17.13.D NMAC) Inchment if more than two NM 01-0019 NM 01-0006 NM 01-0003 In future service and operations? 7.13 NMAC
Previously Approved Operating and Maintenance Plan API Number: S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use atta facilities are required.	D.15.17.13.D NMAC) Inchment if more than two NM 01-0019 NM 01-0006 NM 01-0003 In future service and operations? 7.13 NMAC
Previously Approved Operating and Maintenance Plan API Number:	2.15.17.13.D NMAC) cochment if more than two NM 01-0019 NM 01-0006 NM 01-0003 r future service and operations? 7.13 NMAC

7. OCD Approval: Permit Application (including closure plan)		
OCD Representative Signature:	Approval Date: 8/31/12	
Title: DIST # SUPULST	OCD Permit Number: 213376	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
	Closure Completion Date:	
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Boil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

Closed-Loop Design Plan:

The closed loop system will not entall a drying pad, temporary pit, below grade tank or sump. It will entall an above ground haul-off bin sullable for holding the cuttings and fluids for rig operations. The haul-off bin will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1.) Fencing is not required for an above ground closed-loop system.
 - 2.) This site will be signed in compliance with 19.15.3.103 NMAC.
 - 3.) Please see attached Closed-Loop System diagram.

Closed-Loop Operating and Maintenance Plan:


In order to protect public health and environment, the closed-loop haul-off bin will be operated and maintained to contain fluids and solids. This will aid in the prevention of contamination of fresh water sources. To aliain this goal the following steps will be followed:

- 1.) The solids and liquids in the closed-loop haul-off bin will be transported off the drilling facility and disposed of at the CRI facility (Permit No. R9166) in Heliway, NM on a periodic basis once a bin is determined to be at full volume capacity.
- No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- The division district effice will be notified within 48 hours of the discovery of compromised integrity of the haut-off bin. Upon the discovery of the compromised haut-off bin, repairs will be enacted immediately.
- All of the above operations will be inspected and a log will be signed and dated. During
 disperations, the inspection will be delily.

Closed-Loop Closure Plan:

The huel-off bin will be maintained in accordance with 19.15.17.13 NMAC. This will be done by transporting and disposing all cuttings and liquids to the CRI Facility (Permit No. R9166) during and immediately following rig operations. The hauf-off bins will be removed from the location as part of the rig move. At the time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

CLOSED-LOOP SCHEMATIC



.