


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.



SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		7. If Unit or CA/Agreement, Name and/or No.
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO		8. Well Name and No. SHUGART "A" #009
3a. Address 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701		9. API Well No. 30-015-05640
3b. Phone No. (include area code) 432.571.7800		10. Field and Pool, or Exploratory Area SHUGART; YATES-7R-QN-GB
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) UNIT LETTER I 1650' FSL & 990' FEL SEC. 29, T-18S, R-31E		11. County or Parish, State EDDY COUNTY N.M.

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

PROPOSED PROCEDURE FOR PLUG AND ABANDONMENT:

- 1) SET 5-1/2" CIBP @ 2,500'; MIX X PUMP AN 85 SX. CMT. PLUG @ 2,500'-1,870' (T/YATES X B/SALT); WOC X TAG TOP OF CMT. PLUG; CIRC. WELL W/ PXA FLUID.
- 2) PERF. X SQZ. A 110 SX. CMT. PLUG @ 825'-520' (8-5/8" CSG. SHOE X T/ANY.); WOC X TAG TOP OF CMT. PLUG.
- 3) PERF. X CIRC. TO SURF., FILLING ALL ANNULI, A 35 SX. CMT. PLUG @ 100'-3'.
- 4) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CASINGS X INSTALL DRY HOLE MARKER.

At cut-off verify cmt to surface all annulus, If not take remedial action to bring cmt to surface,

RECLAMATION PROCEDURE
ATTACHED

SEE ATTACHED FOR
CONDITIONS OF APPROVAL

Ground Level Dry Hole Marker Required

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) DAVID A. EYLER	Title AGENT
<i>David A. Eyer</i>	Date 09/11/12

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by <i>James L. Buss</i>	Title SEAS	Date 9-27-12
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CFD	

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations or to any matter within its jurisdiction.

10/2/2012

Accepted for record
NMOC D



Original Operator
Iverson & Welch
Spudded 6/19/1961

Cimarex Energy Co. of Colorado

Shugart "A" #9

30-015-05640

1650' FSL & 990' FEL

Sec. 29, T-18-S, R-31-E, Eddy Co., NM

M. Ketter

5/11/11

Replace 79.04' 5-1/2" csg (5/2010)

8 5/8" csg @ 775'
Cmt'd w/50 sxs, TOC Unknown

TOC @1850' (TS)

Quantity	Description	Length	Setting Depth
	KB	6	6.00
80	2-3/8" J-55 8rd IPC Tbg	2466.40	2472.40
1	5-1/2" X13-15 lb x 2-3/8" PC Lock Set	3.92	2476.32

Squeezed casing from 2300' (3/1970)

Set CIBP @ 3250 w/35' cmt cap (12/1992)

Set CIBP @ 3500' w/35' cmt cap

Set CIBP @ 3612' (1970)

5 1/2" csg @ 3811'
Cmt'd w/200 sxs, circl'd cmt

PBTD @ 3612'
TD @ 3822'

Yates:
2571'-2592' (4/1970)

Queen:
3280'-3326'

Queen:
3536'-3552', 3556' - 3564'

Queen:
3700'-3727' & 3760'-3774'



Original Operator
Iverson & Welch
Spudded 6/19/1961

Cimarex Energy Co. of Colorado

Shugart "A" #9

30-015-05640

1650' FSL & 990' FEL

Sec. 29, T-18-S, R-31-E, Eddy Co., NM

M. Ketter

5/11/11

Replace 79.04' 5-1/2" csg (5/2010)

8 5/8" csg @ 775'
Cmt'd w/50 sxs, TOC Unknown

Set CIBP @ 3250 w/35' cmt cap (12/1992)

Set CIBP @ 3500' w/35' cmt cap

Set CIBP @ 3612' (1970)

5 1/2" csg @ 3811'
Cmt'd w/200 sxs, circl'd cmt

PBTD @ 3612'
TD @ 3822'

PERF. x CIRC. TO SURF. 55 SXS. CMT.
@ 100' - 3'

PERF. x SPZ. 110 SXS. CMT. @ 825' - 520' - TAG

TOC @ 1850' (TS)

PUMP 85 SXS. CMT. @ 2,500' - 1,870'

Squeezed casing from 2300' (3/1970)

SET 5 1/2" CIBP. @ 2,500'

Yates:

2571' - 2592' (4/1970)

Queen:

3280' - 3326'

Queen:

3536' - 3552', 3556 - 3564'

Queen:

3700' - 3727' & 3760' - 3774'

D&E 09/11/12