UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007

5. Lease Serial No

1244621611									_	-	
NMBIZI	9	l	2	(Ø	M	0	ķ			

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.

6 If Indian, Allottee or Tribe Name

SUBMIT IN TR	7. If Unit or CA/Agreement, Name and/or No.			
1. Typc of Well Oil Well.	Gas Well ^r Other			8. Well Name and No.
2. Name of Operator OXY USA W	TTP LP		192463	Old Rauch Campon 7 Focanal #2
3a. Address P.O. Box 50250 Midland, TX	3b. Phone No. (include 432-685-5717	area code)	30-015-28075 10. Field and Pool, or Exploratory Area	
4 Location of Well (Footage, Sec.,	T, R, M, or Survey Description)			Indian Basin Up. Penn (ASSX
1600 FNL 1400 FW	OL SENW(F) Sec	Taas Ra	RYE	11. County or Parish, State Edd NM
12. CHECK A	PPROPRIATE BOX(ES) TO	INDICATE NATUR	E OF NÓTICE,	REPORT, OR OTHER DATA
TYPE OF SUBMISSION	·	, TYI	E OF ACTION	
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production (S Reclamation Recomplete Temporarily A Water Disposa	Well Integrity Other
If the proposal is to deepen due Attach the Bond under which t	ectionally or recomplete horizontall he work will be performed or prov	ly, give subsurface location and the Bond No. on file v	ns and measured and t with BLM/BIA Requ	any proposed work and approximate duration thereof rue vertical depths of all pertinent markers and zones. ited subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once

RECEIVED OCT 1 0 2012 NMOCD ARTESIA

determined that the site is ready for final inspection.)

TD-8250' PBTD-7870' Perfs-7660-7799' CIBP-7890' 13-3/8" 48# csg @ 367' w/ 500sx, 17-1/2" hole, TOC-Surf-Circ 9-5/8" 36# csg @ 2472' w/ 1750sx, 12-1/4" hole, TOC-Surf-Circ 7" 26# csg @ 8250' w/ 550sx, 8-3/4" hole, TOC-4583'-Calc

testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has

RECLAMATION PROCEDURE ATTACHED

- 1. RIH & set CIBP @ 7610' M&P 25sx cmt to 7510'
- 2. M&P 40sx cmt @ 6920-6750' WOC-Tag
- 3 M&P 40sx cmt @ 6415-6250' WOC-Tag
- 4. Perf @ 4326' sqz 60sx cmt to 4184' WOC-Tag
- 5 Perf @ 3444' sqz 55sx cmt to 3310' WOC-Tag
- 6. Perf @ 2522' sqz 130sx cmt to _2200' WOC-Tag
- 7. Perf @ 878' sqz 45sx cmt to 770' WOC-Tag
- 8. Perf @ 417' sqz 170sx cmt to surface 10# MLF between plugs

SEE ATTACHED FOR CONDITIONS OF APPROVAL

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)								
David Stewart	Title Regula	tory Advisor						
Signature Ja.	Date	alsla						
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved by James Q. Conos	Title	SEPS	Date	10-1-12				
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject leas which would entitle the applicant to conduct operations thereon.	1	CFD						
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any p States any false, fictitious or fraudulent statements or representations as to any matter	person knowing withm its mas	gly and willfully to make to	any depart	ment or agency of the United				

(Instructions on page 2)

10/11/2012

Accepted for record MMOCD

OXŸ USA WTP LP - Proposed Old Ranch Canyon 7 Federal #2 API No. 30-015-28075

_1.7-1/2"_hole_@_367'____ 170sx @ 417'-Surface 13-3/8" csg @ 367' Perf @ 417' w/ 500sx-TOC-Surf-Circ 45sx @ 878-770' WOC-Tag Perf @ 878' 130sx @ 2522-2200' WOC-Tag 12-1/4" hole @ 2472' 9-5/8" csq @ 2472' w/ 1750sx-TOC-Surf-Circ Perf @ 2522' 55sx @ 3444-3310' WOC-Tag Perf @ 3444' 60sx @ 4326-4184' WOC-Tag Perf @ 4326' 40sx @ 6415-6250' WOC-Tag 40sx @ 6920-6750' WOC-Tag 8-3/4" hole @ 8250' 7" csg @ 8250' CIBP @ 7610' w/ 25sx cmt w/ 550x-TOC-4583'-Calc Perfs @ 7660-7799' CIBP @ 7890' w/ 20' cmt Perfs @ 7903-7932'

TD-8250

