Subtitit 3 Copies To Appropriate District	State of New Mexico		Form C-103
Office <u>District I</u>	Energy, Minerals and Natural Resources		WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District 11		NI BILITATON	30-015-32962
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION		5. Indicate Type of Lease
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. F		STATE FEE
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM	8/303	6. State Oil & Gas Lease No.
87505			NMLC-029419A
	TICES AND REPORTS ON WEI OSALS TO DRILL OR TO DEEPEN OR		7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPL			Skelly Unit
PROPOSALS.)  1. Type of Well: Oil Well	Gas Well  Other	- 05" (SD	8. Well Number 943
2. Name of Operator	Gas Well Guiler	RECEIVED	9. OGRID Number
	Chevron USA Inc.	MAY 0 8 2005	013837
3. Address of Operator			I 0. Pool name or Wildcat
P. O. Bo	ox 960 Artesia, NM 88211-096	JORAHI KAIM	Fren Paddock
4. Well Location	990 feet from the North	line and 990	feet from the East line
Unit Letter A Section 22	Township 17S	Range 31E	70.11
Section —	I 1. Elevation (Show whether I	DR RKR RT GR etc	
		66' GR	
Pit or Below-grade Tank Application			1000
	water 116 Distance from nearest fre	sh water well <u>3 miles</u> Dis	tance from nearest surface water 1000'
Pit Liner Thickness: 12 m	il Below-Grade Tank: Volume _	bb1s; Co	nstruction Material
12. Check	Appropriate Box to Indicate	Nature of Notice,	Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING			
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A			
PULL OR ALTER CASING	=	CASING/CEMEN	<u></u>
OTHER: Pit Closure		OTHER:	П
			d give pertinent dates, including estimated date
			tach wellbore diagram of proposed completion
Mack Energy Corporation propo	ses to close Drilling pit as follow	vs:	
1. Remove fluids from pit.			
2. A Deep Trench pit will be constructed next to existing reserve pit and lined with a 12 mil liner, the contents will be stirred and			
stiffened with earthen material and placed in this pit and liner will be folded over the mud and cuttings.  3. Cover liner with 20 mil liner with excess of 3' on all sides as per option IV.B.3.(b) of the Pit and Below-Grade Tank Guidelines			
4. Cover with a minimum 3' of native soil.			
5. Contour pit to prevent erosion			
• •			
I haraby cortify that the information	shove is two and samplets to the	hast of any large of dec	and belief. I further certify that any pit or below-
grade tank has been/will be constructed	or closed according to NMOCD guideling	nes a general nermit	or an (attached) alternative OCD-approved plan
() (.)	1 10		
SIGNATURE ( Jeny W.	Shenell TITLE	Production Clerk	DATE 4/19/2005
7 V V G			DATE 4/19/2005 energycorp.com Telephone No. (505)748-1288
		Production Clerk  ddress: jerrys@macke	mergycorp.com Telephone No. (505)748-1288
Type or print name Jerry W. Sher			