<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plan"? Yes	1

Operator: Devon Energy Production Co, L.PTelephone:905-748-0173e-mail address:vrisus_nobjeg_kec@dvn.com	Type of action: Registration of a pit o	or below-grade tank Closure of a pit or below-grade tank		
Address: P.O. Box 250 Artesia, NM 88210 Procitive or well name:indez 21_Fed #12	151			
Facility or well name: Todd 22 L Ped #12	Operator:Devon Energy Production Co., L.PTelephone: _505-748-0173e-mail address:vivian, rodriguez@dvn.com			
County: Eddy Surface Owner: Federal State Private Indian Pit Type: Drilling Scroduction Disposal Workover Emergency Lined Scribberg: Synthetic Thickness UK mil Clay Pit Volume bbl Type of fluid: Workover Emergency Lined Scribberg: Synthetic Thickness UK mil Clay Pit Volume bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water) Wellhead protection area: (Less than 200 feet from a private domestic No Operations of the state of the sta				
Surface Owner: Federal State Private Indian	Facility or well name: _Todd 22 L Fed #12 API #:30-015-33135 U/L or Qtr/Qtr/ Sec22 T23S R31E			
Pice: Drilling Production Disposal Wolkey Below-eracle tank Volume bill Type of fluid: Constitution baserial: Double-legitled, with leak deaption? Yes Afrot, explain why not. RECEIVED MAY 0.3 2 2005 Pit Volume bill Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Ves May 0.3 2 2005 Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Ves (10 paints)	County: _Eddy Latitude	Longitude NAD: 1927 ☐ 1983 ☐		
Volume bib Type of fluid: Volume bib Type of fluid: Volume bib Type of fluid: Volume bib Constagation huserial: Duble-keylited, with leak detection? Ves If not, explain why not RECEIVED MAY 0 3 7005	Surface Owner: Federal State Private Indian			
Workover ☐ Emergency ☐ Construction Phasterial: ☐ Duble-by-glied, with leak detection? Yes ☐ Inot, explain why not. RECEIVED Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Pit	Below-grade tank		
Liner type: Synthetic Thickness_UK_mil Clay Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 100 feet from all other water sources.) Willhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Tetal Points) O points) O points O point	Type: Drilling ☑ Production ☐ Disposal ☐	Volume: bbl Type of fluid:		
Liner type: Synthetic Thickness UK mil Clay Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 feet 700 points) Less than 1000 feet 100 points) Less than 1000 feet 100 points) Less than 1000 feet 700 points 100 points 100 points 100 points 100 feet 700 points 1	Workover ☐ Emergency ☐	Construction material:		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 feet or more, but less than 1000 feet 100 points) Less than 200 feet 200 points) Less than 200 feet 200 points) Less than 200 feet 200 points) 10 points) Less than 200 feet 200 feet or more, but less than 1000 feet 100 feet or more water control of the points of the	Lined 🛛 Unlined 🗔	Double willed, with leak detection? Yes I I not, explain why not.		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Rahking Score (Total Points) Off this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposit hosation: (check the onsite box if your are burying in place) onsite \(\to \) offsite \(\to \) of the pit and below ground surface \(\to \) ft. and attach sample results. So Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: We plan to trench bury the drilling pit at the Todd 22L Fed #12. As per rule 50 of the Pit and Below-Grade Tank Guidelines, we will lime the trench with 12 mil liner and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater over the site. I hereby certify that the information above is true and complete to the best of my knowl	Liner type: Synthetic Thickness UK mil Clay	MAY 0 3 2005		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area. (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance (Total Points) Of this is a pit clear or forest than 1000 feet (100 points) Distance to surface water. (horizontal distance to all wetlands, playas, to the feet or more, but less than 1000	Pit Volumebbl			
So feet or more, but less than 100 feet 100 feet or more 100 feet 100 fe	Denth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet (20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points) Olificate disposal because (10 points) Ol		50 feet or more, but less than 100 feet (10 points)		
water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 points	ingli water elevation of ground water.)	100 feet or more (0 points)		
water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 points		Yes (20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 points 200 feet or more 100 feet or more 10		,		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) 200 feet or more, but less than 1000 feet 100 points 100 feet or more 100 feet or more	water source, or less than 1000 feet from all other water sources.)			
irrigation canals, ditches, and perennial and ephemeral watercourses.) 200 feet or more	Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet (20 points)		
1000 feet or more 1000 feet or feet of				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal fosation: (check the onsite box if your are burying in place) onsite for offsite for facility (3) Attach a general description of remedial action taken including temediation start date and end date. (4) Groundwater encountered: No for sample results and a diagram of sample results and a diagram of sample locations and excavations. Additional Comments: We plan to trench bury the drilling pit at the Todd 22L Fed #12. As per rule 50 of the Pit and Below-Grade Tank Guidelines, we will line the trench with 12 mil liner and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater over the site. Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a general permit nor an (attached) alternative OCD-approved plan vertication and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federar, state, or local laws and/or regulations.	,	1000 feet or more (0 points)		
your are burying in place) onsite offsite offsite, name of facility		Ranking Score (Total Points)		
your are burying in place) onsite offsite offsite, name of facility	If this is a nit clasure: (1) Attach a diagram of the facility showing the nit's relationship to other equipment and tanks. (2) Indicate dispositive dispositive charges have if			
remediation start date and end date. (4) Groundwater encountered: No \(\text{ Yes} \) If yes, show depth below ground surface				
Additional Comments: We plan to trench bury the drilling pit at the Todd 22L Fed #12. As per rule 50 of the Pit and Below-Grade Tank Guidelines, we will line the trench with 12 mil liner and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater over the site. Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:				
Additional Comments: We plan to trench bury the drilling pit at the Todd 22L Fed #12. As per rule 50 of the Pit and Below-Grade Tank Guidelines, we will line the trench with 12 mil liner and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater over the site. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: ### Date: ### Date: ### Date: ### Vivian Rodriguez/Tech Signature Sig				
We plan to trench bury the drilling pit at the Todd 22L Fed #12. As per rule 50 of the Pit and Below-Grade Tank Guidelines, we will line the trench with 12 mil liner and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater over the site. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 4-20-05 Printed Name/Title				
and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater over the site. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 4-20-05 Printed Name/Title				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\text{N}\), a general permit \(\text{N}\), or an (attached) alternative OCD-approved plan \(\text{N}\). Date: \(\frac{4-20-05}{20-05} \) Printed Name/Title \(\text{Vivian Rodriguez/Tech} \) Signature \(\text{Signature} \) Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank iontaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:	and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area			
has been/will be constructed or closed according to NMOCD guidelines \(\text{A}, \) a general permit \(\text{A}, \) or an (attached) alternative OCD-approved plan \(\text{D}. \) Date: \(\frac{AO-O5}{A-O-O5} \) Printed Name/Title \(\text{Vivian Rodriguez/Tech} \) Signature \(\text{Signature} \) Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:	to prevent erosion and ponding of rainwater over the site.			
has been/will be constructed or closed according to NMOCD guidelines \(\text{A}, \) a general permit \(\text{A}, \) or an (attached) alternative OCD-approved plan \(\text{D}. \) Date: \(\frac{AO-O5}{A-O-O5} \) Printed Name/Title \(\text{Vivian Rodriguez/Tech} \) Signature \(\text{Signature} \) Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:				
has been/will be constructed or closed according to NMOCD guidelines \(\text{A}, \text{a general permit } \), or an (attached) alternative OCD-approved plan \(\text{Date: } \) Date: \(\frac{4-30-05}{2} \) Printed Name/Title \(\text{Vivian Rodriguez/Tech} \) Signature \(\text{Signature} \) Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:				
has been/will be constructed or closed according to NMOCD guidelines \(\text{A}, \) a general permit \(\text{A}, \) or an (attached) alternative OCD-approved plan \(\text{D}. \) Date: \(\frac{AO-O5}{A-O-O5} \) Printed Name/Title \(\text{Vivian Rodriguez/Tech} \) Signature \(\text{Signature} \) Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:	I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
Printed Name/Title	has been/will be constructed or closed according to NMOCD guidelines a general permit or an (attached) alternative OCD-approved plan .			
Printed Name/Title	N. N. 20-05	· · ·		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the fit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: 3 2005		() adding		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Approval: 3 2005				
	otherwise endanger public health or the environment. Nor does it relieve the			
	Amount & AAA A	2 2005		
The state of the s				