

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>EOG Resources Inc.</u> Telephone: <u>432.686.3600</u> e-mail address: <u>B.Grigny@msn.com</u>			
Address: <u>4000 N. Big Spring St. 500</u>			
Facility or well name: <u>Amozon 8 Fee Can #1</u> API #: <u>30-015-33404</u> U/L or Qtr/Qtr <u>F</u> Sec <u>8</u> T <u>17</u> R <u>25 E</u>			
County: <u>Eddy</u>		Latitude <u>32 51 07</u> Longitude <u>104 30 33</u> NAD: 1927 ☐ 1983 ☐	
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐			
Pit Type: Drilling ☒ Production ☐ Disposal ☐ Workover ☐ Emergency ☐ Lined ☒ Unlined ☐ Liner type: Synthetic ☒ Thickness <u>12</u> mil Clay ☐ Pit Volume <u>3000</u> bbl		Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes ☐ If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>178' Average</u>		Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes (No)	(20 points) (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)		Less than 200 feet 200 feet or more, but less than 1000 feet (1000 feet or more)	(20 points) (10 points) (0 points)
Ranking Score (Total Points)		0	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: One plan is to bury in place. Trench Burial, excavate a trench, line with 12mil plastic put drill cuttings and drilling mud in trench, cover with 20 mil liner. Place 3ft of clean soil on top, level + contour.
Notify OCD before starting and file subsequent report will begin as soon as approved.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 4/29/05

Printed Name/Title Eddie W Seay Agent Signature Eddie W Seay

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title _____ Signature [Signature]

MAY Date: 3 2005

New Mexico Office of the State Engineer
Well Reports and Downloads

Township: **17S** Range: **25E** Sections: _____
NAD27 X: _____ Y: _____ Zone: _____ Search Radius: _____
County: _____ Basin: _____ Number: _____ Suffix: _____
Owner Name: (First) _____ (Last) _____
☐ Non-Domestic ☐ Domestic ☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 04/29/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
RA	17S	25E	01		35	106	227	170		
RA	17S	25E	02		4	170	300	213		
RA	17S	25E	03		1	210	210	210		
RA	17S	25E	04		2	159	185	172		
RA	17S	25E	06		1	30	30	30		
RA	17S	25E	07		3	230	300	275		
RA	17S	25E	08		4	87	220	178		
RA	17S	25E	09		35	160	403	208		
RA	17S	25E	11		31	80	227	174		
RA	17S	25E	12		31	50	190	127		
RA	17S	25E	13		25	70	180	110		
RA	17S	25E	14		16	135	300	193		
RA	17S	25E	15		9	140	220	188		
RA	17S	25E	16		1	205	205	205		
RA	17S	25E	17		1	100	100	100		
RA	17S	25E	21		1	180	180	180		
RA	17S	25E	22		1	200	200	200		
RA	17S	25E	23		2	171	196	184		
RA	17S	25E	25		1	150	150	150		
RA	17S	25E	27		1	200	200	200		
RA	17S	25E	35		1	185	185	185		

Record Count: 206

New Mexico Office of the State Engineer
Well Reports and Downloads

Township: 17S Range: 25E Sections: 8

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

Well / Surface Data Report Avg Depth to Water Report Water Column Report

Clear Form WATERS Menu Help

AVERAGE DEPTH OF WATER REPORT 04/29/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
RA	17S	25E	08		4		4	87	220	178

Record Count: 4