

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator **Caza Operating, LLC**

3a. Address
200 North Lorraine, Suite 1550, Midland, Texas 79701

3b. Phone No. (include area code)
432 682 7424

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
252' FNL & 1900 FEL, Sec 27, T-23-S, R-27-E

5. Lease Serial No.

NM-112915 SL VB 1139

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
CA 28667

8. Well Name and No.
Forehand Ranch 27 State Com # 1H

9. API Well No.
30 015 39844

10. Field and Pool, or Exploratory Area
Wildcat, Bone Spring

11. County or Parish, State
Eddy County, New Mexico

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Set 9-5/8" Casing
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

10-6-2012_ TD 12-1/4" hole at 2077 ft. TD reached 20:30 hrs CDT 10-6-2012

10-7-2012_ Run 51 joints 9-5/8" 36 lb J-55 LTC casing to 2077 ft. Baker cmt'd casing w/ 512 sks "C" lite 12.5 ppg w/ 2.12 cuft/sk yield. Tailed w/ 200 sks "C" w/ 1% CaCl₂ mixed 14.8 ppg w/ 1.33 cuft/sk yield. Circ 283 sks excess. N/D BOPE. Set Slips. Cut Casing. Install "B" section. Tested B section to 1500 psi. Okay. N/U BOPE.

10-8-2012_ Test BOPE. Tested all valves & rams to 5000 psi high & 250 psi low. Annular tested to 2500 psi. Casing Tested to 1500 psi for 30 minutes. Okay. TIH w/ 8-3/4" bit. Drill cement & shoe tract to 2077'. Drill 10' new formation to 2087'. Tested formation/shoe to 14.0 ppg MWE with 9.0 ppg drill fluid using 550 psi. OK.

Accepted for record

NMOCD R. Dade 10/30/12

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Richard L. Wright

Title Operations Manager

Signature

Richard L. Wright

Date 10-9-2012

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

ACCEPTED FOR RECORD

OCT 17 2012

Date

**WESLEY W. INGRAM
PETROLEUM ENGINEER**


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


(Instructions on page 2)


RECEIVED


OCT 18 2012

NMOCD ARTESIA










Caza Operating
well #1 H. Forehand Ranch 27 Salado

30028
Hydra Test

Annular Bag

CHART NO. FC AP-1000-10
ONE INCH



Caza operating

Well # 1H Foreland Ranch 375 State

30028

Close Blind Valve

Set 31 inch, 2 body in H. H. 12

30 inch choke valve

CHART NO. 10 H-1200 IN



