

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☒ Closure of a pit or below-grade tank ☐

Operator: EOG Resources, Inc. Telephone: 432 686-3714 e-mail address: mike-francis@eogresources.com
Address: P.O. Box 2267 Midland Texas 79702
Facility or well name: MacKENZIE 13 Fee #1 API #: 30-015-34697 U/L or Qtr/Qtr M Sec 13 T 16 R 24
County: Eddy Latitude 32.928302 Longitude _____ NAD: 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

Pit

Type: Drilling ☒ Production ☐ Disposal ☐
Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness 12 mil Clay ☐ Volume
2000 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction material: _____

Double-walled, with leak detection? Yes ☐ If not, explain why not. _____

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No

(0 points)

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

(0 points)

Ranking Score (Total Points)

10

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☐ offsite ☐ If offsite, name of facility _____

(3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 4/25/05

Printed Name/Title Mike Francis Agent

Signature Mike Francis

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: APR 27 2005

Printed Name/Title _____

Signature _____



EOG Resources, Inc.
P.O. Box 2267
Midland, TX 79702
(432) 686-3600

March 29, 2005

State of New Mexico Energy, Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

APR 27 2005

ODD:ARTESIA

To Whom It May Concern:

I am writing to request a waiver for the inclusion of an H₂S Contingency Plan for the MacKenzie 13 Fee Com #1H. The current plan is to complete this well in the Wolfcamp, which is sweet and I do not anticipate encountering any H₂S bearing formations during drilling operations.

30-015-34097

Sincerely,

Jason LaGrega
Drilling Engineer

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals, and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, New Mexico 87505

Form C-102

Revised August 15, 2000

Submit to Appropriate District Office

State Lease - 4 copies

Fee Lease - 3 copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code	³ Pool Name Wildcat
⁴ Property Code	⁵ Property Name MACKENZIE "13" FEE	⁶ Well Number 1H
⁷ OGRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁹ Elevation 3590'


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	13	16 SOUTH	24 EAST, N.M.P.M.		660'	SOUTH	760'	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	13	16 SOUTH	24 EAST, N.M.P.M.		660'	NORTH	760'	WEST	EDDY
¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

NO ALLOWABLE WELL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	---Project Area " " Producing Area RECEIVED MAY 02 2005 OOD-ARTESIA	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. <i>Mike Francis</i> Signature Mike Francis Printed Name Agent Title 4/20/2005 Date ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. STATE OF NEW MEXICO MARCH 8, 2005 V. LYNN BEZNER PROFESSIONAL LAND SURVEYOR NO. 7920 <i>V. Lynn Bezner</i> Signature and Seal of Professional Surveyor BEZNER Certificate Number V. L. BEZNER R.P.S. #7920 JOB #101803 / 101 SE / E.U.O.
--	---	---

Permit Information:

Well Name: MacKenzie 13 Fee Com #1H

Location:

SL 660' FSL & 760' FWL, Section 13, T-16-S, R-24-E, Eddy Co., N.M.

BHL 660' FNL & 760' FWL, Section 13, T-16-S, R-24-E, Eddy Co., N.M.

Casing Program:

Casing	Setting Depth	Hole Size	Casing Size	Casing Weight	Casing Grade	Desired TOC
Surface	900'	12-1/4"	9-5/8"	40#	J-55	Surface
Production	8,500'	8-3/4" and 7-7/8"	5 1/2"	17#	P-110	Surface

Cement Program:

RECEIVED

APR 27 2005

OCD-ANTERISIA

Depth	No. Sacks	Slurries:
900'	150	Lead: Premium Plus + 2% CaCl ₂ + 3% Econolite + 1/4 pps Flocele
	175	Tail: Premium Plus + 2% CaCl ₂ + 1/4 pps Flocele
8,500'	350	Lead: Interfill C + 1/4 pps Flocele
	400	Tail: Premium Cement + 100% Acid Soluble Additive + 0.6% Halad®-344 + 0.8% Econolite + 0.2% HR-55

Mud Program:

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 - 900'	Fresh - Gel	8.6-8.8	28-34	N/c
900' - 4,400'	Cut Brine	8.8-9.2	28-34	N/c
4,400' - 5,100'	Cut Brine	8.8-9.2	28-34	10-15
4,400' - 8,500'	Polymer (Lateral)	9.0-9.4	40-45	10-25

EOG Resources Inc

Planning Report

Company: EOG Resources	Date: 4/29/2005	Time: 12:42:19	Page: 1
Field: Thames	Co-ordinate(NE) Reference: Site: MacKenzie13 Fee #1H, Grid North		
Site: MacKenzie13 Fee #1H	Vertical (TVD) Reference: SITE 3608.0		
Well: MacKenzie 13 Fee #1H	Section (VS) Reference: Site (0.00N,0.00E,0.00Azi)		
Wellpath: Lateral	Plan: Plan #1		

Field: Thames

Map System:US State Plane Coordinate System 1927
Geo Datum: NAD27 (Clarke 1866)
Sys Datum: Mean Sea Level

Map Zone: New Mexico, Eastern Zone
Coordinate System: Site Centre
Geomagnetic Model: igrf2000

Site: MacKenzie13 Fee #1H

Site Position:	Northing:	697531.00 ft	Latitude:	32 55	2.662 N
From: Map	Easting:	434197.00 ft	Longitude:	104 32	51.961 W
Position Uncertainty:	0.00 ft		North Reference:		Grid
Ground Level:	3590.00 ft		Grid Convergence:		-0.12 deg

Well: MacKenzie 13 Fee #1H

Slot Name:

Well Position:	+N/-S	0.00 ft	Northing:	697531.00 ft	Latitude:	32	55	2.662 N
	+E/-W	0.00 ft	Easting :	434197.00 ft	Longitude:	104	32	51.961 W
Position Uncertainty:		0.00 ft						

Wellpath: Lateral

Drilled From:	Surface
Tie-on Depth:	0.00 ft
Above System Datum:	Mean Sea Level
Declination:	9.05 deg
Mag Dip Angle:	60.89 deg
+E/-W	Direction
ft	deg

Current Datum:	SITE	Height 3608.00 ft
Magnetic Data:	4/28/2005	
Field Strength:	49724 nT	
Vertical Section:	Depth From (TVD)	+N/-S
	ft	ft
	0.00	0.00

RECEIVED

MAY 02 2005

000-ANTEOM

Plan: Plan #1

Date Composed: 4/28/2005
Version: 1
Tied-to: From Surface

Principal: Yes

Plan Section Information

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
4356.00	0.00	0.00	4356.00	0.00	0.00	0.00	0.00	0.00	0.00	
4956.00	90.00	0.20	4737.97	381.97	1.33	15.00	15.00	0.00	0.20	
5014.49	93.42	0.20	4736.23	440.43	1.54	5.85	5.85	0.00	0.00	
5020.55	93.42	0.20	4735.87	446.48	1.56	0.00	0.00	0.00	0.00	
5074.11	90.57	0.20	4734.00	500.00	1.75	5.31	-5.31	0.00	-180.00	T1
5574.14	90.57	0.20	4729.00	999.99	3.49	0.00	0.00	0.00	0.00	T2
5577.97	90.46	0.20	4728.97	1003.82	3.50	3.00	-3.00	0.00	180.00	
6572.25	90.46	0.20	4721.02	1998.07	6.97	0.00	0.00	0.00	0.00	
6574.17	90.52	0.20	4721.00	1999.99	6.98	3.00	3.00	0.00	0.00	T3
7574.21	90.52	0.20	4712.00	2999.98	10.47	0.00	0.00	0.00	0.00	T4
7575.99	90.53	0.15	4711.98	3001.76	10.48	3.00	1.08	-2.80	-68.83	
8536.24	90.53	0.15	4703.02	3961.97	12.99	0.00	0.00	0.00	0.00	
8538.27	90.50	0.20	4703.00	3964.00	13.00	3.00	-1.72	2.46	125.04	BHL

Survey

[illegible]

EOG Resources Inc

Planning Report

Company: EOG Resources
Field: Thames
Site: MacKenzie13 Fee #1H
Well: MacKenzie 13 Fee #1H
Wellpath: Lateral

Date: 4/29/2005
Co-ordinate(NE) Reference: Site: MacKenzie13 Fee #1H, Grid North
Vertical (TVD) Reference: SITE 3608.0
Section (VS) Reference: Site (0.00N,0.00E,0.00Azi)
Plan: Plan #1

Page: 2

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1000.00	0.00	0.00	1000.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1100.00	0.00	0.00	1100.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1200.00	0.00	0.00	1200.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1300.00	0.00	0.00	1300.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1400.00	0.00	0.00	1400.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1500.00	0.00	0.00	1500.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1600.00	0.00	0.00	1600.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1700.00	0.00	0.00	1700.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1800.00	0.00	0.00	1800.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
1900.00	0.00	0.00	1900.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2000.00	0.00	0.00	2000.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2100.00	0.00	0.00	2100.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2200.00	0.00	0.00	2200.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2300.00	0.00	0.00	2300.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2400.00	0.00	0.00	2400.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2500.00	0.00	0.00	2500.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2600.00	0.00	0.00	2600.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2700.00	0.00	0.00	2700.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2800.00	0.00	0.00	2800.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
2900.00	0.00	0.00	2900.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3000.00	0.00	0.00	3000.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3100.00	0.00	0.00	3100.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3200.00	0.00	0.00	3200.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3300.00	0.00	0.00	3300.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3400.00	0.00	0.00	3400.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3500.00	0.00	0.00	3500.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3600.00	0.00	0.00	3600.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3700.00	0.00	0.00	3700.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3800.00	0.00	0.00	3800.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
3900.00	0.00	0.00	3900.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
4000.00	0.00	0.00	4000.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
4100.00	0.00	0.00	4100.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
4200.00	0.00	0.00	4200.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
4300.00	0.00	0.00	4300.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
4356.00	0.00	0.00	4356.00	0.00	0.00	0.00	0.00	0.00	0.00	Keeper Cone
4400.00	6.60	0.20	4399.90	2.53	0.01	2.53	15.00	15.00	0.00	Keeper Cone
4500.00	21.60	0.20	4496.61	26.82	0.09	26.82	15.00	15.00	0.00	Keeper Cone
4600.00	36.60	0.20	4583.74	75.32	0.26	75.32	15.00	15.00	0.00	Keeper Cone
4700.00	51.60	0.20	4655.35	144.71	0.51	144.71	15.00	15.00	0.00	Keeper Cone
4800.00	66.60	0.20	4706.56	230.27	0.80	230.27	15.00	15.00	0.00	Keeper Cone
4900.00	81.60	0.20	4733.87	326.17	1.14	326.17	15.00	15.00	0.00	Keeper Cone
4956.00	90.00	0.20	4737.97	381.97	1.33	381.97	15.00	15.00	0.00	Keeper Cone
5000.00	92.57	0.20	4736.98	425.95	1.49	425.95	5.85	5.85	0.00	Keeper Cone
5014.49	93.42	0.20	4736.23	440.43	1.54	440.43	5.85	5.85	0.00	Keeper Cone
5020.55	93.42	0.20	4735.87	446.48	1.56	446.48	0.00	0.00	0.00	Keeper Cone
5074.11	90.57	0.20	4734.00	500.00	1.75	500.00	5.31	-5.31	0.00	Keeper Cone
5100.00	90.57	0.20	4733.74	525.88	1.84	525.88	0.00	0.00	0.00	Keeper Cone
5200.00	90.57	0.20	4732.74	625.88	2.18	625.88	0.00	0.00	0.00	Keeper Cone
5300.00	90.57	0.20	4731.74	725.87	2.53	725.87	0.00	0.00	0.00	Keeper Cone
5400.00	90.57	0.20	4730.74	825.87	2.88	825.87	0.00	0.00	0.00	Keeper Cone
5500.00	90.57	0.20	4729.74	925.86	3.23	925.86	0.00	0.00	0.00	Keeper Cone
5574.14	90.57	0.20	4729.00	999.99	3.49	999.99	0.00	0.00	0.00	Keeper Cone

EOG Resources Inc

Planning Report


Company: EOG Resources
Field: Thames
Site: MacKenzie13 Fee #1H
Well: MacKenzie 13 Fee #1H
Wellpath: Lateral

Date: 4/29/2005 **Time:** 12:42:19 **Page:** 3
Co-ordinate(N/E) Reference: Site: MacKenzie13 Fee #1H, Grid North
Vertical (TVD) Reference: SITE 3608.0
Section (VS) Reference: Site (0.00N,0.00E,0.00Azi)
Plan: Plan #1

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
5577.97	90.46	0.20	4728.97	1003.82	3.50	1003.82	3.00	-3.00	0.00	Keeper Cone
5600.00	90.46	0.20	4728.79	1025.86	3.58	1025.86	0.00	0.00	0.00	Keeper Cone
5700.00	90.46	0.20	4727.99	1125.85	3.93	1125.85	0.00	0.00	0.00	Keeper Cone
5800.00	90.46	0.20	4727.19	1225.85	4.28	1225.85	0.00	0.00	0.00	Keeper Cone
5900.00	90.46	0.20	4726.39	1325.84	4.63	1325.84	0.00	0.00	0.00	Keeper Cone
6000.00	90.46	0.20	4725.59	1425.84	4.98	1425.84	0.00	0.00	0.00	Keeper Cone
6100.00	90.46	0.20	4724.79	1525.84	5.33	1525.84	0.00	0.00	0.00	Keeper Cone
6200.00	90.46	0.20	4723.99	1625.83	5.68	1625.83	0.00	0.00	0.00	Keeper Cone
6300.00	90.46	0.20	4723.19	1725.83	6.02	1725.83	0.00	0.00	0.00	Keeper Cone
6400.00	90.46	0.20	4722.39	1825.83	6.37	1825.83	0.00	0.00	0.00	Keeper Cone
6500.00	90.46	0.20	4721.59	1925.82	6.72	1925.82	0.00	0.00	0.00	Keeper Cone
6572.25	90.46	0.20	4721.02	1998.07	6.97	1998.07	0.00	0.00	0.00	Keeper Cone
6574.17	90.52	0.20	4721.00	1999.99	6.98	1999.99	3.00	3.00	0.00	Keeper Cone
6600.00	90.52	0.20	4720.77	2025.82	7.07	2025.82	0.00	0.00	0.00	Keeper Cone
6700.00	90.52	0.20	4719.87	2125.81	7.42	2125.81	0.00	0.00	0.00	Keeper Cone
6800.00	90.52	0.20	4718.97	2225.81	7.77	2225.81	0.00	0.00	0.00	Keeper Cone
6900.00	90.52	0.20	4718.07	2325.80	8.12	2325.80	0.00	0.00	0.00	Keeper Cone
7000.00	90.52	0.20	4717.17	2425.80	8.47	2425.80	0.00	0.00	0.00	Keeper Cone
7100.00	90.52	0.20	4716.27	2525.79	8.82	2525.79	0.00	0.00	0.00	Keeper Cone
7200.00	90.52	0.20	4715.37	2625.79	9.17	2625.79	0.00	0.00	0.00	Keeper Cone
7300.00	90.52	0.20	4714.47	2725.79	9.51	2725.79	0.00	0.00	0.00	Keeper Cone
7400.00	90.52	0.20	4713.57	2825.78	9.86	2825.78	0.00	0.00	0.00	Keeper Cone
7500.00	90.52	0.20	4712.67	2925.78	10.21	2925.78	0.00	0.00	0.00	Keeper Cone
7574.21	90.52	0.20	4712.00	2999.98	10.47	2999.98	0.00	0.00	0.00	Keeper Cone
7575.99	90.53	0.15	4711.98	3001.76	10.48	3001.76	3.00	1.08	-2.80	Keeper Cone
7600.00	90.53	0.15	4711.76	3025.77	10.54	3025.77	0.00	0.00	0.00	Keeper Cone
7700.00	90.53	0.15	4710.83	3125.77	10.80	3125.77	0.00	0.00	0.00	Keeper Cone
7800.00	90.53	0.15	4709.89	3225.76	11.06	3225.76	0.00	0.00	0.00	Keeper Cone
7900.00	90.53	0.15	4708.96	3325.76	11.33	3325.76	0.00	0.00	0.00	Keeper Cone
8000.00	90.53	0.15	4708.02	3425.75	11.59	3425.75	0.00	0.00	0.00	Keeper Cone
8100.00	90.53	0.15	4707.09	3525.75	11.85	3525.75	0.00	0.00	0.00	Keeper Cone
8200.00	90.53	0.15	4706.16	3625.74	12.11	3625.74	0.00	0.00	0.00	Keeper Cone
8300.00	90.53	0.15	4705.22	3725.74	12.37	3725.74	0.00	0.00	0.00	Keeper Cone
8400.00	90.53	0.15	4704.29	3825.73	12.64	3825.73	0.00	0.00	0.00	Keeper Cone
8500.00	90.53	0.15	4703.36	3925.73	12.90	3925.73	0.00	0.00	0.00	Keeper Cone
8538.27	90.50	0.20	4703.00	3964.00	13.00	3964.00	0.16	-0.09	0.13	Keeper Cone


Field: Thames
 Site: MacKenzie13 Fee #1H
 Well: MacKenzie 13 Fee #1H
 Wellpath: Lateral
 Plan: Plan #1



Azimuths to Grid North
 True North: 0.12°
 Magnetic North: 9.17°


Magnetic Field
 Strength: 49724nT
 Dip Angle: 60.89°
 Date: 4/28/2005
 Model: igr2000

South(-)/North(+) [10000/in]



West(-)/East(+) [10000/in]

True Vertical Depth [20000/in]



Vertical Section at 0.00° [20000/in]