of Office

State of New Mexico Energy, Minerals and Natural Resources

Form C-105

District II N. French, Hobbs, NM 88240

E-mail address

OIL CONSERVATION DIVISION

Revised June 10, 2003 WELL API NO. 30-015-33945

1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV) South St. nta Fe, NM					5. Indicate Type Of Lease STATE X FEE 6. State Oil & Gas Lease No.					
1220 S. St. Francis Dr.										0	G-784	&\$\$\$\$\$\$\$\$\$	55555	565555	\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$
•	PLI	ETION OR R	ECOM	IPLETION	REPOR	TAND	LOG								
		GAS WELL		DRY 🗌	OTHER_	-					Lease Name ast Mill				
b. Type of Completic NEW WOF WELL OVE		□ _{DEEPEN} □	PLUC BACI		FF. C	THER	DEC!	FIVE	:D	8	91016924	.0		<u> </u>	
2. Name of Operator Stephens & Jo	hne	con Oponatin	a Co					9 20		8.	Well No.				
3. Address of Operato		son operatin	y co.								<u>/</u> Pool∙name c	or Wildcat			
P.O. Box 2249		Vichita Fall	s Te	xas 7630	17-2249	6	30D-1	₩ -1 1 1		S			R-ON	-GR-S	SA, East
4. Well Location	<u>, , , , , , , , , , , , , , , , , , , </u>	VICITICA TATI	<u> </u>	<u> </u>	II LETS						1 1 1 III GIT I	4000 0	it qii	GD .	#1, Lust
Unit Letter_	D	: <u>660</u>	_ Feet I	From The	Nort	th	Line	and _	5	513	Feet Fi	rom The _		West	Line
Section 13				nship 195		Range				NMPN		Eddy	_		County
•	11.	Date T.D. Reach	ed		mpl. (Ready t	o Prod.)	13				KB, RT, G	R, etc.)	1		asinghead
3-29-05		4-3-05		4-13-							100' KB			3397'	
15. Total Depth		16. Plug Bac	k T.D.	1	7. If Multiple Many Zone	Compl.	How	18. l Drille	interval ed By	ls	Rotary To		Cabl	e Tools	S
2710'	IZ-X	2679'	Tr r					_L	<u>-</u>	l	0-2710		1	.1.0	.) (. 1 .
19. Producing Interval 2245-2463' Low	er	Grayburg	- 10p, E	sottom, Name	·						2	0. Was Dia	ection	iai Surv	ey Made
21. Type Electric and		_			_					2	2. Was We	ll Cored			
<u>Dual Laterolog</u>	<u> </u>						11 -4		1	1	<u>No</u>				
CASING SIZE		WEIGHT LB.		DEPTI	ORD (Re		II STRING: OLE SIZE	s set i	n wei		ENTING R	FCORD		AMO	UNT PULLED
		24	/1-1.		1361				250					AWO	ONTTOLLED
8 5/8"				317' 12 1/							sx circ to surface				
5 1/2"		15.50		2694		7 7	/8		800	SX C	irc to s	urrace	-+		
<u>-</u>	_										-				
													-		
24			IDI	D DECOR	ND.				12/		THE	DIC DE			
24. SIZE	ТО	D I	BOTTO	ER RECOR	SACKS CE	MENIT	SCREEN	Ţ	2:	IZE	TUB	ING REGIONAL			PACKER SET
SIZE	10		ВОТТ	JIVI	SACKS CE.	IVILLINI	SCREEN	•	- 13	IZE		DEFIN)E1	+-	ACKER SET
									+-					\dashv	
26. Perforation record	(int	and size and nu	mbor)				127 40	ID CI	IOT I	TD A C	TIDE CE	MENIT C	OFF	7F F7	
20. Perioration record	(une	tivai, size, and nui	noei)				DEPTI				TURE, CE				
One shot at: 2	2245	5,2249,2253,	2257,	2281,2285	,2289,229	97,	2245		IC VI LL		3,000 g				
2301,2305,2312															20,000# BJ
2414,2418,2422	2,24	133,2437,244	1,244	5,2451,24	155,2459,	2463									16/20 sanc
28.					PRODUC	CTIO	N								
Date First Production 4-13-05				nod <i>(Flowing</i> 1/2" x 2'	g, gas lift, pun " x 16'	nping - S	Size and ty	pe pum	D)			Well Sta			Shut-in)
Date of Test 4-26-05		Hours Tested	CI	noke Size	Prod'n For Test Perio		Oil - Bbl. 65		Gas -	MCF	Wate 136	r - Bbl.		as - Oil 15	l Ratio
Flow Tubing	\dashv	Casing Pressure		alculated 24-	Oil - Bbl.		Gas - I	MCF		Vater -		Oil Grav			orr.)
Press.			H	our Rate	65		140		,	26		1,0			
20 Disposition of Co-		old and for feel	nama J	rto l	65		40		[I.	36	Tost W	40			
Disposition of Gas Sold	(30	na, usea jor juei,	vепіва, є	::c.)								itnessed By Hope			
30. List Attachments											_ riar K	nope			
	ion	Survey. Dua	1] ≥/†	ള്മിന !	Density.N	leutro	n Loa								
31. I hereby certify	hat.	the information	shown	on both side	s of this for	m is tru	e and cor	nplete	to the	best o	f my knowi	edge and	belief	r	
Signature / 1/0/	′•`	MX	- /	Printe				-					•		

William M, Kincaid

Name

Title Petroleum Engineer Date

4-7-05

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-dring deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southea	stern]	New Mexico	Northeastern New Mexico				
T. Anhy		T. Canyon	T. Ojo Alamo	T. Penn. "B"			
T. Salt		T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"			
B. Salt		T. Atoka	T. Pictured Cliffs	T. Penn. "D"			
T. Yates		T. Miss	T. Cliff House	T. Leadville			
T. 7 Rivers		T. Devonian	T. Menefee	T. Madison			
	1664'	T. Silurian	T. Point Lookout	T. Elbert			
T. Grayburg 2	2009'	T. Montoya	T. Mancos	T. McCracken			
T. San Andres 2	2490'	T. Simpson	T. Gallup	T. Ignacio Otzte			
T. Glorieta		T. McKee	Base Greenhorn	T. Granite			
T. Paddock		T. Ellenburger	T. Dakota	Т.			
T. Blinebry		T. Gr. Wash	T. Morrison	T			
T. Tubb		T. Delaware Sand	T. Todilto	T.			
T. Drinkard		T. Bone Springs	T. Entrada	T.			
T. Abo	-	T.	T. Wingate	T.			
T. Wolfcamp			T. Chinle	T.			
T. Penn		Т.	T. Permain	T.			
T. Cisco (Bough C)		Т,	T. Penn "A"	T.			
· · · · · · · · · · · · · · · · · · ·				OIL OR GAS			

No. 1, from	1740 ' 2080 '	to 1820' to 2470'	No. 3, from No. 4, from	SANDS OR ZONES toto
			ANT WATER SANDS	
Include data on	rate of water inflow	and elevation to which wat	er rose in hole.	
No. 1, from	·····	to	feet	
No. 2, from		to	feet	
No. 3. from		to	feet	
	LIT	HOLOGY RECO	RD (Attach additional sheet if	necessary)

From	То	Thickness in Feet	Lithology	From	То	Thickness in Feet	Lithology
			·				
							. *

WELL NAME	AND NU	JMBER East	Millman U	nit 4-1	.7				· · · · · · · · · · · · · · · · · · ·
LOCATION_	660'	FNL & 513'	FWL, Secti	on 13,	T19S,	R28E,	Eddy	County	NM
OPERATOR_	Steph	ens & Johns	on Operatio	ng Comp	any				
DRILLING	CONTRAC	CTOR Unite	d Drilling	, Inc.					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
of the dr	illing	igned hereby contractor n tests and	who drille	d the a	above o	describ	bed w	_	
Degrees @	Depth		Degrees	@ Depth	<u>ı</u>]	Degrees	@ Depth
1/2°	498 '				_		_		
	990'				_		-		
3/4° 1/2°	1535 '			 			-		
3/4°	2040		 		- .		; ·	. · .	
10	2512 '				_		-		
10	2710 '						-		
					-		_		
					-		-		
									_
			Drilling	Contra		Unite	ed Dr	illing,	Inc.
					By: →		ge A.		
					itle:_			Manager	
Subscribe	d and s	sworn to bei	fore me thi	s <u>(1</u>	4) _ day	of/	44	ril	,
20 05 .		sworn to bei		6	ulu	Notary	Pub	ni lic	· · · · · · · · · · · · · · · · · · ·
My Commis	sion Ex	xpires: 10°C	08-08	Count	Www.	, 1	lw State	MIKU	-

RECEIVED
APR 1 8 2005