

Submit 3 Copies To Appropriate District Office

District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
March 4, 2004

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-30869
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Nearburg Producing Company		6. State Oil & Gas Lease No.
3. Address of Operator 3300 N A St., Bldg 2, Ste 120, Midland, TX 79705		7. Lease Name or Unit Agreement Name: South Boyd 27
4. Well Location Unit Letter <u>A</u> : <u>510</u> feet from the <u>North</u> line and <u>990</u> feet from the <u>East</u> line Section <u>27</u> Township <u>19S</u> Range <u>25E</u> NMPM County <u>Eddy</u>		8. Well Number 10
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 015742
		10. Pool name or Wildcat Dagger Draw; Upper Penn. North

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit location: UL A Sect 27 Twp 19S Rng 25E Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_  
Distance from nearest surface water \_\_\_\_\_ Below-grade Tank Location UL \_\_\_\_\_ Sect \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_ ;  
\_\_\_\_\_ feet from the \_\_\_\_\_ line and \_\_\_\_\_ feet from the \_\_\_\_\_ line

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

*Drilled 2000 TOC 6560'*

NPC would like to TA the subject well as follows:

1. MIRU PU. Kill well if necessary.
2. ND WH and NU BOPE.
3. POH w/ production equipment if necessary.
4. Set CIBP as per attached PROPOSED wellbore diagram.
5. Cap CIBP w/ 35' cmt. *TEST : Chart (Rule 203)*
6. Clean location and notify OCD of new wellbore status.

Well to be preserved pending wellbore review.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE *S Jordan* TITLE Production Analyst DATE 6/3/05

Type or print name Sarah Jordan

E-mail address: sjordan@nearburg.com  
Telephone No. 432/686-8235

(This space for State use)

APPROVED BY *[Signature]* TITLE *Field Rep* DATE JUN 10 2005

Conditions of approval, if any: \_\_\_\_\_

# CURRENT WELLBORE DIAGRAM

LEASE:	South Boyd 27	WELL:	10	FIELD:	Dagger Draw North	API:	30015308690000
LOC:	510' FNL and 990' FEL	SEC:	27	BLK:		PARS NO:	
SVY:	T19S, R25E	GL:	3,443'	CTY/ST	Eddy County, NM	SPUD:	12/19/1999
CURRENT STATUS:	Inactive (SI)	KB:	3,459'	DF:		TD DATE:	1/9/2000
						COMP. DATE:	2/15/2000

FRESH WATER  
DEPTH:

HOLE SIZE: 14 3/4"  
SURF CSG & SIZE: 9 5/8" 36 & 48# J55  
SET @: 1,101'  
SXS CMT: 1,200 sx  
CIRC: yes 150 sx  
TOC AT: surface  
TOC BY:

COMMENTS:

\*\*\*\*\*GEOLOGY\*\*\*\*\*  
TOPS OF ALL ZONES  
PRODUCTIVE OF HYDRO-  
CARBONS:  
Cisco Canyon

TBG: 2 7/8"  
JTS: 0  
SN: N  
TAC: N  
ROD SIZE N

PKR: N  
TYPE:

CURRENT PERFS:  
7,748'-7,818'

SQUEEZE JOBS:

OH ID:  
COTD:  
PBTD: 8,090'  
TD: 8,175'

PBTD - 8,090'

HOLE SIZE: 8 3/4"  
PROD. CSG & SIZE: 7" 23, 26, & 29# J55, N80, & S95  
SET @: 8,175'  
SXS CMT: 275 sx  
CIRC: no  
TOC AT: 7,780'  
TOC BY: CBL

BY: MTJ  
6/2/2005

OPEN HOLE:

LINER:

# PROPOSED WELLBORE DIAGRAM

LEASE: <u>South Boyd 27</u>	WELL: <u>10</u>	FIELD: <u>Dagger Draw North</u>	API: <u>30015308690000</u>
LOC: <u>510' FNL and 990' FEL</u>	SEC: <u>27</u>	BLK: _____	PARS NO: _____
SVY: <u>T19S, R25E</u>	GL: <u>3,443'</u>	CTY/ST: <u>Eddy County, NM</u>	SPUD: <u>12/19/1999</u>
CURRENT STATUS: <u>Inactive (SI)</u>	KB: <u>3,459'</u>	DF: _____	TD DATE: <u>1/9/2000</u>
			COMP. DATE: <u>2/15/2000</u>

HOLE SIZE: 14 3/4"  
 SURF CSG & SIZE: 9 5/8" 36 & 48# J55  
 SET @: 1,101'  
 SXS CMT: 1,200 sx  
 CIRC: yes 150 sx  
 TOC AT: surface  
 TOC BY:

COMMENTS:

FRESH WATER  
DEPTH:

\*\*\*\*\*GEOLOGY\*\*\*\*\*

TOPS OF ALL ZONES  
 PRODUCTIVE OF HYDRO-  
 CARBONS:  
 Cisco Canyon

Set CIBP @ approx 7675'

Cap w 35' cmt

← squeeze perfs 7,755-57'  
 ← perfs 7,748-818'

CURRENT PERFS:

7,748'-7,818'

SQUEEZE JOBS:

TBG: 2 7/8"  
 JTS: 0  
 SN: N  
 TAC: N  
 ROD SIZE N

PKR: N  
 TYPE:

HOLE SIZE: 8 3/4"  
 PROD. CSG & SIZE: 7" 23, 26, & 29# J55, N80, & S95  
 SET @: 8,175'  
 SXS CMT: 275 sx  
 CIRC: no  
 TOC AT: 7,780'  
 TOC BY: CBL

OH ID:  
 COTD:  
 PBTD: 8,090'  
 TD: 8,175'

PBTD - 8,090'

BY: MTJ  
 6/2/2005

OPEN HOLE:

LINER: