

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
N.M. Oil Cons. Div. Dist. 2
3801 W. Grand Avenue
Artesia, NM 88210FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO.

NMLC028784C

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

NMNM88525X

8. FARM OR LEASE NAME, WELL NO.

BURCH KEELY UNIT #377

9. API WELL NO.

30-015-33796

10. FIELD AND POOL, OR WILDCAT

GRBG JACKSON SR Q GRBG SA

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

SEC. 13-T17S-R29E

12. COUNTY OR PARISH

EDDY

13. STATE

NM

19. ELEV. CASINGHEAD

1a. TYPE OF WELL:

OIL
WELL ☒GAS
WELL ☐DRY ☐Other ☐

b. TYPE OF COMPLETION:

NEW
WELL ☒WORK
OVER ☐DEEP-
EN ☐PLUG
BACK ☐DIFF.
RESVR. ☐Other ☐

2. NAME OF OPERATOR

MARBOB ENERGY CORPORATION

3. ADDRESS AND TELEPHONE NO.

PO BOX 227, ARTESIA, NM 88211-0227 (505) 748-3303

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1895 FNL 660 FWL, UNIT E

At top prod. interval reported below SAME

At total depth SAME

14. PERMIT NO.

DATE ISSUED

12. COUNTY OR PARISH

13. STATE

15. DATE SPUDDED

3/11/05

16. DATE T.D. REACHED

3/20/05

17. DATE COMPL. (Ready to prod.)

5/19/05

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*

3629' GL

20. TOTAL DEPTH, MD & TVD

4650'

21. PLUG, BACK T.D., MD & TVD

4537'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

0 - 4650'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

4046' - 4399' SAN ANDRES

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL, CSNG

27. WAS WELL CORED

NO

28.

CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8 5/8" J55	24#	373'	12 1/4"	300 SX, CIRC	NONE
5 1/2" J55	17#	4627'	7 7/8"	1100 SX, CIRC	NONE

29.

LINER RECORD

30.

TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	4040'	

31. PERFORATION RECORD (Interval, size and number)

4046' - 4399' (20 SHOTS)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)

4046'-4399'

AMOUNT AND KIND OF MATERIAL USED

ACDZ W/ 2000 GAL 15% HCL ACID

33. *

PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)	WELL STATUS (Producing or shut-in)					
5/24/05	PUMPING	PROD					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL---BBL.	GAS---MCF.	WATER---BBL.	GAS-OIL RATIO
5/28/05	24			64	52	487	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL---BBL.	GAS---MCF.	WATER---BBL.	OIL GRAVITY-API (GORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD

TEST WITNESSED BY

JONATHAN GRAY

35. LIST OF ATTACHMENTS

LOGS, DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

PRODUCTION ANALYST

LES BABYAK
DATE 6/14/05

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all well-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
NAME	TOP		NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH		MEAS. DEPTH	TRUE VERT. DEPTH
YATES	1064'				
QUEEN	1926'				
SAN ANDRES	2626'				
GLORIETA	4036'				

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

March 23, 2005

MAR 24 2005

Marbob Energy Corporation
PO Drawer 227
Artesia, NM 88211-0227


RE: Burch Keely Unit #377
1895' FNL & 660' FWL
Sec. 13, T17S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION	DEPTH	DEVIATION
233'	1°	2130'	3/4°
407'	1 3/4°	2450'	1 1/4°
520'	1 3/4°	2945'	1°
636'	1 1/2°	3441'	1 1/4°
915'	1 3/4°	3939'	1°
1164'	1°	4438'	1 1/4°
1639'	1°	4650'	1 3/4°

Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 23rd day of March, 2005.


Notary Public