Form 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NMOCD

FORM APPROVED OMB No. 1004-0135 Expires January 31, 2004

6. If Indian, Altottee or Tribe Name

JUL 1 5 2005

OCD-ARTED MMLC064488

5. Lease Serial No.

SUNDRY NOTICES	AND	REPORTS	ON WELLS
----------------	-----	----------------	----------

Do not use this form for proposals to drill or re enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side					Agreement, Name and/or No.	
Type of Well						
X Oil Well Gas Well Other					nd No.	
2. Name of Operator				Yates Fede	eral #3	
Yates Petroleum Corporation	1			9. API Well No.		
3a. Address	30-015-22116					
105 S. 4th Str., Artesia, NM 88210 505-748-1471				10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec.,T.,R.,M., OR Survey Description)					Penasco Draw San Andres Yeso	
				11. County or Pa	arish, State	
Sect 25-T18S-R25E 2,200'	FNL & 990' FWL	Unit E		Eddy County	y, New Mexico	
12. CHECK APPROP	RIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, R	EPORT, OR C	OTHER DATA	
TYPE OF SUBMISSION		TYPE	OF ACTION			
	Acidize	Deepen	Production	(Start/Resume)	Water Shut-Off	
X Notice of Intent		<u></u>			三	
Notice of Intent	Alter Casing	Fracture Treat	Reclamatio	on	Well Integrity	
	Casing Repair	New Construction	Recomplet	e	Other	
Subsequent Report	Change Plans	Plug and Abandon	X Temporari	ly Abandon		
Final Abandonment Notice	Convert to Injectio	on Plug Back	Water Disp	posal	2014 <u>- January January</u>	
13. Describe Proposed of Completed Operation (c. If the proposal is to deepen directionally or rec. Attach the Bond under which the work will be following completion of the involved operation testing has been completed. Final Abandoni determined that the site is ready for final inspective. Yates Petroleum Corporation evaluate it for the waterflood.	complete horizontally, give subsite performed or provide the Bond is. If the operation results in a ment Notices shall be filed only ection.)	urface locations and measured and true of No. on file with BLM/BIA. Required simultiple completion or recompletion in a after all requirements, including reclamates to the permission to tempo	vertical depths of all subsequent reports s a new interval, a Forration, have been con	pertinent markers and half be filed within 3 m 3160-4 shall be file inpleted, and the operation this well in	d zones. 30 days. ed once ator has	
Temporarily abandon proce	dures are as follows		one of the second secon		,	
MIRU a WSU. RU safet			eguipment.	ND WH, NU I	BOP. TOH w/ tba.	
2 RIH w/ gauge ring & their	•		· -11	,		

- 1.
- 2. RIH w/ gauge ring & then RIH w/ tbg & 4 1/2" CIBP set at 1,332.
- 3. Circulate hole w/ corrosion inhibited fluid.
- 4. Shut BOP & test csg to 500 psi for 30 min (10% leak off allowed). Chart test & report.
- TOH laying down tbg.
- 6. Notify OCD & BLM 24 hrs prior to conducting MIT. Chart test.
- 7. Clean up location & release equipment.

14. I hereby certify that the foregoing is true and correct	T			State	
Name (Printed/Typed)				Α΄.	
Su'Ann Rogers	Title	Regulatory Complian	nce Tech.	ACORU.	
	-		y log		
Signature OV YTU LOGUA	Date	June 29, 2005	ce Dien		
THIS SPACE FOR FED	ERAL OF	R STATE OFFICE USE	146-		

(ORIG. SGD.) ALEXIS C. SWOBODA

TRETROLEUM ENGINEER

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

LOCATION	Unit E Sagar	i, 18S-25E 2200' FNL & 99	90 FWL	Chaves County	<u>/</u>
			30 T VVL	Chaves County	Σ.
		KB: 33472'		CASING PROGR	RAM
		COMPLETION DATE:	7" 2	24# J-55	1200'
COMMENTS:			i)	." 9.5# K-55	1707'
EFORE	$\bigcap \cdot $	1~17			
		1517)	<u> </u>		
		151 //			
9 1/2" Hole	1/12				
	1/1/31	1517		~ ^~	
				TOPS	
		7" @ 1200' w/ 1250 sx c	cmt (Circ)	San Andres	708'
	}				
		7 0 () 07			
		Toc @ surface by CBL	,		
	()				•
6 1/4" Hole	<u> </u>		egge region of the control of the co	The second control of	en e
	\rangle		The second secon	in the second of	
	())				
	(1)	$\langle \hat{\gamma} \rangle$			
		131			
	··· · ·) \\ \\ \ \ \ \ \ \ \ \ \ \ \ \		•		
ragradistro					
)>	15(
	(\land)	(\sqrt)			
			* ************************************		
enteres and the control of the contr					
			•		
	(<)				
		=(4		rante al control de la control
		(-)	en e	The state of the s	
				. 1921	
10 1		CIBP @ 1332' with 35' ce			
		Perf's: 1382-1479' Acidize: 2000 g 15%			to Scale
		Frac'd w/ 95,000# sand 60,0	000 gal gel	4/14/	/05
	270		i 1897 saga ki 988 Ng Pillimonaliya ay sagaya ya sa sa sa sa sagaya s	MSH	i .
PBTD +-16	1/U \ \		and a second process of the second se	Afterna Communication and Comm	
		4 ½ " @ 1707' w/ 175 sx cm	t (circ.)	es ere such exist en	•

1

		eral # 3			
		5, 18S-25E 2200' FNL &	990 FWL	Chaves Cou	<u>nty</u>
		KB : 33472'		CASING PRO	GRAM
		COMPLETION DATE	18 -	7" 24# J-55	1200'
COMMENTS:			I 	4 ½" 9.5# K-55	1707'
				-	
FORE	$\bigcap \cdot $	1~17	<u> </u>		
		121A)	L		
)//>/	1>1/	*		
		(/)			
9 1/2" Hole	1/12				
	111			TOP	s
		7" @ 1200' w/ 1250 s	x cmt (Circ)	San Andres	708'
		$ \uparrow \rangle$			
		$ \langle \rangle$			
	(\(\)	Toc @ surface by C	BL	·	
		(1)			· -
6 1/4" Hole)<				
0 /4 11010		15(,	
	$\langle \mathcal{S} $				e established a contract of
	(\land)				
	\ <u>\</u>	$ \uparrow\rangle$			
					4. 200 (1.00 (1.
)<				
			* Section 1	and the second s	
)>				
			•	÷	
)公				
				•	
)>				
		[5]			
)>			and the second s	
	Σ			,	
		Perf's: 1382-1479'			ot to Scale
والمراجع		Acidize: 2000 g 15% Frac'd w/ 95,000# sand 60	0,000 gal gel	4/	14/05
	2701				SH
PBTD +-16		4.½" @ 1707' w/ 175 sx c	emt (circ.)	en er ser en lande der seine sein	esperie
The second secon	TD 170	7'	*	i i i i i i i i i i i i i i i i i i i	er germann a germann

·\$,