<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144


June 1, 2004

## Pit or Below-Grade Tank Registration or Closure Is nit or below-grade tank covered by a "general plan"? Yes No X

Type of action: Registration of a pit or below-grade tank \(\overline{\text{Z}}\) Closure of a pit or below-grade tank \(\overline{\text{Z}}\)		
C	505-393-5905 e-mail address: hob-	on a Company housens game
	505-393-5905 e-mail address: hob	eng@mewbourne.com
Address: P.O. Box 5270, Hobbs, New Mexico 88241  Facility or well name: Tamano"10" Federal Com #4 API #:	30-015-33490 U/L or Qtr/Qtr E	Sec 10 T 18S R 31E
		53.7 W NAD: 1927 1983 X
County:EddyLatitudeLatitudeLatitude	32-43-48.6 N Longaude 103-51-	55.7 W NAD. 1927 [1965 [A
	Below-grade tank	
Times Deilling C Brothering C Disposed V		
Workover       □ Emergency       □ Construction material:         med ☑ Unlined       □ Double-walled, with leak detection? Yes       □ If not, explain why not.         RECEIVED		
		evolain why not
Lined Vinlined	Double-waited, with leak detection? Tes 1 inot	RECEIVED
Liner type: Synthetic Thickness 12 mil Clay		AUG 1 1 2005
Pit Volume 4800 bbl		OCU
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points) OCU-AFTESIA
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more (350'+)	( 0 points) X
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No (1 mile+)	( 0 points) X
water source, or less than 1000 feet from an other water sources.)	To the coop of the	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more (1 mile+)	( 0 points) X
	Ranking Score (Total Points)	0 points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	tte disposal location: (check the onsite box if
your are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Mewbourne Oil Company proposes to dig a "deep bury" pit to dispose of the reserve pit from this location. Enclosed is a diagram of the location		
with an approximate location of the "deep bury" pit. Both pits will be closed during the operation. We will start the "clean up" as soon as possible following NMOCD approval.		
approval.		
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that the	ne above-described pit or below-grade tank
has been/will be constructed or closed according to NMOCD guidelines	s XI, a general permit LI, or an (attached) alternati	ve OCD-approved plan .
Date: <u>08/10/2005</u>	10 50	
Printed Name/Title F. Lathan / Drilling Foreman	Signature IC Kouthan	
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the	ot relieve the operator of liability should the contents the operator of its responsibility for compliance with an	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or
regulations.		
Approval:	•	
Approval: Printed Name/Title Nillo Krafelov Dist II	Signature Will Krangusa	Date: AUG 2 4 2005



TAMANO 10" FED Com #4 # 30-015-33490



SCALE: 1" = 60'

## New Mexico Office of the State Engineer Well Reports and Downloads

Township: 18S Range: 31E Sections: 10		
NAD27 X: Y:	Zone: Search Radius:	
County: Basin:	Number: Suffix:	
Owner Name: (First)	(Last) Onn-Domestic Onnestic	
Well / Surface Data Report Avg Depth to Water Report		
Clear Form WATERS Menu Help		

AVERAGE DEPTH OF WATER REPORT 07/27/2005

(Depth Water in Feet)
Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again