DISUTEL 1 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Office.

For downstream facilities, submit to Santa
Fe office

Form C-144

June 1, 2004

| Pit or Below-Grade Tank Registration or Closur | <u>re</u> |
|--|-----------|
| Is pit or below-grade tank covered by a "general plan"? Yes 🖾 No | |

| Type of action: Registration of a pit | or below-grade tank 🗵 Closure of a pit or below | r-grade tank | |
|---|---|--|--|
| Operator: McKay Oil Corporation Telephone: 505-623-4735 Address: PO Box 2014 Roswell, NM 88202-2014 Facility or well name: Four Mile Draw B Federal #7 API #: 30-0 | | JUL 2 2 2005 | |
| Facility or well name: Four Mile Draw B Federal #7API #:API #: | | _6SR _22E | |
| County: _Chaves Latitude | Longitude NAD: | 1927 🗌 1983 🔲 | |
| Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐ | | | |
| Pit | Below-grade tank | | |
| Type: Drilling Production Disposal | Volume:bbl Type of fluid: | 1 | |
| Workover Emergency | Construction material: | | |
| Lined \(\subseteq Unlined \(\subseteq \) | Double-walled, with leak detection? Yes I | | |
| | Double-walled, with leak detection: 1 cs in | I not, explain why not. | |
| Liner type: Synthetic M Thickness12mil Clay [| | | |
| Pit Volumebbl | | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal | Less than 50 feet | (20 points) | |
| | 50 feet or more, but less than 100 feet | (10 points) | |
| high water elevation of ground water.) | 100 feet or more | (0 points) | |
| | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic | Yes | (20 points) | |
| water source, or less than 1000 feet from all other water sources.) | No. | (0 points) | |
| | Less than 200 feet | (20 points) | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | 200 feet or more, but less than 1000 feet | (10 points) | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | | | |
| | 1000 feet or more | (0 points) | |
| | Ranking Score (Total Points) | 0 | |
| your are burying in place) onsite offsite foffsite, name of facility remediation start date and end date. (4) Groundwater encountered: No | Yes If yes, show depth below ground surface_ | | |
| | | | |
| I hereby certify that the information above is true and complete to the best grade tank has been/will be constructed or closed according to NMOC plan . | of my knowledge and belief. I further certify the D guidelines □, a general permit ☑, or an (at | at the above-described pit or below- tached) alternative OCD-approved | |
| Date: <u>07/21/05</u> | 0 1 1 | pper la constitución de la const | |
| Printed Name/TitleJames L. Schultz, Agent | Signature | | |
| Your certification and NMOCD approval of this application/closure does reground water or otherwise endanger public health or the environment. No state, or local laws and/or regulations. | | | |
| Approval: Field Supervisor Printed Name/Title | Signature | Date: IIII O.C. | |
| | | Date: JUL 26 | |