DISTRICT 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

.

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Fe office

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No x

Type of action. Registration of a pirc	or below-grade tank [] Closure of a pit of below-grad	ue talik 😥
Operator: Pogo Producing Company Telephone: 432-685-8100 e-mail address: wrightc@pogoproducing.com		
Address: P. O. Box 10340, Midland, TX 79702-7340		
Facility or well name: River Bend 10 Fed #2 API#: 30-015-20756 U/L or Qtr/Qtr F Sec 10 T 24S R 29E		
County: Eddy County Latitude 32:14:00.03N Longitude 103:58:26.6W NAD: 1927 1983		
Surface Owner: Federal 🗵 State 🗌 Private 🗍 Indian 🗍		
<u>Pit</u>	Below-grade tank	, explain why not.
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☑ Emergency ☐	Construction material:	
Lined K Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic 2 Thickness 12 mil Clay	1/97	
Pit Volume 5100 bbl		, explain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
ingli water dievation of ground water.	100 feet or more X	(0 points) O
W W	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No X &	(0 points) O
water source, or less than 1000 feet from all other water sources.)	*:	<u> </u>
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more X	(0 points) O
,	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🔀 offsite 🗌 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Amended to show Onsite disposal		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines. A general permit , or an (attached) alternative OCD-approved plan .		
00/06/05		
Date: 09/06/05		
Printed Name/Title Cathy Wright, Sr Eng Tech Signature Affect Will		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability hould the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or		
regulations.		
Field Supervisor		
Approval:		CED 7 2005
Printed Name/Title	Signature	SEP 7 2005
		!



Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.