					•				
District I 1625 N. French Dr., Hobbs, N District II 1301 W. Grand Avenue, Artes District III	Ener sia, NM 88210	gy Minerals ar Depa	lew Mexico Id Natural Resources rtment	Form C-144 CLEZ 21-Jul-08 For closed-loop systems that only use above ground steel tanks or haul off bins and purpose to implement					
1000 Rio Brazos Road, Aztec, District IV	NM 87410		ation Division St. Francis Dr.	waste removal for closure,					
1220 S. St. Francis Dr., Santa	Fe, NM 87505		NM 87505	NMOCD District Office.	. 1 . Maria and a state				
Closed-Loop System Permit or Closure Plan Application									
(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)									
	Type of action: Permit Closure								
closed-loop system that on Please be advised that approventionment. Nor does approvention	one application (Form C-144 CLEZ) per ly use above ground steel tanks or haul- val of this request does not relieve the op oval relieve the operator of its responsib	off bins and prop perator of liability	nose to implement waste rem should operations result in p	oval for closure, please subm ollution of surface water, grou	n it a Form C-144. und water or the				
1.	Anacha Cornerati		0000	072					
Operator Address:	Apache Corporatio		OGRID# Lane, Ste 3000, Midla	873					
Facility or Well Name:	SUS Veter		mpire Abo Unit "J" #						
API Number:	30-015-02616		OCD Permit Number:	213776					
U/L or Qtr/Qtr	H Section 6	Township	185 Range	28E County:	Eddy				
Center of Proposed Design		rownship	Longitude	County: NAD:					
Surface Owner:	Tederal ☑ State	Private	Tribal Trust or Indiar	······					
Z.									
2. \[<u>Closed-loop System</u> : Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover of Drilling (Applies to activities which require prior approval of a permit or notice of intent) V P&A Above Ground Steel Tanks or Haul-off Bins									
3.				RECE	VED				
Signs: Subsection C of 19.15.	17.11 NMAC providing Operator's name, site location,	and emergency t	elenhone numbers						
Signed in compliance w				JAN 14	2013				
4.				NMOCD A	RTESIA				
	Application Attachment Checklist: Sub owing items must be attached to the ap								
attached.	owing items must be attached to the up	pillation. Piease	e inaicate, by a check mark in	the box, that the accuments	are				
Design Plan - bas	sed upon the appropriate requirements	of 19.15.17.11 NM	ИАС						
	faintenance Plan - based upon the appro								
	ease complete Box 5) - based upon the ap esign (attach copy of design) API	Number:	ements of Subsection C of 19.	15.17.9 NMAC and 19.15.17.2	13 NMAC				
	• • • •	Number:	<u> </u>						
[5.	· · · · · · · · · · · · · · · · · · ·								
1	Closed-loop Systems That Utilize Above	ground Steel Ta	nks or Haul-off Bins Only: (19	9.15.17.13.D NMAC)					
	the facility or facilities for the disposal o	of liquids, drilling	fluids and drill cuttings. Use	attachment if more than two	2				
facilities are required. Disposal Facility Name:	Sundance Services		Disposal Facility P	ermit Number:	NM-01-0003				
Disposal Facility Name:	Controlled Recovery	1	Disposal Facility P		NM-01-0006				
	ed-loop system operations and associate ovide the information below)	d activities occur	on or in areas that <i>will not</i> be	e used for future service and o	operations?				
Required for impacted areas	which will not be used for future service o	 Ind operations:							
	r Design Specifications based upon the	•	uirements of Subsection H of	19.15.17.13 NMAC					
Re-vegetation Plan -	based upon the appropriate requiremen	ts of Subsection I	of 19.15.17.13. NMAC						
	n - based upon the appropriate requirem	ents of Subsectio	n G of 19.15.17.13. NMAC						
6.									
Operator Application Cert									
	mation submitted with this application is	true, accurate ar		-					
Name (Print)	Guinn Burks	6	Title:	Reclamation Fo					
Signature:	Silower Buy		Date:	1/3/2013					
e-mail address:	guinn.burks@apacheco	p.com	Telephone	432-556-91	43				
	Form C-144 CLEZ	Oil Conserva	ation Division	Page 1 of 2					

	······	<u> </u>	<u> </u>			
7.						
OCD Approval:	Permit Application (including closure plan)	Closure Plan (only)			
OCD Representative Sign	ature: Alade		Арр	roval Date	: <u>1/15/13</u>	I
Title: DIST	B Superviso		OCD Permit N	umber:	213776	
8.		······································				
	within 60 days of closure completion	1): Subsection	of 19.15.17.13. NMAC			
Instructions: Operators are	required to obtain an approved closure pl	an prior to imple	menting any closure activities			
	d to be submitted to the division within 60 approved closure plan has been obtained				o not complete this	
section of the form and an	upproved closure plan has been obtained		-			I
			Closure Completion Date:		· · · · · · · · · · · · · · · · · · ·	- <u></u>)
Instructions: Please identify	g Waste Removal Closure For Closed- the facility or facilities for where the liqu					
two facilities were utilized.						
Disposal Facility Name:			Disposal facility Per			
Disposal Facility Name:			Disposal facility Per		• • • • • • • • • • • • • • • • • • •	<i>i</i>
	n operations and associated activities perfo			ture service	and operations?	1
Yes (If yes), pl	ease demonstrate compliance to the items	below)	l No			
Required for impacted areas	which will not be used for future service ar	nd operations:				
Site Reclamat	ion (Photo Documentation)					
	and Cover Installation					
	Application Rates and Seeding Technique					
10.			· · · · · · · · · · · · · · · · · · ·			
Operator Closure Certific	cation:					
	rmation and attachments submitted with t	his closure repor	t is true, accurate and complete	e to the best	t of my knowledge	
	the closure complies with all applicable clo		-			
		sure requirements		ine upprover		
Name (Print)	Guinn Burks	. <u>.</u>	Title:	Recl	amation Foreman	
Signature:			Date:			
e-mail address:	guinn.burks@apachecorr	o.com	Telephone:		432-556-9143	
			··· · ··· ··· ··· ··· ··· ··· ··· ···	···· · ···		
	1					
	Form C-144 CLEZ	Oil Conserva	tion Division		Page 2 of 2	
		1				
						•



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

-pp: • · • • • • • • • • • • • • • • • • •	
Controlled Recovery Inc.	(877) 505-4274
Sundance Incorporated	(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection. Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough ' lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

> **EHS Apache Hotline NMOCD District Office**

(800) 874-3262

In the event of oil reaching water, include the following notification; Environmental Protection Agency (EPA) National Response Center

CLOSURE

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.

Prepared by

<u>Guinn Burks</u>

Guinn Burks Reclamation Foreman Apache Corporation