District I 1625 N. French Dr., Hobbs, NM 88240 District II , , , 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 21-Jul-08

Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haul off bins and purpose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application (that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

	Type of a	ection:	Permit		Closure				
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-looped system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the									
environment. Nor does approv 1.	al relieve the operator of its	responsibility to comply w	ith any other appl	icable governn	nent authority's	rules, regulations or ordinances.			
	Anacha Car	noration		OGRID#		873			
Operator	Apache Cor		Lana Sta 200	_	4 TV 7070				
Address: 303 Veterans Airpark Lane, Ste 3000, Midland, TX 79705									
Facility or Well Name:	00.045.04540		Empire Abo Unit "I" #231						
API Number:	30-015-21542		OCD Permit N	· -	213				
U/L or Qtr/Qtr	B Section	- 6 Township	<u> 18S</u>	Range _	28E	County: Eddy			
Center of Proposed Design:	Latitude		_ Longitude _			NAD: 1927 1983			
Surface Owner:	Federal 🗹 State	Private	Tribal Tru	st or Indian A	Allotment				
Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well									
12" x 24", 2" lettering, pre	oviding Operator's name, site	location, and emergency	and emergency telephone numbers			JAN I I III			
Signed in compliance with	19.15.3.103 NMAC					NMOCD ARTESIA			
4.									
Closed-loop Systems Permit A Instructions; Each of the follow				ock mark in th	ne how that the	documents are			
attached.	ang nems must be uttached	to the application. Theas	e maicate, by a cr	icex mark in th	·	documents are			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC									
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC									
Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously approved Design (attach copy of design) API Number:									
	erating and Maintenance Pla	API Number: n API Number:							
	erating and mantenance na	7.1.1							
5. Waste Removal Closure For Cl	acad laan Systems That Util	izo Abovo ground Stool Tr	anks or Haul-off P	ine Onbe: (10 1	IS 17 12 D NM/) () ()			
Instructions: Please identify the									
facilities are required.									
Disposal Facility Name:	Sundance		-	osal Facility Per	_	NM-01-0003			
Disposal Facility Name: Will any of the proposed closed	Controlled Re		_ `	osal Facility Per	_	NM-01-0006			
	ide the information below)	No		at will not be t	iseu foi future :	nervice and operations:			
Required for impacted areas which will not be used for future service and operations:									
Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC									
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13. NMAC \sigma Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13. NMAC									
	- based upon the appropriate	requirements of Subsecti	on G of 19.15.17.1	L3. NMAC					
6.									
Operator Application Certification:									
I hereby certify that the inform	-		-	ne best of my k	_				
Name (Print)	Guinn I	ourks	Title: _			nation Foreman			
Signature: _	THOOPSEL PROUPE								
e-mail address: guinn.burks@apachecorp.com Telephone 432-556-9143									

7.	İ				
OCD Approval: 、ルメ P	ermit Application (including closure pla	n) Closure Plan (only)			
OCD Representative Signa	ture: KWade		Approval Date:	1/15/2013	
Title: DIST #	Superison	OCD Pe	ermit Number:	213774	······································
8.			<u> </u>		
		n): Subsection K of 19.15.17.13. NN lan prior to implementing any closure a		ng the closure report.	
•	1	O days of the completion of the closure and the closure activities have been co		not complete this	
,		Closure Completion	Date:		
9.					
		-loop Systems That Utilize Above G uids, drilling fluids and drill cuttings wer			
Disposal Facility Name:		Disposal fac	cility Permit Number:		
Disposal Facility Name:		Disposal fac	cility Permit Number:		
Were the closed-loop system of	perations and associated activities perf	ormed on or in areas that will not be use	ed for future service an	nd operations?	
Yes (If yes), plea	se demonstrate compliance to the item	s below) I I No			
Required for impacted areas w	hich will not be used for future service o	nd operations:			
Site Reclamatio	n (Photo Documentation)				
Soil Backfilling a	nd Cover Installation				•
Re-vegetation A	application Rates and Seeding Technique				
10.					
Operator Closure Certifica	tion:				
I hereby certify that the inform	nation and attachments submitted with	this closure report is true, accurate and o	complete to the best o	of my knowledge	
and belief. I also certify that the	he closure complies with all applicable c	osure requirements and conditions spec	ified in the approved	closure plan.	
Name (Print)	Guinn Burks	Title:	Recla	mation Foreman	
Signature:		Date:			
e-mail address:	guinn.burks@apachecor	p.com Telephone:	4	32-556-9143	



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc.

(877) 505-4274

Sundance Incorporated

(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection.

Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline

(800) 874-3262

NMOCD District Office

In the event of oil reaching water, include the following notification;

Environmental Protection Agency (EPA) National Response Center

CLOSURE

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.

Prepared by

Guinn Burks

Reclamation Foreman

Guinn Burks

Apache Corporation