

District I,
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 W. Sheridan Avenue Oklahoma City, Oklahoma 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-40517	⁵ Pool Name Avalon; Bone Spring, East	⁶ Pool Code 3713
⁷ Property Code 302209	⁸ Property Name Burton Flat Deep Unit	⁹ Well Number 47H

II. ¹⁰ Surface Location

Ul or lot no. J	Section 28	Township 20S	Range 28E	Lot Idn	Feet from the 1980	North/South Line South	Feet from the 1650	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	-----------------------	------------------------	----------------


¹¹ Bottom Hole Location

UL or lot no. O	Section 33	Township 20S	Range 28E	Lot Idn	Feet from the 330	North/South line South	Feet from the 2278	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	----------------

¹² Lse Code Jed	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-------------------------------	-------------------------------------	--------------------------------------	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
051618	Enterprise Field Services, LLC P.O. Box 4324 Houston, TX 77210-4324	G
174238	Enterprise 210 Park Avenue, Suite 1600, Oklahoma City, OK 73102	O



IV. Well Completion Data

²¹ Spud Date 10/22/2012	²² Ready Date 02/08/2013	²³ TD 13,250' 6578	²⁴ PBDT 13,240'	²⁵ Perforations 6698 - 13232'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
26"	20"	250'	730 sx Cl C		
17 1/2'	13 3/8"	925'	730 sx Cl C		
12 1/4"	9 5/8"	2892'	1040 sx Cl C		
8 3/4"	5 1/2"	13,249'	2558 sx Cl H		

V. Well Test Data 2-7/8" tbg @ 5999'

³¹ Date New Oil 02/08/2013	³² Gas Delivery Date	³³ Test Date 2/12/2013	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 440 psi	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil 194	³⁹ Water 1487	⁴⁰ Gas 2194		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: Patti Riechers

Printed name:
Patti Riechers

Title:
Regulatory Specialist

E-mail Address:
Patti.riechers@dvn.com

Date: 02/26/2013
Phone: 405-228-4248

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

Provide gas connect when
available



BURTON FLAT DEEP UNIT 47H

WEST UNRESTRICTED

Perforation Summary

District		County		Field Name		Project Group		State/Province							
PERMIAN BASIN		EDDY		BURTON FLAT		PB NEW MEXICO		NM							
Surface Legal Location		API/UWI		Latitude (°)		Longitude (°)		Ground Elev MSL (ft)		KB - Ground Level (ft)		Orig KB Elevation (ft)		Tubing Head Elevation (ft)	
SEC28 T20S R28E		3001540517		32° 32' 33.612" N		104° 10' 46.709" W		3,224.00		25.00		3,249.00			
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method		
1/15/2013	BONE SPRING, OH	9,964.0		10,392.0		OPEN - FLOWING (10,248.0 - 10,250.0)					9.0				
1/14/2013	BONE SPRING, OH	9,964.0	6,526.7	9,966.0	6,526.7			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	10,106.0	6,527.4	10,108.0	6,527.4			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	10,248.0	6,527.2	10,250.0	6,527.2			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	10,390.0	6,526.3	10,392.0	6,526.3			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	10,532.0	6,528.6	10,534.0	6,528.7			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	10,532.0		10,960.0		OPEN - FLOWING (10,674.0 - 10,676.0)					9.0				
1/14/2013	BONE SPRING, OH	10,674.0	6,529.1	10,676.0	6,529.1			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	10,816.0	6,526.2	10,818.0	6,526.2			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	10,958.0	6,524.0	10,960.0	6,524.0			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	11,100.0	6,522.9	11,102.0	6,522.9			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	11,100.0		11,528.0		OPEN - FLOWING (11,384.0 - 11,386.0)					9.0				
1/14/2013	BONE SPRING, OH	11,242.0	6,523.1	11,244.0	6,523.1			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	11,384.0	6,523.7	11,386.0	6,523.7			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	11,526.0	6,524.6	11,528.0	6,524.6			3-1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	11,668.0		12,096.0		OPEN - FLOWING (11,952.0 - 11,954.0)					9.0				
1/14/2013	BONE SPRING, OH	11,668.0	6,525.9	11,670.0	6,525.9			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	11,810.0	6,528.4	11,812.0	6,528.5			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	11,952.0	6,530.6	11,954.0	6,530.6			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	12,094.0	6,532.4	12,096.0	6,532.5			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	12,236.0	6,533.2	12,238.0	6,533.2			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	12,236.0		12,664.0		OPEN - FLOWING (12,378.0 - 12,380.0)					9.0				
1/14/2013	BONE SPRING, OH	12,378.0	6,530.8	12,380.0	6,530.7			3 1/8	SHAPED		4.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	12,520.0	6,528.5	12,522.0	6,528.5			3 1/8	SHAPED		5.0	60	WIRELINE		
1/14/2013	BONE SPRING, OH	12,662.0	6,525.8	12,664.0	6,525.8			3 1/8	SHAPED		5.0	60	WIRELINE		



BURTON FLAT DEEP UNIT 47H

RECEIVED

MAR 26 2013

WEST UNRESTRICTED

Perforation Summary

District PERMIAN BASIN		County EDDY		Field Name BURTON FLAT		Project Group PB NEW MEXICO		State/Province NM							
Surface Legal Location SEC28 T20S R28E		API/UWI 3001540517		Latitude (°) 32° 32' 33.612" N		Longitude (°) 104° 10' 46.709" W		Ground Elev MSL (ft) 3,224.00		KB - Ground Level (ft) 25.00		Orig KB Elevation (ft) 3,249.00		Tubing Head Elevation (ft)	
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method		
1/16/2013	BONE SPRING, OH	6,698.0		6,982.0		OPEN - FLOWING (6,698.0 - 6,700.0)					10.0				
1/16/2013	BONE SPRING, OH	6,698.0	6,525.4	6,700.0	6,525.9			3 1/8	SHAPED		5.0	60	WIRELINE		
1/16/2013	BONE SPRING, OH	6,840.0	6,538.9	6,842.0	6,538.9			3 1/8	SHAPED		5.0	60	WIRELINE		
1/16/2013	BONE SPRING, OH	6,982.0	6,543.4	6,984.0	6,543.4			3 1/8	SHAPED		5.0	60	WIRELINE		
1/16/2013	BONE SPRING, OH	7,124.0		7,552.0		OPEN - FLOWING (7,550.0 - 7,552.0)					9.0				
1/16/2013	BONE SPRING, OH	7,124.0	6,543.2	7,126.0	6,543.2			3 1/8	SHAPED		4.0	60	WIRELINE		
1/16/2013	BONE SPRING, OH	7,266.0	6,540.4	7,268.0	6,540.3			3 1/8	SHAPED		4.0	60	WIRELINE		
1/16/2013	BONE SPRING, OH	7,408.0	6,538.0	7,410.0	6,537.9			3 1/8	SHAPED		5.0	60	WIRELINE		
1/16/2013	BONE SPRING, OH	7,550.0	6,535.6	7,552.0	6,535.6			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	7,692.0	6,535.3	7,694.0	6,535.3			3 1/8	SHAPED		4.0	60	WIRELINE		
1/16/2013	BONE SPRING, OH	7,692.0		8,120.0		OPEN - FLOWING (7,834.0 - 7,836.0)					9.0				
1/16/2013	BONE SPRING, OH	7,692.0		8,120.0		OPEN - FLOWING (8,118.0 - 8,120.0)					9.0				
1/15/2013	BONE SPRING, OH	7,834.0	6,533.2	7,836.0	6,533.2			3 1/8	SHAPED		4.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	7,976.0	6,530.1	7,978.0	6,530.1			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	8,118.0	6,526.7	8,120.0	6,526.6			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	8,260.0	6,523.3	8,262.0	6,523.3			3 1/8	SHAPED		4.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	8,260.0		8,688.0		OPEN - FLOWING (8,544.0 - 8,546.0)					9.0				
1/16/2013	BONE SPRING, OH	8,260.0		8,688.0		OPEN - FLOWING (8,402.0 - 8,404.0)					9.0				
1/16/2013	BONE SPRING, OH	8,260.0		8,688.0		OPEN - FLOWING (8,402.0 - 8,404.0)					9.0				
1/15/2013	BONE SPRING, OH	8,260.0		8,688.0		OPEN - FLOWING (8,828.0 - 8,262.0)					9.0				



BURTON FLAT DEEP UNIT 47H

WEST UNRESTRICTED

Perforation Summary

District		County		Field Name		Project Group		State/Province							
PERMIAN BASIN		EDDY		BURTON FLAT		PB NEW MEXICO		NM							
Surface Legal Location		API/UWI		Latitude (°)		Longitude (°)		Ground Elev MSL (ft)		KB - Ground Level (ft)		Orig KB Elevation (ft)		Tubing Head Elevation (ft)	
SEC28 T20S R28E		3001540517		32° 32' 33.612" N		104° 10' 46.709" W		3,224.00		25.00		3,249.00			
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method		
1/16/2013	BONE SPRING, OH	8,260.0		8,688.0		OPEN - FLOWING (8,544.0 - 8,546.0)					9.0				
1/16/2013	BONE SPRING, OH	8,260.0		8,688.0		OPEN - FLOWING (8,402.0 - 8,404.0)					9.0				
1/16/2013	BONE SPRING, OH	8,260.0		8,688.0		OPEN - FLOWING (8,118.0 - 8,120.0)					9.0				
1/15/2013	BONE SPRING, OH	8,402.0	6,519.5	8,404.0	6,519.5			3 1/8	SHAPED		4.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	8,544.0	6,519.7	8,546.0	6,519.7			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	8,686.0	6,522.0	8,688.0	6,522.0			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	8,828.0		9,256.0		OPEN - FLOWING (8,828.0 - 8,830.0)					9.0				
1/15/2013	BONE SPRING, OH	8,828.0		9,256.0		OPEN - FLOWING (9,254.0 - 9,256.0)					9.0				
1/15/2013	BONE SPRING, OH	8,828.0		9,256.0		OPEN - FLOWING (8,970.0 - 8,972.0)					9.0				
1/15/2013	BONE SPRING, OH	8,828.0	6,524.5	8,830.0	6,524.5			3 1/8	SHAPED		4.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	8,970.0	6,526.8	8,972.0	6,526.8			3 1/8	SHAPED		4.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	9,112.0	6,525.7	9,114.0	6,525.7			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	9,254.0	6,525.7	9,256.0	6,525.8			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	9,396.0	6,527.4	9,398.0	6,527.4			3 1/8	SHAPED		4.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	9,396.0		9,824.0		OPEN - FLOWING (9,396.0 - 9,398.0)					9.0				
1/15/2013	BONE SPRING, OH	9,396.0		9,824.0		OPEN - FLOWING (9,822.0 - 9,824.0)					9.0				
1/15/2013	BONE SPRING, OH	9,538.0	6,527.1	9,540.0	6,527.1			3 1/8	SHAPED		4.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	9,680.0	6,528.2	9,682.0	6,528.2			3 1/8	SHAPED		5.0	60	WIRELINE		
1/15/2013	BONE SPRING, OH	9,822.0	6,527.5	9,824.0	6,527.5			3 1/8	SHAPED		5.0	60	WIRELINE		



BURTON FLAT DEEP UNIT 47H

WEST UNRESTRICTED

Perforation Summary

District PERMIAN BASIN		County EDDY		Field Name BURTON FLAT		Project Group PB NEW MEXICO				State/Province NM									
Surface Legal Location SEC28 T20S R28E		API/UWI 3001540517		Latitude (°) 32° 32' 33.612" N		Longitude (°) 104° 10' 46.709" W		Ground Elev MSL (ft) 3,224.00		KB - Ground Level (ft) 25.00		Orig KB Elevation (ft) 3,249.00		Tubing Head Elevation (ft)					
Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method						
1/14/2013	BONE SPRING, OH	12,804.0	6,524.6	13,232.0	6,518.0	OPEN - FLOWING (13,230.0 - 13,232.0) OPEN - FLOWING (12,804.0 - 12,806.0)					9.0								
1/14/2013	BONE SPRING, OH	12,804.0		13,232.0															
1/11/2013	BONE SPRING, OH	12,804.0	6,524.6	12,806.0	6,524.6									3 1/8	SHAPED	21.5	4.0	60	TUBING
1/11/2013	BONE SPRING, OH	12,946.0	6,522.9	12,948.0	6,522.9									3 1/8	SHAPED	21.5	4.0	60	TUBING
1/11/2013	BONE SPRING, OH	13,088.0	6,520.8	13,090.0	6,520.7									3 1/8	SHAPED	21.5	5.0	60	TUBING
1/11/2013	BONE SPRING, OH	13,230.0	6,518.0	13,232.0	6,518.0			3 1/8	SHAPED	21.5	5.0	60	TUBING						