

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101
Revised November 14, 2012



Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address LEGACY RESERVES OPERATING LP PO BOX 10848, MIDLAND, TX 79702		² OGRID Number 240974
⁴ Property Code 302808		³ API Number 30-075-41386
⁵ Property Name SHUGART A STATE COM		⁶ Well No. 1H

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
A	16	18S	31E		556'	NORTH	180'	EAST	EDDY

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
D	16	18S	31E		600'	NORTH	330'	WEST	EDDY

9. Pool Information

⁹ Pool Name SHUGART BONE SPRING, NORTH	¹⁰ Pool Code 56405
--	----------------------------------

Additional Well Information

¹¹ Work Type NEW WELL	¹² Well Type SINGLE OIL	¹³ Cable/Rotary ROTARY	¹⁴ Lease Type STATE	¹⁵ Ground Level Elevation 3688'
¹⁶ Multiple NO	¹⁷ Proposed Depth 13,100'-MD, 8500'-TVD	¹⁸ Formation BONE SPRING	¹⁹ Contractor UNKNOWN	²⁰ Spud Date 01/15/14-ESTIMATED
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
SURF	17 1/2"	13 3/8"	48#	810'	466	SURF
INT	12 1/4"	9 5/8"	40#	5,500'	1426	SURF
PROD	8 3/4"	5 1/2"	17#	13,100'	2210	SURF

Casing/Cement Program: Additional Comments

--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DOUBLE RAM	3000	3000	

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> if applicable. Signature: <i>Craig Sparkman</i> Printed name: CRAIG SPARKMAN Title: OPERATIONS ENGINEER E-mail Address: Date: 5/20/13	OIL CONSERVATION DIVISION	
	Approved By: <i>T. C. Shepard</i>	
	Title: <i>Biologist</i>	
	Approved Date: 5/22/2013	Expiration Date: 5/22/2015
	Phone: 432-689-5200	

Conditions of Approval Attached

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-8161 Fax: (575) 393-0720

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011
Submit one copy to appropriate District Office

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

OIL CONSERVATION DIVISION
1220 South St. Frances Dr.
Santa Fe, NM 87505

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone: (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3482

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-41386	Pool Code 56405	Pool Name SHUGART BONE SPRING, NORTH
Property Code 302808	Property Name SHUGART A STATE COM	Well Number 1H
OGRID No. 240974	Operator Name LEGACY RESERVES OPERATING LP	Elevation 3688'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	16	18-S	31-E		556	NORTH	180	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	16	18-S	31-E		600	NORTH	330	WEST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<p>600' 330' (BHL) Plane Coordinate X = 638,897.1 Y = 637,935.9</p> <p>S 89°07'03" W - 4772.9'</p> <p>#1H (SL) Plane Coordinate X = 643,668.2 Y = 638,009.4</p> <p>180' 556'</p>	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><i>Craig Sparkman</i> 5/20/13 Signature Date</p> <p>CRAIG SPARKMAN Printed Name</p> <p>E-mail Address</p> <hr/> <p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>MACON McDONALD April 11, 2013 Date of Survey</p> <p>Signature & Seal of Professional Surveyor 12185 SC</p> <p>W.O. Num: 2013-0639</p> <p>Certificate No. MACON McDONALD 12185</p>
<p>NOTE:</p> <p>1) Plane Coordinates shown hereon are Transverse Mercator Grid and Conform to the "New Mexico Coordinate System", New Mexico East Zone, North American Datum of 1927. Distances shown hereon are mean horizontal surface values.</p>	




SHUGART A STATE COM #1H

LOCATION: See Below for SHL & PBHL.

FIELD: Shugart Bone Spring, North
COUNTY: Eddy
STATE: New Mexico

GL: 3688'
KB: 3714'
SPUD DATE: 01/15/2014

LATEST UPDATE: 05/15/2013
BY: CSPARKMAN
API No: 30-015-



Permit Conditions of Approval

API: 30-015-41386

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string