

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-41322
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name RDX 16
8. Well Number 18H
9. OGRID Number 246289
10. Pool name or Wildcat Wildcat; Bone Sprigs

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
RKI Exploration and Production

3. Address of Operator
210 Park Ave, Ste. 900
Oklahoma City, OK 73102

4. Well Location

Unit Letter D: 250 feet from the North line and 700 feet from the West line

Section 16 Township 26S Range 30E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3088'-GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☒

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

On 6/19/2013 8 3/4 inch hole to 12490'. Ran 277 joints of 5 1/2" 17#, HCP110, LTC; Shoe @ 12487'nd, 7960'vd

Cementing:

Stg 1

Lead: 460 sks of Class C (PVL+.25PF1+.2%PF13+3#/sksPF42+.125#/sksPF29+.4#/sksPF46+.7%PFPF974) (11.5 ppg, 2.08 yield)
Tail: 725 sks of Class C (PVL+.30PF151+.5%PF174+.7%PF606+.5%PF13+.2%PF153+.2%PF879+.4#/sksPF46) (13.0 ppg, 1.87 yield)
Circulated 243 sks /90bbls

Stg 2

Lead: 340 sks of Class C (35/65POZ/C+.5%(BWOW)PF44+.6%PF20+.2%PF13+.125#/skPF29+.4#/skPF46) (12.9 ppg, 1.89 yield)
Tail: 175 sks of Class C (C+.2%PF13) (14.8 ppg, 1.33 yield)
Pumped 350 bbls then rig circulated off tool.

Spud Date:

5/25/2013

Rig Release Date:

6/20/2013

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: [Signature] TITLE: Regulatory Analyst DATE: 6/27/2013

Type or print name: Robyn Lampley E-mail address: rlampley@rkixp.com PHONE: 405-996-5775

[Signature] [Signature] 7/2/13

