Emergy, Minerals and Natural Resources Revised August 1, 2011	Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
### STATE OF THE COMMINGE OF THE PRICE OF TH	1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources	WELL API NO.
Sonta Barrows RJ, Aptics, MAST-100 Santa Fe, NM 87505 G. State Oil & Gas Lease No. State Oil &	811 S. First St., Artesia, NM 88210	· · · · · · · · · · · · · · · · · · ·	
1206 St. Francis Dr., Stanta Ps, NM Striper St. Provided Provi	1000 Rio Brazos Rd., Aztec, NM 87410		
A State 42 Batory DEFERENT RESPORT USE PROPERATION FOR PRICE BLACK TO A DEFERENCY INSERPORCE USE PREMICE TO BE PREMITY FORM C-101) FOR SUCH R. Well Number P. CORRESOLUS P. COR	1220 S. St. Francis Dr., Santa Fe, NM	•	or same on a sub-peace from
1. Type of Well: Oil Well	SUNDRY NOTIC (DO NOT USE THIS FORM FOR PROPOSA	ALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	
Agache Corporation 3. Address Operator 4. Well Location Unit Letter feet from the		Gas Well . Other	8. Well Number
3.3 Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705 4. Well Location Unit Letter K Section 26 Township 17S Range 28E NMPM County Eddy 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON PULL OR ALTER CASING MULTIPLE COMPL COMMENCE DRILLING OPNS PAND A PULL OR ALTER CASING MULTIPLE COMPL COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB OTHER 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion or recompletion or recompletion. Apache is requesting an extension to flare gas from the A State wells. Intermittent flaring will occur due to Frontier's repair and plant problems. Gas will be mossured prior to flaring. 30.015-38578 A State #42 30.015-38584 A State #43 30.015-38587 A State #44 30.015-49038 A State #65 30.015-41127 A State #67 30.015-38578 A State #44 30.015-41050 A State #63 30.015-41128 A State #67 30.015-38578 A State #45 30.015-4117 A State #47 30.015-38589 A State #48 30.015-4117 A State #47 30.015-4118 A State #67 30.015-4117 A State #47 30.015-38589 A State #48 30.015-4117 A State #67 30.015-4105 A State #67 30.015-4107 A State	2. Name of Operator Apache Corporation		
A. Well Location Unit Letter K feet from the line and Section 26 Township 17S Range 28E NMPM County Eddy	3. Address of Operator		1
Unit Letter Section 26	L	0 Midland, TX 79705	Yeso
Section 26 Township 17S Range 28E NMPM County Eddy. 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB CASING/CEMENT JOB CASING/CEMENT JOB COMMENCE COMMINGLE OTHER: Flare Permit COMMENCE DRILLING OPNS PAND A CASING/CEMENT JOB OTHER: Flare Permit COMMENCE OF INTENTION OF THE COMMENCE OF TH	3	feet from the line and	feet from the line
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING REMEDIAL WORK ALTERING CASING REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB P AND A CASING/CEMENT JOB CASING/CEMENT JOB OTHER: Flare Permit Z OTHER: Flare Permit Z OTHER: Flare Permit DIHER: Flare Permit DIHER: Flare Permit Z OTHER: Flare Permit DIHER: DI		Township 17S Range 28E	NMPM County Eddy-
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. ALTERING CASING COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB P AND A CASING/CEMENT JOB OTHER: Flare Permit OTHER: OTHER: Flare Permit OTH		11. Elevation (Show whether DR, RKB, RT, GR,	etc.)
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. ALTERING CASING COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB P AND A CASING/CEMENT JOB OTHER: Flare Permit OTHER: OTHER: Flare Permit OTH	12. Check A	opropriate Box to Indicate Nature of Noti	ice. Report or Other Data
PERFORM REMÉDIAL WORK PLUS AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB DOWNHOLE COMMINGLE MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB OTHER: Flare Permit Z OTHER: Flare Permit Z OTHER: OTHER: Flare Permit Z OTHER: Flare Permit Z OTHER: Flare Permit DOWNHOLE COMMINGLE DOWNHOLE COMMINGLE COMMINGLE DOWNHOLE COMMINGLE COMMINGLE COMMINGLE COMMINGLE COMMINGLE DOWNHOLE COMMINGLE	ji .		
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB DOWNHOLE COMMINGLE OTHER: Flare Permit OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting an extension to flare gas from the A State wells. Intermittent flaring will occur due to Frontier's repair and plant problems. Gas will be measured prior to flaring. 30-015-38578 A State #42			
DOWNHOLE COMMINGLE OTHER: Flare Permit OTHER: Flare Permit OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting an extension to flare gas from the A State wells. Intermittent flaring will occur due to Frontier's repair and plant problems. Gas will be measured prior to flaring. 30-015-38578 A State #42 30-015-38584 A State #45 30-015-38586 A State #43 30-015-38586 A State #43 30-015-38586 A State #43 30-015-40120 A State #66 30-015-41127 A State #67 30-015-38587 A State #44 30-015-40120 A State #62 30-015-41147 A State #45 30-015-41120 A State #68 30-015-41180 A State #76 30-015-38582 A State #46 30-015-41189 A State #65 30-015-41181 A State #76 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41181 A State #78 Spud Date: Rig Release Date: TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015 For State Use Only			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting an extension to flare gas from the A State wells. Intermittent flaring will occur due to Frontier's repair and plant problems. Gas will be measured prior to flaring. 30-015-38578 A State #42 30-015-38584 A State #54 30-015-41126 A State #66 30-015-38546 A State #43 30-015-38958 A State #56 30-015-41127 A State #67 30-015-38547 A State #44 30-015-40838 A State #61 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41128 A State #68 30-015-41180 A State #76 30-015-38579 A State #46 30-015-41125 A State #62 30-015-41130 A State #76 30-015-38579 A State #50 30-015-41125 A State #63 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #64 30-015-41131 A State #78. Spud Date: Rig Release Date: Rig Release Date: TITLE Regulatory Tech II DATE 10/30/2013 Type or print name: Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015 For State Use Only		MULTIPLE COMPL CASING/CEN	MENT JOB:
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Apache is requesting an extension to flare gas from the A State wells. Intermittent flaring will occur due to Frontier's repair and plant problems. Gas will be measured prior to flaring. 30-015-38578 A State #42 30-015-38584 A State #54 30-015-41126 A State #66 30-015-38546 A State #43 30-015-38965 A State #53 30-015-41127 A State #67 30-015-38547 A State #43 30-015-40838 A State #61 30-015-41127 A State #68 30-015-41147 A State #68 30-015-41147 A State #68 30-015-41147 A State #68 30-015-41147 A State #68 30-015-41180 A State #75 30-015-38579 A State #46 30-015-41127 A State #63 30-015-41130 A State #75 30-015-31180 A State #75 30-015-31180 A State #75 30-015-31180 A State #76 30-015-41180 A State #75 30-015-31180 A State #76 30-015-41180 A State #76 30-015-41180 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-411055 A State #78. Spud Date: Rig Release Date: Rig Release Date: Rig Release Date: PHONE: (432) 818-1015 Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015			
Apache is requesting an extension to flare gas from the A State wells. Intermittent flaring will occur due to Frontier's repair and plant problems. Gas will be measured prior to flaring. 30-015-38578 A State #42 30-015-38584 A State #54 30-015-41126 A State #66 30-015-38546 A State #43 30-015-38985 A State #56 30-015-41127 A State #67 30-015-38547 A State #44 30-015-40838 A State #51 30-015-41128 A State #68 30-015-41147 A State #45 30-015-41050 A State #62 30-015-41180 A State #75 30-015-38579 A State #46 30-015-41125 A State #63 30-015-41180 A State #76 30-015-41187 A State #64 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41055 A State #78. Spud Date: Rig Release Date: Rig Release Date: Rig Release Date: Phone: (432) 818-1015 Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015			
30-015-38578 A State #42 30-015-38584 A State #54 30-015-41126 A State #66 30-015-38584 A State #43 30-015-38585 A State #55 30-015-41127 A State #67 30-015-38587 A State #44 30-015-40838 A State #61 30-015-41128 A State #68 30-015-41147 A State #45 30-015-40838 A State #61 30-015-41128 A State #68 30-015-41147 A State #45 30-015-41050 A State #62 30-015-41180 A State #75 30-015-38579 A State #46 30-015-41125 A State #63 30-015-41130 A State #76 30-015-41189 A State #50 30-015-41187 A State #64 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41055 A State #78. Spud Date: Rig Release Date: Rig Release Date: TITLE Regulatory Tech II DATE 10/30/2013 Type or print name: Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015 For State Use Only			:
30-015-38578 A State #42 30-015-38584 A State #54 30-015-41126 A State #66 30-015-38584 A State #43 30-015-38585 A State #55 30-015-41127 A State #67 30-015-38587 A State #44 30-015-40838 A State #61 30-015-41128 A State #68 30-015-41147 A State #45 30-015-40838 A State #61 30-015-41128 A State #68 30-015-41147 A State #45 30-015-41050 A State #62 30-015-41180 A State #75 30-015-38579 A State #46 30-015-41125 A State #63 30-015-41130 A State #76 30-015-41189 A State #50 30-015-41187 A State #64 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41055 A State #78. Spud Date: Rig Release Date: Rig Release Date: Rig Release Date: DATE 10/30/2013	Apache is requesting an extension to	o flare gas from the A State wells. Intermittent flar	ring will occur due to Frontier's repair and plant
30-015-38546 A State #43 30-015-38547 A State #44 30-015-40838 A State #61 30-015-41127 A State #67 30-015-38547 A State #44 30-015-4050 A State #62 30-015-41147 A State #45 30-015-38579 A State #46 30-015-41125 A State #63 30-015-41130 A State #76 30-015-41180 A State #76 30-015-41187 A State #64 30-015-41187 A State #65 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41055 A State #78 Spud Date: Rig Release Date: Rig Release Date: TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015	problems. Gas will be measured pri	or to flaring.	
30-015-38546 A State #43 30-015-38965 A State #56 30-015-38547 A State #44 30-015-40838 A State #61 30-015-41127 A State #67 30-015-38547 A State #45 30-015-40838 A State #62 30-015-41147 A State #45 30-015-38579 A State #46 30-015-41125 A State #63 30-015-41130 A State #76 30-015-41189 A State #50 30-015-41187 A State #64 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41055 A State #78 Spud Date: Rig Release Date: Rig Release Date: TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015	30-015-38578 A State #42	30-015-38584 A State #54	30-015-41126 A State #66
30-015-41147 A State #45 30-015-41160 A State #62 30-015-41180 A State #75 30-015-38579 A State #46 30-015-41187 A State #63 30-015-41130 A State #76 30-015-41189 A State #50 30-015-41187 A State #64 30-015-41131 A State #77 30-015-38582 A State #51 30-015-41178 A State #65 30-015-41055 A State #78 Spud Date: Rig Release Date: Rig Release Date: TITLE Regulatory Tech II DATE 10/30/2013 Type or print name: Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015		30-015-38965 A State #56	30-015-41127 A State #67
30-015-41189 A State #50 30-015-38582 A State #51 30-015-41187 A State #65 30-015-41055 A State #77 30-015-38582 A State #51 Rig Release Date: Rig Release Date: Title Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima.Vasquez@apachecorp.com PHONE: (432) 818-1015			
30-015-38582 A State #51 30-015-41178 A State #65 30-015-41055 A State #78. Spud Date: Rig Release Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015			
Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima.Vasquez@apachecorp.com PHONE: (432) 818-1015		,	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima.Vasquez@apachecorp.com PHONE: (432) 818-1015	00.010.00002 // Oldie #01	30-010-41110 A State #03	30-013-41033 A Glate #70.
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima.Vasquez@apachecorp.com PHONE: (432) 818-1015	Soud Date:	Rig Release Date:	
SIGNATURE TITLE Regulatory Tech II DATE 10/30/2013 Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015	,		
Type or print name Fatima Vasquez E-mail address: Fatima Vasquez@apachecorp.com PHONE: (432) 818-1015 For State Use Only	I hereby certify that the information al	pove is true and complete to the best of my know	ledge and belief.
Type or print name Fatima Vasquez E-mail address: Fatima.Vasquez@apachecorp.com PHONE: (432) 818-1015 For State Use Only	And the second second		
For State Use Only	SIGNATURE 77	TITLE Regulatory Tech II	DATE 10/30/2013
W/ Wall		E-mail address: Fatima.Vasquez	@apachecorp.com PHONE: (432) 818-1015
	APPROVED BY: Conditions of Approval (if any):	XI TITLE A (SETTO	Jevisa DATE 10/30/2013

See Attached COA's

District I .1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III. 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM-87505

State of New Mexico Energy Minerals and Natural Resources

l Conservation Division 20 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

,	۸. <i>ب</i>	pplicant Apache Corporation			
		hose address is1945 Bluestem Road, Artesia, NM 88210			
		ereby requests an exception to Rule 19.15.18.12 for 90 days or until] .		
	-	, Yr, for the following described tank battery (or LACT): lame of Lease A State 42 Battery Name of Pool Yeso			
		ocation of Battery: Unit Letter K Section 26 Township 17S Range 28E			
	1	umber of wells producing into battery			
T	В. Е	ased upon oil production ofbarrels per day, the estimated * volume			
		f gas to be flared isMCF; Valueper day.	•		
(C. 1	Jame and location of nearest gas gathering facility: Frontier Empire Abo Unit			
Ī	D. I	stanceEstimated cost of connection			
I	E. ~	his exception is requested for the following reasons: This is for an extension to the			
		previous one that will expire November 20, 2013.			
	-				
	-				
Division	certify that have been d complete	the rules and regulations of the Oil Conservation complied with and that the information given above to the best of my knowledge and belief. OIL CONSERVATION DIVISION Approved Until Our 31, 2019	POPE WAR		
Printed & Title	Name	Fatima Vasquez - Regulatory Tech II By Values Title 157 A Separation	_		
E-mail.	Address	Fatima.Vasquez@apachecorp.com Date 10/30/1013	-		
Date	10/30/20	13 Telephone No. (432) 818-1015			

* Gas-Oil ratio test may be required to verify estimated gas volume.

* See AHACKED COAS

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- **6.** No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here \$10000 1 1 10 | 24 | 3013

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: http://activefiremaps.fs.fed.us/current.php

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.