| Submit I Copy To Appropr   | riate District   | State of New Mo                      | exico                  |                          | Form C-10                    | )3          |
|--|--|--------------------------------------|------------------------|--------------------------|------------------------------|-------------|
| Office<br><u>District I</u> (575) 393-6161   | Energy   | , Minerals and Natu                  | ıral Resources         |                          | Revised August 1, 20         | 11          |
| 1625 N. French Dr., Hobbs<br>District II - (575) 748-128:                                | 1  |                                      |                        | WELL APIN                | О.                           |             |
| 811 S. First St., Artesia, NM 88210 OIL CO   |  |                                      | NSERVATION DIVISION    |                          | 5. Indicate Type of Lease    |             |
| District III - (505) 334-6178 1220 South St. France 1000 Rio Brazos Rd., Aztec, NM 87410 |  |                                      | STATE 🗸 FEE 🗌          |                          |                              |             |
| <u>District IV</u> – (505) 476-346<br>1220 S. St. Francis Dr., Sar                       | 50<br>oto Po. NM   | Santa Fe, NM 8                       | 7505                   | 6. State Oil &           | e Gas Lease No.              |             |
| 87505  |  |                                      |                        |                          |                              |             |
|  | NDRY NOTICES AND RI<br>M FOR PROPOSALS TO DRILL  |                                      |                        | 7. Lease Nan             | ne or Unit Agreement Name    |             |
| DIFFERENT RESERVOI   | R. USE "APPLICATION FOR PE   | D State 74 Bar                       | ttery                  |                          |                              |             |
| PROPOSALS.)  1. Type of Well: Oil  | Well Gas Well  | 1 Other                              |                        | 8. Well Num              | ber                          |             |
| 2. Name of Operator  |  |                                      |                        | 9. OGRID N               | umber                        | $\dashv$    |
| Apache Corporation 1   |  |                                      |                        | 873                      |                              |             |
| 3. Address of Operator<br>303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705        |  |                                      |                        | 10. Pool name or Wildcat |                              |             |
|  | Lane, Suite 3000 Midland,  | TX 79705                             | •                      | Yeso                     |                              |             |
| 4. Well Location Unit Letter k   |  | -4: £ 41                             | 1                      | C                        | Constant                     |             |
| Section 35   |  | et from the                          |                        |                          | from theline                 | 8           |
| Section 35   |  | ownship 17S R<br>on (Show whether DR | ange 28E :             | NMPM                     | County Eddy                  |             |
|  |  |                                      | , 111.1, 111, 511, 610 | ľ                        |                              |             |
|  |  |                                      |                        |                          |                              |             |
| į  | 2. Check Appropriate   | Box to Indicate N                    | lature of Notice,      | Report or Ot             | her Data                     |             |
| NOT  | ICE OF INTENTION   | TO:                                  | ) 9115                 | RECHENT                  | REPORT OF:                   |             |
| PERFORM REMEDIA  |  | ABANDON □                            | REMEDIAL WOR           |                          | ALTERING CASING              | 7           |
| TEMPORARILY ABANDON  |  |                                      | -                      |                          | =                            |             |
| PULL OR ALTER CA   |  | COMPL                                | CASING/CEMEN           | IT JOB                   | ]                            |             |
| DOWNHOLE COMMI   | NGLE 📙   |                                      |                        | <i>'</i>                 |                              |             |
| OTHER: Flare Gas   |  | <b>/</b>                             | OTHER:                 |                          |                              | 1           |
| 13. Describe prop  | osed or completed operatio   | ns. (Clearly state all               | pertinent details, an  | nd give pertinent        | dates, including estimated d | ațe         |
|  | proposed work). SEE RU pletion or recompletion.  | LE 19.15.7.14 NIVIA                  | C. For Multiple Co     | ompictions: Atta         | ch wellbore diagram of       |             |
| 3  | permission to temporarily f  | are the D State 74 R                 | attony The ADI# for    | sooth wall are as        | follows                      |             |
| Apache is requesting   | permission to temporarity i  | are the D State 74 Da                | allery. The API# 101   | each wen are as          | GIOHOWS.                     |             |
| 30-015-31426   | 30-015-40232   | •                                    |                        |                          |                              |             |
| 30-015-30977   | 30-015-40233   |                                      |                        |                          |                              |             |
| 30-015-31389<br>30-015-38468   | 30-015-40234<br>30-015-40235   |                                      | •                      |                          |                              |             |
| 30-015-39267   | 30-015-40236   |                                      |                        |                          | •                            |             |
| 30-015-39924   | 30-015-40237   |                                      |                        |                          |                              |             |
| 30-015-40145 : 30-015-40441  | 30-015-40238<br>30-015-40239   |                                      |                        |                          |                              |             |
| 30-015-40231   | 30-015-40136   |                                      | ·                      |                          |                              |             |
| i i  |  |                                      |                        |                          |                              |             |
| 7  | •  | 7                                    | <u></u>                |                          |                              |             |
| Spud Date:   | ·,   | Rig Release D                        | ate:                   |                          |                              |             |
| <del>`</del> ,   |  | J                                    |                        |                          |                              |             |
|  |  |                                      |                        |                          |                              |             |
| I hereby certify that the  | information above is true a  | and complete to the b                | est of my knowleds     | ge and belief.           |                              |             |
| Star and a second  | Yan  |                                      |                        |                          |                              |             |
| SIGNATURE  | The second secon | TITLE Regul                          | atory Tech II          |                          | DATE 01/09/2014              |             |
| m -  | P M M  |                                      |                        |                          | //00/ 040 4045               |             |
| Type or print name <u>Fa</u><br>For State Use Only                                       | nima vasquez   | E-mail addres                        | S; Fatima.Vasquez@a    | pachecorp.com            | PHONE: (432) 818-1015        |             |
| Tot istate ose only  | W/ Joda  | $\mathcal{L}$                        | 25.                    |                          | 1 -                          |             |
| APPROVED BY:   | KUKU   | TITLE MES                            | al other               | use1                     | DATE Jan 28, 20              | <u>)/</u> Y |
| Conditions of Approva  | l (if any):  |                                      |                        |                          | $\bigcup$                    |             |

Je See Athelud COA's

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztee, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. \_\_

(For Division Use Only)

#### APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

| Α.                      | ApplicantApache Corporation,  |  |  |  |  |  |
|-------------------------|---|--|--|--|--|--|
|                         | whose address is 1945 Bluestem Road, Artesia, NM 88210  |  |  |  |  |  |
|                         | hereby requests an exception to Rule 19.15.18.12 for  |  |  |  |  |  |
|                         | , Yr, for the following described tank battery (or LACT):  Name of Laces D State 74 Battery  Name of Real Yeso  |  |  |  |  |  |
|                         | Name of Lease D State 74 Battery  Name of Pool Yeso  Location of Battery: Unit Letter K Section 35 Township 17S Range 28E   |  |  |  |  |  |
|                         | Number of wells producing into battery  |  |  |  |  |  |
| В,                      | Based upon oil production ofbarrels per day, the estimated * volume   |  |  |  |  |  |
|                         | of gas to be flared isMCF; Valueper day.  |  |  |  |  |  |
| C.                      | Name and location of nearest gas gathering facility:  [DCP Artesia]   |  |  |  |  |  |
| D.                      | DistanceEstimated cost of connection  |  |  |  |  |  |
| E.                      | This exception is requested for the following reasons: Frontier Gas has shut Apache out   |  |  |  |  |  |
| υ,                      | of their gas line as a secondary selling point. Our primary buyer is DCP. We  |  |  |  |  |  |
|                         | need a way of relief if DCP slam valve shuts, which would be to flare. This is  |  |  |  |  |  |
|                         | for an extension to the previous one that will expire January 31, 2014.   |  |  |  |  |  |
|                         |   |  |  |  |  |  |
| Division have be        | oil Conservation of the Oil Conservation on complied with and that the information given above the to the best of my knowledge and belief.  OIL CONSERVATION DIVISION  Approved Until April 30 <sup>14</sup> 2014 |  |  |  |  |  |
| Signature               | By Albale   |  |  |  |  |  |
| Printed Name<br>& Title | Fatima Vasquez - Regulatory Tech II Title 15.57 7 Sylew   |  |  |  |  |  |
| E-mail Addre            | Fatima.Vasquez@apachecorp.com  Date for 28 - 2014   |  |  |  |  |  |
| Date 01/09/             | relephone ivo.  |  |  |  |  |  |
| * Gac Oil rat           | test may be required to verify estimated gas volume   |  |  |  |  |  |

I See Attrehed COAS

### NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

#### CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- **6.** No flaring operations to be conducted during red-flag days. <a href="http://www.gacc.nifc.gov/swee">http://www.gacc.nifc.gov/swee</a> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here \$2500

# State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

#### Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <a href="https://www.nmforestry.com">www.nmforestry.com</a> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- · Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <a href="http://activefiremaps.fs.fed.us/current.php">http://activefiremaps.fs.fed.us/current.php</a>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.