<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**


Oil Conservation Division

Form C-144 June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

| Is pit or below-grade tank covered by a "general plan"? Yes \(\textstyle \) No \(\textstyle \) Type of action: Registration of a pit or below-grade tank \(\textstyle \) Closure of a pit or below-grade tank \(\textstyle \) | | |
|---|--|----------------------|
| Operator: MESQUITE SWD INC. Telephone: 505 885-3996 e-mail address: | | |
| | | |
| Address: P.O. BOX 1479 CARLSBAD NM 88220 Facility or well name: BIG EDDY 100 API #30-015-24824 U/L or Qtr/Qtr I, Sec 8 T 21S R 28e | | |
| | | |
| County: FDDY Latitude Longitude NAD: 1927 1983 Surface Owner: Federal X State Private Indian | | |
| | | |
| Pit Below-grade tank Volume: 60 bbl. Type of fluid DD OD HOE, HA FRED. HANK DOWN | | HA MATE TANK DOMMONG |
| Type: Drilling Production Disposal | Volume: 60 bbl. Type of fluidPRODUCE WATER, TANK BOTTOMS Construction material: | |
| WorkoverXIX Emergency □ | | |
| Lined Unlined | Double-walked, with leak detection? Yes If not, explain why not. | |
| Liner type: Synthetic Thickness 12 mil Clay C | | |
| Pit Volume 60 bbl | | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet | (20 points) |
| | 50 feet or more, but less than 100 feet | (10 points) |
| | 100 feet or more | (0 points) |
| W.W 1 | Yes | (20 points) |
| Wellhead protection area: (Less than 200 feet from a private domestic | (No) | (0 points) |
| water source, or less than 1000 feet from all other water sources.) | · . · | |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet | (20 points) |
| | 200 feet or more, but less than 1000 feet | (10 points) |
| | 1000 feet or more | (0 points) |
| | Ranking Score (Total Points) | |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if | | |
| your are burying in place) onsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including | | |
| remediation start date and end date. (4) Groundwater encountered: No VIX Yes I If yes, show depth below ground surface ft. and attach sample results. | | |
| | | |
| (5) Attach soil sample results and a diagram of sample locations and excavations. | | |
| Additional Comments: | | |
| Fluids from P. t To CKL | | |
| | | |
| | | |
| Will tall Lines ? Contents - A: 11 Mole | | |
| | | |
| | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . | | |
| | | |
| Date: 10-26-05 | | |
| Printed Name/Title CLAY L WILSON V.P. Signature College of UCO | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. | | |
| | | |
| Approval: Field Supervisor | \sim | 00T 15 000F |
| Printed Name/Title | Signature | OCT 17 2005 |
| | 000 | |



tong /