

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-105
Revised August 1, 2011

1. WELL API NO.
30-015-41969
2. Type of Lease
 STATE FEE FED/INDIAN
3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
Thomas AJJ
6. Well Number:
7H



7. Type of Completion:
 NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR OTHER

8. Name of Operator
Yates Petroleum Corporation

9. OGRID
025575

10. Address of Operator
105 South Fourth Street, Artesia, NM 88210

11. Pool name or Wildcat
Penasco Draw; San Andres- Yeso (Oil)

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	I	8	19S	25E		1500	South	150	East	Eddy
BH:	L	8	19S	25E		1704	South	331	West	Eddy

13. Date Spudded
RH 2/17/14
RT 2/21/14
14. Date T.D. Reached
3/3/14
15. Date Rig Released
3/5/14
16. Date Completed (Ready to Produce)
5/7/14
17. Elevations (DF and RKB, RT, GR, etc.)
3,455' GR
3,473' KB
18. Total Measured Depth of Well
6,893
19. Plug Back Measured Depth
6,845'
20. Was Directional Survey Made?
Yes (Attached)
21. Type Electric and Other Logs Run
CBL/GR/CCL

22. Producing Interval(s), of this completion - Top, Bottom, Name
2,468'-6,835' Yeso

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"	Conductor	60'	30"	6 sx redi-mix to surface	
9-5/8"	36#	1,011'	14-3/4"	565 sx (circ)	
5-1/2"	17#	6,893'	7-7/8"	900 sx (circ)	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	1,966'	

26. Perforation record (interval, size, and number)
2,468'-6,835' (555)
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL
2,468'-6,835'
AMOUNT AND KIND MATERIAL USED
Acidized with 57,009 gals 20% HCL acid, frac with a total of 5,613,62# 100 mesh and 40/70 White Premium sand.

PRODUCTION

28. Date First Production 5/8/14		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping			Well Status (Prod. or Shut-in) Producing		
Date of Test 5/12/14	Hours Tested 24	Choke Size NA	Prod'n For Test Period	Oil - Bbl 77	Gas - MCF 54	Water - Bbl. 1259	Gas - Oil Ratio NA
Flow Tubing Press. 190 psi	Casing Pressure 130 psi	Calculated 24-Hour Rate	Oil - Bbl. 77	Gas - MCF 54	Water - Bbl. 1259	Oil Gravity - API - (Corr.) NA	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Sold

30. Test Witnessed By
J. Dominguez

31. List Attachments
Log, surveys

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Laura Watts Printed Name Laura Watts Title Regulatory Reporting Technician Date May 20, 2014
E-mail Address: laura@yatespetroleum.com

AB

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 642'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 2,150'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Yeso 2,300'	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....
 No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology