District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-1444 OIL CONSERVATION
ADTESIA DISTRICT Energ

### State of New Mexico

Form C-101 Revised July 18, 2013

ARTESIA DISTRICT Energy Minerals and Natural Resources

District II 811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720 SEP 03 2014

**Oil Conservation Division** 

**MENDED REPORT** 

District III
1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

**RECEIVED** 

1220 South St. Francis Dr.

1220 S. St. Francis Dr., Santa Fe, NM 87505

Santa Fe, NM 87505

Phone: (505) 476-	•	•											
APPLI	CATIO	ON FC				L, RE-EN	TER,	DEE	PEN, P	LUGBAC	K, OR A	<u>DD A ZC</u>	)NE
			'. Ор	erator Name a							<sup>2</sup> OGRID N 26073		
	BOPCO, L.P.										2007.	) /	
				P.O. Box Midland,						30-0	SAPI Nur	7262	$\overline{C}$
"Property Code "Property Name"									<sup>6</sup> Well No. 3 H				
			<del></del>	•	7.	Surface Lo	cation				-	· · · ·	
UL - Lot	Section	Townsh	nip	Range	Lot Idn	Feet fro	om	N/S Lir	ne	Feet From	E/W Line		County
О	36	23 8	5	30 E		330	)	SOUT	H	1980	EAST	'   E	DDY
					<sup>8</sup> Prop	osed Botton	n Hole	Locatio	n				
UL - Lot	Section	Townsh		Range	Lot Idn	Feet fro		N/S Lin	-	Feet From	E/W Line		County
<u>B</u>	36	23 5	<u> </u>	30 E		330	)	NORT	IH	1980	EAST	E	DDY
					9.	Pool Inform	nation			_			
				W		Pool Name 06 S23303	6D (BC	ONE SI	PRING)				ool Code 7944
					Addit	ional Well I	nforma	tion					
11. Wo	к Туре	1	12.	Well Type		13. Cable/Ro			<sup>14.</sup> L	ease Type	13	Ground Level E	levation
	Well			Oil						State		3394	
	ultiple			oposed Depth		18. Format			19. C	Contractor		<sup>20.</sup> Spud Dat	
	<u> </u>			4,457		2 <sup>nd</sup> Bone Spr		j				7/20/201	4
Depth to Grou	Depth to Ground water Distance from nearest fresh water well Distance to nearest surface water												
We will b	e using a	closed-lo	op syste	m in lieu of	f lined pits								
				21.	Proposed	Casing and	Cemen	t Progr	am	_			
Туре	Hol	le Size	Cas	ing Size	Casing	Weight/ft	S	etting De	pth	Sacks of Cement		Estimat	ed TOC
Surface	17	-1/2"	13	-3/8"		48		800'		730		Sur	face
Int. 12-1/4"			9.	-5/8"		40		4,050	,	990	)	Sur	face

		Casin	g/Cement Program: A	dditional Comments		
Prod.	7-7/8"	5-1/2"	17 .	14,457'	1980	Surface
Int.	12-1/4"	9-5/8"	40	4,050'	990	Surface
Surface	17-1/2"	13-3/8"	48	800'	730	Surface
Турс	Title Size	Casing Size	Casing Weight/it	Setting Depth	Sacks of Centent	Estillated TOC

22. Proposed Blowout Prevention Program

Туре	Working Pressure	Test Pressure	Manufacturer
Annular	5,000	2,500	Hydrill
Double Ram	5,000	5,000	Shaffer

<sup>23.</sup> I hereby certify that the information give best of my knowledge and belief.		OIL CONSERVATION DIVISION				
I further certify that I have complied wit 19.15.14.9 (B) NMAC , if applicable.	h 19,15.14.9 (A) NMAC  and/or	Approved By:				
Signature: When Be fre	Ker	1. ( ) [ ] [ ] [ ]				
Printed name: Whitney McKee		Title: "Geologist"				
Title: Engineering Assistant		Approved Date: 7-3-20/4   Expiration Date: 7-3-20/6				
E-mail Address: wbmckee@basspet.com						
Date: 8/28/14 Ph	one: 432-683-2277	Conditions of Approval Attached				

### NM OIL CONSERVATION

ARTESIA DISTRICT

SEP **0 3** 2014

Form C-102

State of New Mexico Energy, Minerals and Natural Resources Department Revised August 1, 2011

RECEIVED ubmit one copy to appropriate District Office

### OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

## 1000 Rio Brazos Rd., Aztec, NM 87410 Phone (506) 334-6176 Fax: (605) 334-6170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 67505 Phone (606) 475-3480 Fax: (505) 476-3462

1625 N. Pronch Dr., Hobbs, NM 58240 Phone (575) 303-6161 Fex: (575) 303-6720

811 S. First St., Artesia, NM 88210 Phone (876) 748-1883 Fax: (576) 748-9780

DISTRICT I

DISTRICT II

DISTRICT III

WELL LOCATION AND ACREAGE DEDICATION PLAT

□ AMENDED REPORT

30-05 PL	20 Pool Code 97944	WC-015 G-06 S233036D (BONE SPRING)	
Property Code 312176		perty Name Well Number 3 A 30 State 3 H	
ogrid no. 260737	•	rator Name Elevation CO, L.P. 3394'	


### Surface Location

UL or lot N	. Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	36	23 S	30 E .		330	SOUTH	1980	EAST	EDDY

### Bottom Hole Location If Different From Surface

1	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	В	36	23 S	30 E		330	NORTH	1980	EAST	EDDY
ſ	Dedicated Acres	Joint o	r Infill Co	nsolidation	Code Or	der No.				
١	160		Į.							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



# **Permit Conditions of Approval**

API:

30-0 15-42620

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string