Submit I Copy To Appropriate District ATION Office District I - (1947) 393 AFFESIA DISTRICT Energy, Minerals and Natural	Resources	Form C-103 Revised August 1, 2011							
1625 N. French Dr. Hobbs NM 88240		WELL API NO.							
811 S. First St., Artesia, New 88210 OIL CONSERVATION DI	l S In	dicate Type of Lease							
District III – (505) 334-6178 1220 South St. Francis 1000 Rio Brazos Rd., Aztec, NM 87410-0	Dr.	STATE FEE							
1000 Rio Brazos Rd., Aztec, NM 8741 D Santa Fe, NM 8750 1220 S. St. Francis Dr., Santa Fe, NM 87505	5 6. St	ate Oil & Gas Lease No.							
SUNDRY NOTICES AND REPORTS ON WELLS		ease Name or Unit Agreement Name							
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG EDIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR PROPOSALS.	Wash	Washington 33 State Battery							
PROPOSALS.) 1. Type of Well: Oil Well ✓ Gas Well ☐ Other		Vell Number							
2. Name of Operator	1 2 2014 9. O	GRID Number							
Apacific Corporation	. 073	·							
3. Address of Operator		Pool name or Wildcat							
	CEIVED Yeso	(96830) & Grayburg-San Andres (3230)							
4. Well Location Unit Letter: feet from the	line and	feet from the line							
Section 33 Township 17S Range									
11. Elevation (Show whether DR, RK		County Lody							
The table of the control of the cont		Control of the Control							
12. Check Appropriate Box to Indicate Natu	re of Notice, Repor	t or Other Data							
NOTICE OF INTENTION TO:	SUBSEQ	JENT REPORT OF:							
	REMEDIAL WORK ☐ ALTERING CASING ☐								
	OMMENCE DRILLING	-							
PULL OR ALTER CASING MULTIPLE COMPL C/	ASING/CEMENT JOB	⊔ .							
Flore Coo									
OTHER: Flare Gas 13. Describe proposed or completed operations. (Clearly state all pert	THER: inent details∞and give i	pertinent dates including estimated date							
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of									
proposed completion or recompletion.									
Apache is requesting permission to temporarily flare all of the Washington measured prior to flaring. Wells included in the above battery are as follows:		ttent flaring will occur & gas will be							
	20.045.400	20 30-015-40078							
30-015-30299 30-015-22821 30-015-39895	30-015-400	20 30-013-40076							
30-015-30276 30-015-30332 30-015-39883	30-015-400	21 30-015-40114							
		21 30-015-40114 22 30-015-40110							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886	30-015-400 30-015-400 30-015-400 30-015-400	21 30-015-40114 22 30-015-40110 23 30-015-40115 87 30-015-40111							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21 30-015-40114 22 30-015-40110 23 30-015-40115 87 30-015-40111 88 30-015-40116							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886	30-015-400 30-015-400 30-015-400 30-015-400	21 30-015-40114 22 30-015-40110 23 30-015-40115 87 30-015-40111 88 30-015-40116 89 30-015-40117							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21 30-015-40114 22 30-015-40110 23 30-015-40115 87 30-015-40111 88 30-015-40116 89 30-015-40117 90 30-015-40112 13 30-015-40118							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-401 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018 30-015-22822 30-015-22465 30-015-40019	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-401 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018 30-015-22822 30-015-22465 30-015-40019	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-401 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018 30-015-22822 30-015-22465 Rig Release Date:	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018 30-015-22822 30-015-22465 Rig Release Date:	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018 30-015-22822 30-015-22465 30-015-40019 Spud Date: Rig Release Date: Ri	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018 30-015-22822 30-015-22465 Rig Release Date:	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22465 30-015-22822 30-015-22465 Spud Date: Rig Release Date: TITLE Regulator Type or print name Paige Futrell E-mail address: E	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21							
30-015-30276 30-015-30332 30-015-39883 30-015-30277 30-015-30195 30-015-39884 30-015-30138 30-015-30196 30-015-39885 30-015-30189 30-015-30334 30-015-39886 30-015-30190 30-015-01690 30-015-40015 30-015-30191 30-015-22464 30-015-40014 30-015-30193 30-015-22605 30-015-40016 30-015-22524 30-015-22124 30-015-40017 30-015-30194 30-015-22417 30-015-40018 30-015-22822 30-015-22465 30-015-40019 Spud Date: Rig Release Date:	30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400 30-015-400	21							

& See Attached COA;

SEP 1 8 2014

HOBBS OCD

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources 2014 Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NFO Permit No.

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A	A. Applicant	Apache	Corporation					,	
		,							
			eption to Rule 19			00		days or until	
			, Yr						
	Name of I	Name of LeaseWashington 33 State Battery Name of PoolYeso & Grayburg-SA							
	Location (of Battery: U	Init Letter	Section _	33 _{Tov}	vnship 17S	_Range _	28E	
	Number o	of wells produ	icing into battery	,		55			
Е	Based upo	on oil product	tion of	1400	barrels	per day, the es	timated *	volume	
	of gas to b	be flared is	2.2	MCF; Va	alue			per day.	
C	C. Name and	of gas to be flared isMCF; Valueper day. Name and Jocation of nearest gas gathering facility: DCP / Frontier Empire Abo Plant							
· I	D. Distance	DistanceEstimated cost of connection							
E	E. This exception is requested for the following reasons: DCP & Frontier curtails their gas							gas	
	due to repairs or plant problems. This is an extension to the permit that expires								
	09/30/2014.								

OPERA	TOR certify that the rules a	and regulations of	£tha Oil Cancarvati			TION DIVISIO			
Division 1	have been complied very the best of the be	with and that the	information given a	Approv	ed Until	12/10/	2014		
Signatu	re Jarex	Fulu	ele	By	Ma	de 21 Br	M. M.	<u>ر</u>	
Printed	raiue	Futrell - Regu	ulatory Analyst I	Title	Dis	5. Sup	ewiso		
& Title E-mail 2	-	ge.futrell@ap	achecorp.com	 Date	9/	17/2014	·		
r	00/10/2014	ephone No.	(432) 818-1893	3		¥ (
Date	09/10/2014 Tel	ephone No.	(432) 818-1893	3					

Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

/ /2011

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: iim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.