B SUNDRY	160-5 t 2007) DEPARTMENT OF THE I BUREAU OF LAND MANA SUNDRY NOTICES AND REPO Do not use this form for proposals to abandoned well. Use form 3160-3 (AP		NTERIOR GEMENT MAR 0 9 2015 RTS ON WELLS				
SUBMIT IN TRI	IPLICATE - Other instru	ctions on revo	erse side.		7. If Unit or CA/Agre	ement, Name and/or No.	
I. Type of Well Soli Well Gas Well Other					8. Well Name and No. BELLATRIX 28 FED COM 7H		
2. Name of Operator Contact: LUCRETIA A MORRIS DEVON ENERGY PRODUCTIONCOMEP MAIN Incretia.morris@dvn.com					9. API Well No. 30-015-42370		
3a. Address 333 W. SHERIDAN AVENUE OKLAHOMA CITY, OK 7310	3b. Phone No. (include area code) Ph: 405-552-3303			10. Field and Pool, or Exploratory HACKBERRY; BONE SPRING,E			
4. Location of Well (<i>Footage, Sec., T</i> Sec 29 T19S R31E NESE 17)			11. County or Parish, and State EDDY COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICATE	NATURE OF	NOTICE, I	LEPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
 Notice of Intent Subsequent Report 	 Acidize Alter Casing 	G Fract	Fracture Treat		ction (Start/Resume) nation	Water Shut-OffWell Integrity	
Final Abandonment Notice	 Casing Repair Change Plans Convert to Injection 		Construction and Abandon Back	Recon Tempo Water	orarily Abandon	□ Other	
3. Describe Proposed or Completed Op If the proposal is to deepen directiona Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi WATER PRODUCTION & DIS *In order to process your dispo Site Name: Bellatrix 28 Fed C	ally or recomplete horizontally, rk will be performed or provide operations. If the operation re- bandonment Notices shall be file inal inspection.) SPOSAL INFORMATION osal request, the following	give subsurface lo the Bond No. on sults in a multiple ed only after all re	ocations and measu file with BLM/BI/ completion or rec- equirements, incluc	ared and true A. Required s ompletion in a ling reclamati	vertical depths of all pertinu ubsequent reports shall be new interval, a Form 316 on, have been completed,	ent markers and zones. filed within 30 days 0-4 shall be filed once	
 Name(s) of formation(s) pro Amount of water produced f 	ducing water on the lease				SEE ATTACI CONDITIONS O	HED FOR	
4. I hereby certify that the foregoing is Name(<i>Printed/Typed</i>) LUCRETIA	Electronic Submission #2 For DEVON ENERGY Committed to AFMSS for A A MORRIS	processing by	LINDA DENNIS Title REGUL	TON on 02/ ATORY CC	n System sbad 19/2015 () DMPLIANÇE ANALYS	M/ED	
Signature (Electronic S	ubmission) THIS SPACE FO		Date 01/28/20		CE. TED 1	-2015	
pproved By			Title		JAMES A.	AMDSare	
nditions of approval, if any, are attached ify that the applicant holds legal or equi ch would entitle the applicant to conduc	itable title to those rights in the	not warrant or subject lease	Office	{	<u>-W SUPERVIE</u>	<u></u>	
e 18 U.S.C. Section 1001 and Title 43 U tates any false, fictitious or fraudulent st	J.S.C. Section 1212, make it a c tatements or representations as t	crime for any pers	on knowingly and in its jurisdiction.	willfully to m	ake to any department or a	agency of the United	
** OPERAT	OR-SUBMITTED ** OF	PERATOR-S	UBMITTED *	* OPERA1	OR-SUBMITTED	**	

٠.

Additional data for EC transaction #289671 that would not fit on the form

32. Additional remarks, continued

4. How water is stored on lease: 4 500bbl tanks

5. How water is moved to the disposal facility: trucked

6. Identify the Disposal Facility by:

A. Facility Operators Name: a) Mesquite SWD, Inc. b) Mesquite SWD, Inc.

B. Facility or well name/number: a) Cedar Lake 35 Fed 1 b) Big Eddy SWD 1

C. Type of Facility or well (WDW) (WIW): a) WIW b) WDW

D.1) Location by ?? NW4NE4 Section 35 Township 17S Range 30E

D.2) Location by ?? SE4SE4 Section 3 Township 20S Range 31E

New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John H. Bemis Cabinet Secretary-Designate

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



Administrative Order SWD-1274 May 19, 2011

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Rule 26.8B., Mesquite SWD, Inc. seeks an administrative order to utilize its Cedar Lake 35 Federal Well No. 1 (API 30-015-26969) located 1240 feet from the North line and 1980 feet from the East line, Unit Letter B of Section 35, Township 17 South, Range 30 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of 19.15.26.8B NMAC. Satisfactory information has been provided that affected parties have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.


IT IS THEREFORE ORDERED THAT:

The applicant, Mesquite SWD, Inc., is hereby authorized to utilize its Cedar Lake 35 Federal Well No. 1 (API 30-015-26969) located 1240 feet from the North line and 1980 feet from the East line, Unit Letter B of Section 35, Township 17 South, Range 30 East, NMPM, Eddy County, New Mexico, for disposal of oil field produced water (UIC Class II only) into the Wolfcamp formation through perforations from approximately 8210 feet to 8975 feet through lined tubing and a packer set within 100 feet above the permitted disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and



equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The wellhead injection pressure on the well shall be limited to **no more than 1642 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district office of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with rules 19.15.26.13 NMAC and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in 19.15.29 NMAC and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

The division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two years after the effective date of this order if the operator has not commenced injection operations into the subject well. One year after the last date of reported disposal into this well, the authority to dispose will terminate *ipso facto*. The Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the Administrative Order SWD-1274 Mesquite SWD, Inc. May 19, 2011 Page 3 of 3

operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

JAMI BAILEY Director

JB/wvjj

cc: Oil Conservation Division - Artesia Bureau of Land Management - Carlsbad Mexico Energy, Minerals and Natural Resources Department

Bill Richardson Governor

Joanna Prukop Cabinet Secretary

New

Mark Fesmire Division Director Oil Conservation Division



Administrative Order SWD-1186

August 14, 2009

Mr. Kay Havenor, PHD, Agent for Mesquite SWD, Inc. PO Box 1479 Carlsbad, NM 87221

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Rule 26.8B., Mesquite SWD, Inc. seeks an administrative order to re-enter and utilize its Big Eddy SWD Well No. 1 (API 30-015-05819) located 660 feet from the South line and 660 feet from the East line, Unit P of Section 3, Township 20 South, Range 31 East, NMPM, Eddy County, New Mexico, for produced water disposal purposes.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of Division Rule 26.8B. Satisfactory information has been provided that affected parties as defined in Rule 26.8B.(2) have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in Rule 26.8 will be met and the operator is in compliance with Division Rule 5.9.

IT IS THEREFORE ORDERED THAT:

The applicant, Mesquite SWD, Inc., is hereby authorized to re-enter and utilize its Big Eddy SWD Well No. 1 (API 30-015-05819) located 660 feet from the South line and 660 feet from the East line, Unit P of Section 3, Township 20 South, Range 31 East, NMPM, Eddy County, New Mexico, for disposal of produced water into the Mississippian and Siluro-Devonian formations through an open hole interval from approximately 12950 feet to 14205 feet through 3-1/2 inch or smaller diameter, plastic-lined tubing set within 100 feet of the disposal interval.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the proposed disposal interval and is not permitted to escape to other formations or onto the surface.

> Oil Conservation Division * 1220 South St. Francis Drive * Santa Fe, New Mexico 87505 * Phone: (505) 476-3440 * Fax (505) 476-3462* <u>http://www.emnrd.state.nm.us</u>

Administrative Order SWD-1186 Mesquite SWD, Inc. August 14, 2009 Page 2 of 3

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The wellhead injection pressure on the well shall be limited to **no more than 2590 psi**. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by an acceptable Step-Rate-Test.

The operator shall notify the supervisor of the Division's district II office in Artesia of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district II office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 26.13 and 7.24.

Without limitation on the duties of the operator as provided in Division Rules 30 and 29, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

In accordance with Division Rule No 26.12.C., the disposal authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause. One year after disposal into the well has ceased, the authority to dispose will terminate *ipso facto.*

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment. Administrative Order SWD-1186 Mesquite SWD, Inc. August 14, 2009 Page 3 of 3

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

MARK E. FESMIRE, P.E.

Director

MEF/wvjj

cc:

Oil Conservation Division – Artesia Bureau of Land Management - Carlsbad

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

1. This agency shall be notified of any change in your method or location of disposal.

- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.

9. Subject to like approval by NMOCD.

7/10/14