

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources.

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-42785
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name. Bose Ikard 4 State Com
8. Well Number 27H
9. OGRID Number 229137
10. Pool name or Wildcat Empire; Gloricta-Yeso East 96610

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG-BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
COG Operating LLC

3. Address of Operator
One-Concho Center - 600 W Illinois Ave Midland, TX 79701

4. Well Location
Unit Letter **M**; **990** feet from the **SOUTH** line and **330** feet from the **WEST** line
Section **4** Township **17S** Range **29E** NMPM. County **EDDY**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3599'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK
- TEMPORARILY ABANDON
- PULL OR ALTER CASING
- DOWNHOLE COMMINGLE
- PLUG AND ABANDON
- CHANGE PLANS
- MULTIPLE COMPL

SUBSEQUENT REPORT OF:

- REMEDIAL WORK
- COMMENCE DRILLING OPNS
- CASING/CEMENT JOB
- ALTERING CASING
- P AND A

OTHER: **Change Production Casing**

OTHER:


13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

COG proposes to drill an 17 1/2" hole to 350' with 8.5ppg, 28 viscosity fresh water system. Set 13 3/8" casing and cement to surface. Drill a 12 1/4" hole to 900' with a 10 ppg, 30 viscosity brine water mud system. Set 9 5/8" casing and cement to surface. Drill an 8 3/4" hole to and 4079' MD and kick off and drill an 8 3/4" curve to 4907' MD. Drill a 7 7/8" lateral to new BHL at 4529' TVD & 8975' MD. Run a tapered 7" 29# L-80 LTC (0-4079') x 5 1/2" 17# L-80 LTC (4079'-8975') casing to TD cement to surface.


Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE **Permitting Tech** DATE **04/16/2015**

Type or print name **Kelly J. Holly** E-mail address: **kholly@concho.com** PHONE: **432-685-4384**

For State Use Only
APPROVED BY:  TITLE **DIST. ENGR.** DATE **4/28/15**

Conditions of Approval (if any):