State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

David Martin
Cabinet Secretary

David Catanach, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

Response Required - Deadline Enclosed

Underground Injection Control Program
"Protecting Our Underground Sources of Drinking Water"

19-May-15

LINN OPERATING, INC. 600 Travis Street Suite 4900 Houston TX 77002-7002

LETTER OF VIOLATION and SHUT-IN DIRECTIVE Failed Mechanical Integrity Test

Dear Operator:

The following test(s) were performed on the listed dates on the following well(s) shown below in the test detail section.

The test(s) indicates that the well or wells failed to meet mechanical integrity standards of the New Mexico Oil Conservation Division. To comply with guidelines established by the U.S. Environmental Protection Agency, the well(s) must be shut-in immediately until it is successfully repaired. The test detail section which follows indicates preliminary findings and/or probable causes of the failure. This determination is based on a test of your well or facility by an inspector employed by the Oil Conservation Division. Additional testing during the repair operation may be necessary to properly identify the nature of the well failure.

Please notify the proper district office of the Division at least 48 hours prior to the date and time that the well(s) will be retested so the test may be witnessed by a field representative.

MECHANICAL INTEGRITY TEST DETAIL SECTION

FREN OIL CO	OMPANY No.007	30-015-05255-00-00							
		Active Injection - (All Types)		N-19-17S-31E					
Test Date:	3/10/2015	Permitted Injection PSI:	Actual PSI:	1450					
Test Reason:	5-year Test	Test Result: F	Repair Due:	6/13/2015					
Test Type:	Std. Annulus Pres. Test	FAIL TYPE: Other Internal Failure	FAIL CAUSE:	1					
Comments on MIT: Well will not hold pressure. Pressured up to 300psi then immediate drop. Would not build after that.									
TURNER B N	0.043		30-0	15-05314-00-00					
		Active Injection - (All Types)		M-20-17S-31E					
Test Date:	5/5/2015	Permitted Injection PSI:	Actual PSI:						
Test Reason:	5-year Test	Test Result: F	Repair Due:	8/8/2015					
Test Type:	Std. Annulus Pres. Test	FAIL TYPE: Other Internal Failure	FAIL CAUSE:						
Comments on	MIT: Well will not hold press								

SKEL	$\mathbf{r}.\mathbf{v}$	IINIT	No	በደደ
DILLUL.	L/L	ULTLE	110.	voo.

30-015-05426-00-00

Active Injection - (All Types) A-28-17S-31E

Test Date: 4/8/2015 Permitted Injection PSI: Actual PSI: 1100

Test Reason: 5-year Test Test Result: F Repair Due: 7/12/2015

Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure FAIL CAUSE:

Comments on MIT: Started to pressure up and fluid came from outside of casing just under collar.

TURNER B No.068

30-015-05452-00-00

Active Injection - (All Types) P-29-17S-31E

Test Date: 5/5/2015 Permitted Injection PSI: Actual PSI: 1860

Test Reason: 5-year Test Test Result: F Repair Due: 8/8/2015

Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure FAIL CAUSE:

Comments on MIT: Well will not hold pressure.

TURNER B No.048

30-015-05458-00-00

Active Injection - (All Types) C-29-17S-31E

Test Date: 5/5/2015 Permitted Injection PSI: Actual PSI: 1750
Test Reason: 5-year Test Test Result: F Repair Due: 8/8/2015

Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure FAIL CAUSE:

Comments on MIT: Well will not hold pressure

SKELLY UNIT No.107

30-015-20410-00-00

Active Injection - (All Types) E-27-17S-31E

Test Date: 4/8/2015 Permitted Injection PSI: Actual PSI: 1100

Test Reason: 5-year Test Test Result: F Repair Due: 7/12/2015

Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure FAIL CAUSE:

Comments on MIT: Well will not hold pressure.

TURNER A No.057

30-015-29000-00-00

Active Injection - (All Types) C-19-17S-31E

Test Date: 3/25/2015 Permitted Injection PSI: Actual PSI: 1700

Test Reason: 5-year Test Test Fesult: F Repair Due: 6/28/2015

Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure FAIL CAUSE:

Comments on MIT: Well will not hold pressure.

FRIESS FEDERAL No.005

30-015-29719-00-00

Active Injection - (All Types) J-19-17S-31E

Test Date: 3/10/2015 Permitted Injection PSI: Actual PSI: 0

Test Reason: 5-year Test Test Result: F Repair Due: 6/13/2015

Test Type: Std. Annulus Pres. Test FAIL TYPE: Other Internal Failure FAIL CAUSE:

Comments on MIT: well will not hold pressure.

In the event that a satisfactory response is not received to this letter of direction by the "Repair Due:" date shown above, or if the well(s) are not immediately shut-in, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely.

Artesia OCD District Office

Note: Pressure Tests are performed prior to initial injection, after repairs and otherwise, every 5 years; Bradenhead Tests are performed annually. Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data. "Failure Type" and "Failure Cause" and any Comments are not to be interpreted as a diagnosis of the condition of the wellbore. Additional testing should be conducted by the operator to accurately determine the nature of the actual failure. * Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.