

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-33924
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Spud 16 State
8. Well Number 2
9. OGRID Number 6137
10. Pool name or Wildcat Harroun Ranch; Delaware, NE

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

DEVON ENERGY PRODUCTION COMPANY, LP.

3. Address of Operator

333 WEST SHERIDAN AVENUE, OKC, OK 73102

4. Well Location

Unit Letter I : 1980 feet from the South line and 330 feet from the East line

Section 16 Township 23S Range 29E NMPM Eddy, County New Mexico

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
2971'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Devon Energy Production Company, LP respectfully requests to run an MIT on the referenced well with the following procedures:

-Test Anchors
-MIRU WSU
-Unseat rod pump and TOH w/ pump and rods
-ND WH, NU BOPE and test
-Unset TAC and TOH w/ 2-7/8" tubing
-MIRU WL unit & make gauge run to 6250' KBM
-RIH and WL set CIBP @ 6240' KBM
-Dump bail 35' cement on top of CIBP, estimating new PBTD at 6205' KBM
-RD WL
-TIH with SN and 2-7/8" tubing to 6150' KBM.
-Load and circulate hole with 2% KCL and corrosion inhibitor
-Test 5-1/2" casing and CIBP w/ cement plug to 500 psi at surface for 30 minutes, chart test and have NMOCD witness
-Bleed off pressure, ND BOPE, NU WH
-RDMO WSU
-TA well

TA status may be granted after a
successful MIT test is performed.
Contact the OCD to schedule the test
so it may be witnessed.

NM OIL CONSERVATION
ARTESIA DISTRICT
JUN 16 2015

RECEIVED

TA'ing well to bring well into OCD compliance, until well can be evaluated. Attached: Current and Proposed Wellbore Schematics.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Compliance Associate DATE 06/11/2015

Type or print name Rebecca Deal E-mail address: rebecca.deal@dvn.com PHONE: (405) 228-8429

For State Use Only

APPROVED BY: Rebecca Deal TITLE COMPLIANCE OFFICER DATE 6/19/15
Conditions of Approval (if any):

Well Name: SPUD 16 ST #2		Field: LAGUNA SALADO SOUTH	
Location: 1980' FSL & 330' FEL; SEC 16-T23S-R29E		County: EDDY	State: NM
Elevation: 2984' KB; 2971' GL		Spud Date: 2/19/05	Compl Date:
API#: 30-015-33924	Prepared by: Lorenzo Wilborn	Date: 6/11/15	Rev:


CURRENT

17-1/2" Hole
13-3/8", 48#, H40, ST&C, @ 342'
 Cmt'd w/300 sx to surf

11" Hole
8-5/8", 32#, J55, LT&C, @ 2942'
 Cmt'd w/850 sx to surf

7-7/8" Hole
5-1/2", 17 & 15.5#, K55, LT&C, @ 6800'
 Cmt'd w/ 800 sx
 Estimated TOC @ 1710'

Delaware 6279-6292; 6572-6592' 4 spf
 03/16/05: acidized w/3000 gals 7.5% Pentol Acid
 03/22/15: Frac w/ 67k # White 16/30 & 11k # CR-4000 16/30



Tubing Anchor @ 6,301'
Rod Pump @ 6,611'
 2-7/8" 6.4# J-55 tubing
 EOT @ 6,647'

PBTD Top of cement plug @ 7615'
 CIBP @ 7650'
 Dump Bail 35' cement on top of CIBP

TD @ 6,800'

Well Name: SPUD 16 ST #2		Field: LAGUNA SALADO SOUTH	
Location: 1980' FSL & 330' FEL; SEC 16-T23S-R29E		County: EDDY	State: NM
Elevation: 2984' KB; 2971' GL		Spud Date: 2/19/05	Compl Date:
API#: 30-015-33924	Prepared by: Lorenzo Wilborn	Date: 6/11/15	Rev:


CURRENT

17-1/2" Hole
13-3/8", 48#, H40, ST&C, @ 342'
 Cmt'd w/300 sx to surf

11" Hole
8-5/8", 32#, J55, LT&C, @ 2942'
 Cmt'd w/850 sx to surf

7-7/8" Hole
5-1/2", 17 & 15.5#, K55, LT&C, @ 6800'
 Cmt'd w/ 800 sx
 Estimated TOC @ 1710'

Delaware 6279-6292 & 6572-6592' 4 spf
 03/16/05: acidized w/3000 gals 7.5% Pentol Acid
 03/22/15: Frac w/ 67k # White 16/30 & 11k # CR-4000 16/30



2-7/8" 6.4# J-55 tubing
 EOT @ 6150'

Top of cement plug @ 6205'
 CIBP @ 6240'
 Dump Bail 35' cement on top of CIBP

PBTD Top of cement plug @ 7615'
 CIBP @ 7650'
 Dump Bail 35' cement on top of CIBP

TD @ 6,800'