

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.  
NMNM0375257

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other8. Well Name and No.  
AVALON FEDERAL 22. Name of Operator  
OXY USA INCORPORATEDContact: DAVID STEWART  
E-Mail: david\_stewart@oxy.com9. API Well No.  
30-015-21491-00-S1

3a. Address

5 GREENWAY PLAZA STE 110  
HOUSTON, TX 77046-0521

3b. Phone No. (include area code)

Ph: 432-685-5717  
Fx: 432-685-574210. Field and Pool, or Exploratory  
WILDCAT

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 18 T21S R27E NWSE

11. County or Parish, and State

EDDY COUNTY, NM

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

4/14/15 MIRU PU, ND WH, NU BOP, Notify Jim Amos-BLM. Unload tbg.

4/15/15 Circ hole w/ 10# BW, RIH w/ muleshoe, tag parted csg @ 2882', work thru, continue in hole &amp; tag up @ 7959'.

4/16/15 RIH &amp; tag TOF @ 10896', SI WO orders

4/20/15 Contact Jim Amos-BLM, rec approval to spot 1st plug on TOF @ 10896'. Circ wellbore w/ 10# MLF, M&amp;P 30sx CI H cmt @ 10896-10615', PUH, WOC.

4/21/15 RIH &amp; tag cmt @ 10602', Robert Girndt-BLM, on location. PUH to 10527', circ hole w/ 10# MLF, M&amp;P 30sx CI H cmt @ 10527-10256', PUH, WOC. RIH &amp; tag cmt @ 10271', Terry Wilson-BLM on

**NM OIL CONSERVATION**  
ARTESIA DISTRICT

JUL 01 2015

RECEIVED

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #302862 verified by the BLM Well Information System  
For OXY USA INCORPORATED, sent to the Carlsbad  
Committed to AFMSS for processing by JAMES AMOS on 06/22/2015 (15JA0222SE)**

Name (Printed/Typed) DAVID STEWART

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 05/26/2015

Accepted for record  
JED AMOS 7/20/2015**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By JAMES A AMOS

Title SUPERVISORY PET

Date 06/22/2015

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM0375257
2. Name of Operator OXY USA INCORPORATED		6. If Indian, Allottee or Tribe Name
Contact: DAVID STEWART E-Mail: david_stewart@oxy.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address 5 GREENWAY PLAZA STE 110 HOUSTON, TX 77046-0521	3b. Phone No. (include area code) Ph: 432-685-5717 Fx: 432-685-5742	8. Well Name and No. AVALON FEDERAL 2
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 18 T21S R27E NWSE		9. API Well No. 30-015-21491-00-S1
		10. Field and Pool, or Exploratory WILDCAT
		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

4/14/15 MIRU PU, ND WH, NU BOP, Notify Jim Amos-BLM. Unload tbg.

4/15/15 Circ hole w/ 10# BW, RIH w/ muleshoe, tag parted csg @ 2882', work thru, continue in hole & tag up @ 7959'.

4/16/15 RIH & tag TOF @ 10896', SI WO orders

4/20/15 Contact Jim Amos-BLM, rec approval to spot 1st plug on TOF @ 10896'. Circ wellbore w/ 10# MLF, M&P 30sx CI H cmt @ 10896-10615', PUH, WOC.

4/21/15 RIH & tag cmt @ 10602', Robert Girndt-BLM, on location. PUH to 10527', circ hole w/ 10# MLF, M&P 30sx CI H cmt @ 10527-10256', PUH, WOC. RIH & tag cmt @ 10271', Terry Wilson-BLM on

14. I hereby certify that the foregoing is true and correct.	
<p align="center"><b>Electronic Submission #302862 verified by the BLM Well Information System</b>  <b>For OXY USA INCORPORATED, sent to the Carlsbad</b>  <b>Committed to AFMSS for processing by JAMES AMOS on 06/22/2015 (15JA0222SE)</b></p>	
Name (Printed/Typed) DAVID STEWART	Title REGULATORY ADVISOR
Signature (Electronic Submission)	Date 05/26/2015

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By JAMES A AMOS	Title SUPERVISORY PET	Date 06/22/2015
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

## Additional data for EC transaction #302862 that would not fit on the form

### 32. Additional remarks, continued

location, M&P 30sx CL H cmt @ 10090-9819', PUH, WOC.

4/22/15 RIH & tag cmt @ 9810', PUH to 9613', M&P 30sx CL H cmt @ 9613-9342', PUH, WOC. RIH & tag cmt @ 9341', Robert Girndt-BLM on location. POOH w/ tbg to 3166'.

4/23/15 ND BOP, NUWH, RD plugging equipment, w/o pulling unit to finish plugging job.

5/5/15 MIRU PU, ND B-1 Adap, NU BOP, Notify Jim Amos-BLM.

5/6/15 RIH w/ mill, drill collars, tbg, work though bad spot @ 2882', RIH to 8749'.

5/7/15 POOH & LD drill collars & mill, RIH w/ pkr & set @ 5255', BOT @ 8238', pressure test csg @ 5255-9341' (last plug) to 500#, tested good.

5/12/15 RIH w/ tbg & pkr to 8617', Rec appr-Jim Amos to spot plug instead of perf. M&P 10# MLF, PUH to 8743', M&P 40sx CL H cmt, PUH, WOC.

5/13/15 RIH & tag cmt @ 8269', PUH to 6339', pkr @ 3386'. RIH w/ WL & perf @ 6795', EIR, M&P 50sx CL H cmt w/ full returns up 9-5/8" X 5-1/2", WOC.

5/14/15 Attempt to release pkr, stuck. RIH w/ WL & tag EOT @ 6330', PUH & perf 2 holes above pkr @ 3364', EIR @ .75 BPM @ 1350# w/ no circulation. Work pkr & tbg to 110000#, would not release. RIH w/ free point, tbg 100% free @ 5000', 100% stuck @ 5150'. RIH & cut tbg @ 5000', rel pkr & POOH. RIH & perf csg @ 4890', RIH & set pkr @ 4435', EIR @ 2BPM @ 0# w/ full returns, M&P 50sx CL C cmt, PUH, WOC.

5/15/15 RIH & tag cmt @ 4600', POOH w/ tbg.

5/18/15 ND BOP, ND A sec WH, PU csg spear, on csg @ 140000#, csg pulled free. NU WH, NU BOP, RU csg tools.

5/19/15 POOH w/ 77 jts 5-1/2" 17-20# N-80 csg. RD csg tools, RIH w/ tbg to inside csg stub @ 2875' to 1942'.

5/20/15 RIH w/ tbg to 2943', circ 10# MLF, M&P 130sx CL C cmt w/ 2% CaCl<sub>2</sub>, POOH, WOC. RIH & tag cmt @ 2600'. PUH to 1148', M&P 50sx CL C cmt w/ 2% CaCl<sub>2</sub>, POOH, WOC.

5/21/15 RIH & tag cmt @ 988', PUH to 670', M&P 230sx CL C cmt, circ to surface. RD BOP & top spool of WH, top off csg w/ cmt, RDPU.

## Revisions to Operator-Submitted EC Data for Sundry Notice #302862

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	ABD SR	ABD SR
Lease:	NMNM0375257	NMNM0375257
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5717	OXY USA INCORPORATED 5 GREENWAY PLAZA STE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Cell: 432-634-5688 Ph: 432-685-5717 Fx: 432-685-5742	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Cell: 432-634-5688 Ph: 432-685-5717 Fx: 432-685-5742
Tech Contact:	DAVID STEWART SR. REGULATORY ADVISOR E-Mail: david_stewart@oxy.com Cell: 432-634-5688 Ph: 432-685-5717 Fx: 432-685-5742	DAVID STEWART REGULATORY ADVISOR  Ph: 432.685.5717
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	BURTON FLAT MORROW	WILDCAT
Well/Facility:	AVALON FEDERAL 2 Sec 18 T21S R27E NWSE 1980FSL 1980FEL 32.478140 N Lat, 104.227030 W Lon	AVALON FEDERAL 2 Sec 18 T21S R27E NWSE