| Submit I Copy To Appropriate District Office State of New Mexico Office State of New Mexico | Form C-103 Revised July 18, 2013 |
|--|--|
| District I – (575) 393-6161 CONSERVATION 1625 N. French Dr., Hobbs, M. 88240 CONSERVATION | WELL API NO. |
| District II – (575) 748-1283 ARTESIA DISTRICT CONSERVATION DIVISION 811 S. First St., Artesia, NM 88210 ALIC B. 2. 2015 | 30-015-30566 5. Indicate Type of Lease |
| District III – (505) 334-6178 AUG 2.0 2015 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 | STATE FEE |
| District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM RECEIVED 87505 | 6. State Oil & Gas Lease No. 27097 |
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH | 7. Lease Name or Unit Agreement Name Walker 33 State |
| PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other | 8. Well Number 1 |
| 2. Name of Operator V-F Petroleum Inc. | 9. OGRID Number 24010 |
| 3. Address of Operator P.O. Box 1889, Midland, Texas 79702 | 10. Pool name or Wildcat Travis Bone Springs (97257) |
| 4. Well Location | |
| Unit Letter K: 1650 feet from the South line and 1650 feet from the West line | |
| Section 33 Township 18-S Range 28-E NMPM Eddy County 11. Elevation (Show whether DR. RKB, RT, GR, etc.) | |
| 3544 GL | |
| 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data | |
| NOTICE OF INTENTION TO: | BSEQUENT REPORT OF: |
| PERFORM REMEDIAL WORK PLUG AND ABONDON REMEDIAL WORK ALTERING CASING TEMORARILY ABONDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A PULL OR ALTER CASING MUTIPLE COMPL CASING/CEMENT JOB | |
| DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM | _ |
| OTHER: OTHER: | |
| 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. | |
| Unflng well. Install BOP. Mill out CIBP @ 7,880'. Set RBP @ 8,470'. Spot 500 gallons 15% NeFe HCl acid. Add Perf 8,144' – 8,360' OA. Set RBP @ 8,400'. Set pkr @ 8,320'. Acidize w/750 gallons, 15% NeFe HCl acid. Reset RBP @ 8,100'. Reset pkr @ 8,068'. Test RBP & tbg. Rel pkr. Move pkr to 7,800'. Spot 3 sxs sand on top of RBP. Set squeeze pkr @ 7,827'. Squeeze perf 7,998' – 8,008' w/133 sxs Class H neat cmt. Press achieved 4,000#. Rel pkr. Tag cmt @ 7,999'. Drill cmt to 8,020'. Lower bit to RBP @ 8,100'. Circ sand off RBP. Rel RBP. Reset RBP & 8,326'. Acidize w/1,000 gallons 15% NeFe HCl acid. TIH w/ pkr & frac tbg. Set pkr @ 8,057'. Flng up frac stack. TIH w/pmpg BHA. Remove BOP. Set TAC. SN @ 8,070'. TIH w/ pmp & rds. Start well pmpg. | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. | |
| SIGNATURE TITLE Petroleum Engineer DATE: 08/17/2015 | |
| Type or print name <u>Eric Sprinkle</u> E-mail address: <u>eric@vfpetroleum.com</u> PHONE: <u>432-683-3344</u> For State Use Only | |
| APPROVED BY: TITLE DIST PSYCHOLOGIC DATE 9/1/2015 Conditions of Approval (if any): | |