District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \subseteq \) So the plantage of a pit or below-grade tank.

Type of action. Registration of a pit of below-grade tank [X] Closure of a pit of below-grade tank		
Operator: Yates Energy Corporation Telephone: 432-683-5511 e-mail address: Sjonas4011@aol.com		
Address: P. O. Box 2323, Roswell, New Mexico 88202 Facility or well name: E. Travis Federal "17API#: 30-015-23205 U/L or Otr/Otr Sec 17 T 18S R 29E		
Facility or well name: E. Travis Federal "17API#:	U/L or Qtr/Qtr	
County: Eddy Latitude	Longitude	NAD: 1927 🔲 1983 🗍
County: Eddy Latitude Longitude NAD: 1927 1983 Surface Owner: Federal State Private Indian RECEIVED		
Pit	Below-grade tank	712041722
Type: Drilling Production Disposal	Volume: 300 bbl Type of fluid: treating or produced JAN 0 3 2006	
Workover X Emergency	Construction material: Steel tank	
Lined Unlined X	Double-walled with leak detection? Yes T If not explain why not	
Liner type: Synthetic Thickness mil Clay	Not below grade, will set atop the ground.	
Pit Volume 600 bbl 10X20X3		
Tit Volume	Less than 50 feet	I (20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal		(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
175'	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
•	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas.	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
Triguitori curatis, circinos, and perculand and opinimizar waterconsus.	1000 feet or more	(0 points)
WATER TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE TO	Ranking Score (Total Points)	0
your are burying in place) onsite offsite offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ves offsite offsite, name of facility (5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
This is a burn pit for workover purposes, there will be a "T" connection with valves		
to a 300 barrel storage tank that will set atop the ground,		
	FERRING CO.	
	- 1	
<u> </u>		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines. a general permit , or an (attached) alternative OCD-approved plan .		
Date: 12/28/05		
Printed Name/Title Shery1 L. Jonas Signature Office Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Liquids may not be stored in Printed Name earthen area of pit. Tank Manual Printed Name earthen area of pit. Tank Mate: 1-9-06 Ma		
must be removed	****	

immediately after workover.