District I 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 **District IV**

1220 S. St. Francis Dr., Santa Fe, NM 87505

Date:

regulations.

12/23/05 Printed Name/Title

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

	de Tank Registration or Closur	
Is pit or below-grade tank	covered by a "general plan"? Yes [] No X	
Type of action: Registration of a pit or	below-grade tank [Closure of a pit or below-grade	tank X
Operator: Samson Resources Co. Telephone: 432-683-70	e-mail address: gpetree@samson.	com
Address 200 N. Loraine Suite 1010 Midland, Texas 79701		
Facility or well name: Lightning 24 Federal Com No. 002 API#:	30-015-33578 U/L or Qtr/Qtr J Se	ec 24 T 25S R 26E
County: Eddy County Latitude	Longitude NAD: 192	7 🔲 1983 🔲
Surface Owner: Federal X State Private Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	AFACU (CD
Lined X Unlined	Double-walled, with leak detection? Yes If not,	explain why not.
Liner type: Synthetic X□ Thickness 12/20 mil Clay □		JAN 2 4 2006
Pit Volume bbl		OCD-ARTERIA
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
mgi water olevation of ground water,	100 feet or more	(0 points)X
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)X
	Ranking Score (Total Points)	0 Points
f this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate	te disposal location: (check the onsite box if you
re burying in place) onsite X offsite I If offsite, name of facility	(3) Attach a general descri	ription of remedial action taken including
emediation start date and end date. (4) Groundwater encountered: No 🔲 Y	es I If yes, show depth below ground surface	ft. and attach sample results.
5) Attach soil sample results and a diagram of sample locations and excavati	ions.	
Additional comments: Work plan for closure pit. Pit contents will be mixe	d with earthen material to stiffen pit contents. Encaps	ulation trench will be constructed and lined
with a 12 mil synthetic liner. Pit contents will be placed in a lined trench.	A 20 mil synthetic liner will then be placed over the pi	t contents with a 3' over lap of the under
lying pit area. The capping liner will then have a min. of 3' of top soil plac	ed on top. A 48 hour notice will be provided to the Oi	il Conservation Division before pit closure
actions begin.		

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank

Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

has been/will be constructed or closed according to NMOCD guidelines X 🔲, a general permit 🔲, or an (attached) alternative OCD-approved plan 🔲.

Approval:
Printed Name/Title Mike Bratchy As A Signature Will Brancom

12/22/05: 6" Bovefule advanced to 60' bgs - No water encountered.

File	Number:	

RECEIVED

JAN 2 4 2006

					JAN Z + ZUUD
L. OWN	NER OF WEL	L			OOD-AUTEON
		Samson Resources		Work Phone:	10 F 144 162
	Contact:			Home Phone:	
	Address:	200 N. Loraine			
	City:	Midland		State: TX	Zip: 79701
		WELL (A, B, C, or D requ			
A.		1/41/4 5			
	in Eddie)			County.
B	v -	feet,	v -	feet N M	Coordinate System
ъ.		one in the			
	U.S.G.S.	Ouad Map		W	orane.
	0.2.0.2.				
C.	Latitude:	32 d 06 m 47.	3 s Longit	ude: <u>104</u> d <u>14</u>	m 39.7 s
ח	Pagt	(m), North	(m) IIT	M Zone 12 NAD	(27 or 93)
υ.					
Ε.	Tract No.	, Map No	of the	Нус	drographic Survey
F	Lot No	, Block No	of Unit/Tract		of the
• •	100 HO	Subdiv	ision recorded in		Country
		e Engineer File Numbe	_		
1.	Oli Talid Ov	med by (required):	Jamson Resources		
. DRI	LLING CON	TRACTOR			
Lic	cense Numbe	r: WD-1456			
	Nam	e: White Drilling Comp	any, Inc.	Work Phone:	325-893-2950
		t : John W. White			325-893-2950
Mail	ling Addres	s: P.O. Box 906			
					
	Cit	y: Clyde		State: TX Z	ip: 79510
			· · · · · · · · · · · · · · · · · · ·		
. DRI	LLING REC	ORD #1A			
Dri	lling begar	n: 12/22/05 ; Com	pleted: 12/22/05	; Type tools:	Air Rotary ;
		6 1/8 in.; Total de			
		l is: shallow	-		
		r upon completion of		ft.	
БСР	our do maco	e apon completion of	WCII.		
ile N	umber:			Trn Number:	
	Form: wr-2	0 pa	ge 1 of 4	-	

File	Number:	

From To	Thickness in feet	water-l	pearing for			Estimated Yield (GPM)
RECORD OF CASING Diameter Pounds (inches) per ft	3 s Threads	Depth Top	in Feet Bottom	Length (feet)	Type of Sho	oe Perforations From To
RECORD OF MUDDIN Depth in Feet From To	NG AND CEMI	ENTING Sacks	Cubic Fee			
60.0 0.0	6 1/8				fill cuttings	
PLUGGING RECORD						
Plugging Contracto	or:					
Addre	ss:					
Plugging Metho	oa:					
Date Well Plugge	=u:					
Plugging approved 1	by:		State Fr	ngineer Re	presentative	
			Brace E	igineer ke	presencative	
No. I	Depth in Fee	et Cubic	Feet of C	ement		
Tor	p Botto	m				
•						
1						
1	<u> </u>					
1 2 3						
1 2 3 4						
1 2 3 4						
1 2 3 4						
1 2 3 4						

File	Number:	

9.	LOG	OF	HOLE	#1A

Depth in From	feet To	Thickness in feet	Color and Type of Material Encountered
0.0	3.0	3.0	Caliche w/large limestone rock.
3.0	5.0	2.0	Reddish sandy clay.
5.0	20.0	15.0	Limestone.
20.0	25.0	5.0	Tan sand tight packed.
25.0	52.0	27.0	Caliche w/thin layered sandy clay.
52.0	60.0	8.0	Limestone.
<u> </u>		3.0	
	-		
			#ECEIVED
			JAN 2 4 2006
			OOD-ARTESU
		-	
			
		<u></u>	

			-

			13100
			
			
			
			
		-	

File Number:		Trn Number:	
Form: wr-20	page 3 of 4		

File	Number:	

	ADDITIONAL STATEMENTS OR EXPLANATIONS:#1A
_	
_	
-	
_	
_	
-	
_	
_	
_	
_	
_	
_	
_	
_	
_	
-	
_	
-	
-	
_	
_	
_	
7	ne undersigned hereby certifies that, to the best of his knowledge and
Ł	ne undersigned hereby certifies that, to the best of his knowledge and elief, the foregoing is a true and correct record of the above described
h	ole.
	01/16/06
	Dri / ler (mm/dd/year)
=	
	POD CHARD PACTABED HER ONLY
	FOR STATE ENGINEER USE ONLY
Ç	ad; FWL; FSL; Use; Location No
<u>.</u>	Trn Number:
	Form: wr-20 page 4 of 4