District 1 1625 N. French Dr., Hobbs. NM 88240 District II 1301 W. Grand Avenue, Artesia. NM 88210 District III 1000 Rio Brazos Road. Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 March 12, 2004 g and production facilities, submit to

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit o	r below-grade tank Closure of a pit or below-gra	ade tank
O Combant and Company Company	72-443-6489 e-mail address: zfarris@cimarex.com	
Address: P.O. Box 140907, Irving, Tx 75014-0907  Facility or well name: Freedom 25 Fee No. 1 API #: 30-015	U/L or Qtr/QtrD Sec 25 T2:	5S p.26E
County: Eddy Latitude 320622.8N Longitude 10415	05.7W NAD: 1927 1923 1 Surface O	wner Federal ⊠ State □ Private □ Indian □
County: Lady Carinde 220022.01 Longitude	1971 1921 X 1963 X Sutface O	Wife Federal & State   Frivate   Malan
Pit	Below-grade tank	
Type: Drilling 🗷 Production 🗌 Disposal 🗋	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🔀 Unlined 🗌	Double-walled, with leak detection? Yes [] If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☒ Volume		
<u>0</u> ыы Closed system cuttings buried in lined burial cell.		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	(No)	( 0 points)
water source. or less than 1000 feet from an other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	U points)
	Ranking Score (Total Points)	20
TEAL 1 TO 1 CO TO 1 TO 1 TO 1 TO 1 TO 1 TO 1	(2) [-1]	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	• • • •	-
onsite offsite offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No offsite offsite, name of facility (5) Attach soil sample results and a		
	ow ground surfaceft. and attach sam	ple results. (5) Attach soil sample results and a
diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines	a general permit 🔲, or an (attached) alternative (	OCD-approved plan .
Printed Name/Title Zeno Farris Manager Operations Administration	Signature Leno Fami	<u></u>
Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the	trelieve the operator of liability should the contents:	of the pit or tank contaminate ground water or
MAR 0 8 2006		-
Approval:		
Date: Printed Name/Title	Signatura UCO	
edition of annuard if their	organite	na primara de de caracidado de caracidado de caracidado de caracidade de

As a condition of approval, if during pit construction water is encountered or if water seeps in pits after construction the <u>OCD MUST BE CONTACTED IMMEDIATEY!</u>

Approval for pit construction only.

A PIT CLOSURE PLAN MUST
BE APPROVED PRIOR TO THE
COMMENCEMENT OF
CLOSURE OPERATIONS.



