

# NM OIL CONSERVATION

ARTESIA DISTRICT

MAY 29 2015

Form 3160-4  
(August 2007)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**RECEIVED**

FORM APPROVED  
OMB No. 1004-0137  
Expires: July 31, 2010

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name	
b. Type of Completion <input type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____		7. Unit or CA Agreement Name and No.	
2. Name of Operator OXY USA INCORPORATED		8. Lease Name and Well No. FEDERAL 23 6	
3. Address P.O. BOX 50250 MIDLAND, TX 79710		9. API Well No. 30-015-37340	
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface NESE Lot I 1709FSL 660FEL 32.374322 N Lat, 103.741724 W Lon At top prod interval reported below NWSE Lot J 1943FSL 1889FEL At total depth NWSE Lot J 1967FSL 2012FEL 32.375053 N Lat, 103.746000 W Lon		10. Field and Pool, or Exploratory LIVINGSTON RIDGE DELAWARE	
14. Date Spudded 12/25/2009		15. Date T.D. Reached 01/06/2010	
16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 01/12/2012		17. Elevations (DF, KB, RT, GL)* 3556 GL	
18. Total Depth: MD 8632 TVD 8383		19. Plug Back T.D.: MD 8485 TVD 8240	
21. Type Electric & Other Mechanical Logs Run (Submit copy of each) NONE		20. Depth Bridge Plug Set: MD TVD	
22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis)		Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis)	
Directional Survey? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis)			

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
14.750	11.750 H40	42.0	0	856	0	330	100	0	0
10.625	8.625 J55	32.0	0	4257	0	1160	362	0	0
7.875	5.500 J55	17.0	0	8632	4334	1580	480	0	0

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	7305							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) DELAWARE	8248	8300	8248 TO 8300	4.000	45	OPEN
B) DELAWARE	6612	7162	6612 TO 7162	0.430	40	OPEN
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
6612 TO 7162	4000G 7.5% HCL ACID + 21011G TRT WTR + 19995G WF GR21 + 211337G DF 200R-16 W/2985# SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
01/12/2012	02/25/2012	24	→	200.0	89.0	98.0			ELECTRIC PUMPING UNIT
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
-	SI		→	200	89	98	445		

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas:Oil Ratio
			→					
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	
			→					

Pending BLM approvals will subsequently be reviewed and scanned

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production —▷	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press Flwg. SI	Csg. Press.	24 Hr. Rate —▷	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production —▷	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press Flwg. SI	Csg. Press.	24 Hr. Rate —▷	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)  
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
DELAWARE BRUSHY CANYON	4444 7126	7125 8383	OIL, GAS, WATER OIL, GAS, WATER	DELAWARE BRUSHY CANYON	4444 7126

32. Additional remarks (include plugging procedure):  
WBD is attached.

33. Circle enclosed attachments:

- |   |                    |               |                       |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.)     | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis   | 7 Other:      |                       |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #302168 Verified by the BLM Well Information System.  
For OXY USA INCORPORATED, sent to the Carlsbad**

Name (please print) DAVID STEWART Title SR. REGULATORY ADVISOR

Signature (Electronic Submission) Date 05/19/2015

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\* ORIGINAL \*\***

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM62589
2. Name of Operator OXY USA INCORPORATED		6. If Indian, Allottee or Tribe Name
3a. Address P.O. BOX 50250 MIDLAND, TX 79710		7. If Unit or CA/Agreement, Name and/or No.
3b. Phone No. (include area code) Ph: 432-685-5936 Fx: 432-634-5688		8. Well Name and No. FEDERAL 23 6
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 23 T22S R31E NESE 1709FSL 660FEL 32.374322 N Lat, 103.741724 W Lon		9. API Well No. 30-015-37340
		10. Field and Pool, or Exploratory LIVINGSTON RIDGE DELAWARE
		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

RU PU 12/12/11, POOH w/rods & pump, pressure test csg to 4250# for 30 min, good test. RIH & perf @ 7162-6955, 6816-6612' Total 40 holes. Frac in 2 stages w/ 4000g 7.5% HCL ACID + 21011g TRT WTR + 19995g WF GR21 + 211337g DF 200R-16 W/2985# sand, RD Halliburton. RIH & clean out well, tag up PBTD @ 8485'. RIH with 2-7/8" tbg w/ TAC @ 6587'. RIH w/ 1-1/2" X 26' rod pump, pump to clean up and test well for potential.

*RD*  
**Accepted for record**  
**NMDCD**

14. I hereby certify that the foregoing is true and correct. <b>Electronic Submission #302167 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Carlsbad</b>	
Name (Printed/Typed) DAVID STEWART	Title SR. REGULATORY ADVISOR
Signature (Electronic Submission)	Date 05/19/2015


**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\***

OXY USA Inc.  
Federal 23 #6  
API No. 30-015-37340



14-3/4" hole @ 856'  
11-3/4" csg @ 856'  
w/ 330sx-TOC-Surf-Circ

10-5/8" hole @ 4257'  
8-5/8" csg @ 4257'  
w/ 1160sx-TOC-Surf-Circ

7-7/8" hole @ 8632'  
5-1/2" csg @ 8632'  
DVT's @ 6008', 4334'  
w/ 1580sx-TOC-Surf-Circ

**Perfs @ 6612-7162'**

**Perfs @ 8248-8300'**

PB-8485'M 8240'V

TD-8632'M 8383'V