UNITED STATES August 2007) DEPARTMENT OF THE INTERIOR NMOCD BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side.			FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010		
			tesia	5. Lease Serial No. NMNM16104	
			6. If Indian, Allottee or Tribe Name		
),	7. If Unit or CA/Agreement, Name and/or No.	
Type of Well Gas Well Gas Well Other					FEDERAL COM 2H
Name of Operator Contact: HOPE KNA CIMAREX ENERGY COMPANY OF CO-Mail: kknauls@cimarex.com				9. API Well No. 30-015-41995-00-X1	
^{3a.} Address 202 S CHEYENNE AVE SUITE 1000 TULSA, OK 74103.4346		3b. Phone No. (include area code) Ph: 918.585.1100		10. Field and Pool, or Exploratory WILDCAT	
Location of Well (Footage, Sec., T., R., M., or Survey Description,))		11. County or Parish, and State	
Sec 13 T25S R28E NWNE 75FNL 1650FEL 32.081360 N Lat, 104.021551 W Lon				EDDY COUNTY, NM	
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE NATUR	E OF NOTICE, R	EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent		Deepen	Produc	tion (Start/Resume)	U Water Shut-Off
_	Alter Casing	Fracture Treat	🗖 Reclan	nation	Well Integrity
□ Subsequent Report □ Casing Repair		New Construct	New Construction		🛛 Other
Final Abandonment Notice	🗖 Change Plans	Plug and Aban	don 🔲 Tempo	rarily Abandon	
Describe Proposed or Completed Ope	Convert to Injection	Plug Back		•	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests	l operations. If the operation res sandonment Notices shall be file inal inspection.) approval to change the po	ults in a multiple completion d only after all requirements pol assigned to the refe	s, including reclamatio	new interval, a Form 310	50-4 shall be filed once
following completion of the involved testing has been completed. Final At determined that the site is ready for fi	l operations. If the operation res pandonment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 06217 ? Willow Lake Bone	ults in a multiple completion d only after all requirements col assigned to the refe pring North	n or recompletion in a s, including reclamatic	new interval, a Form 310 on, have been completed,	50-4 shall be filed once and the operator has
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 530 Proposed Pool Assignment: 5 C102 Attached	l operations. If the operation res pandonment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 06217 ? Willow Lake Bone	ults in a multiple completion d only after all requirements col assigned to the refe pring North	n or recompletion in a s, including reclamatic	new interval, a Form 310 on, have been completed,	50-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 530 Proposed Pool Assignment: 5 C102 Attached	l operations. If the operation res pandonment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 06217 ? Willow Lake Bone	ults in a multiple completion d only after all requirements col assigned to the refe pring North	n or recompletion in a s, including reclamatic	new interval, a Form 310 on, have been completed,	0-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 530 Proposed Pool Assignment: 5 C102 Attached	l operations. If the operation res pandonment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 96217 ? Willow Lake Bone 15.	ults in a multiple completion d only after all requirements col assigned to the refe pring North	n or recompletion in a s, including reclamatic	new interval, a Form 310 on, have been completed,	50-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 530 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/	I operations. If the operation res pandonment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 96217 ? Willow Lake Bone 15. 15. True and correct. Electronic Submission #3	ults in a multiple completion d only after all requirements bol assigned to the refe spring North Spring SE) /////9/2015	n or recompletion in a s, including reclamatio erenced well:	new interval, a Form 316 on, have been completed, NM (0-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 53 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/	I operations. If the operation res pandomment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 96217 ? Willow Lake Bone 15. Its. It	ults in a multiple completion d only after all requirements ool assigned to the refe pring North Spring SE) /////9/201) 06482 verified by the BL RGY COMPANY OF CO, ing by JENNIFER SANC	n or recompletion in a s, including reclamatic erenced well: M Well Information sent to the Carlsb CHEZ on 11/10/2015	new interval, a Form 310 on, have been completed, NM (n System pad 5 (16JAS1010SE)	0-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 530 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/	I operations. If the operation res pandomment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 96217 ? Willow Lake Bone 15. Its. It	ults in a multiple completion d only after all requirements ool assigned to the refe pring North Spring SE) /////9/201) 06482 verified by the BL RGY COMPANY OF CO, ing by JENNIFER SANC	n or recompletion in a s, including reclamatic erenced well: 	new interval, a Form 310 on, have been completed, NM (n System pad 5 (16JAS1010SE)	0-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 53 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/	I operations. If the operation res sandonment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 96217 ? Willow Lake Bone 15. 15. True and correct. Electronic Submission #3 For CIMAREX ENEF hitted to AFMSS for process AULS	ults in a multiple completion d only after all requirements bol assigned to the refe spring North Spring SE 06482 verified by the BL RGY COMPANY OF CO, sing by JENNIFER SANC Title R	n or recompletion in a s, including reclamatic erenced well: M Well Information sent to the Carlsb CHEZ on 11/10/2015	new interval, a Form 310 on, have been completed, NM (n System pad 5 (16JAS1010SE)	0-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 530 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/ Approved by Paul Kautz 6/17/ . Thereby certify that the foregoing is Comm Name (Printed/Typed) HOPE KN.	I operations. If the operation res pandomment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 96217 ? Willow Lake Bone 15. I true and correct. Electronic Submission #3 For CIMAREX ENER For CIMAREX ENER Fitted to AFMSS for process AULS Submission)	ults in a multiple completion d only after all requirements bol assigned to the refe spring North Spring SE 06482 verified by the BL RGY COMPANY OF CO, sing by JENNIFER SANC Title R	n or recompletion in a s, including reclamatic erenced well: erenced well: Erenced well: Erenced well: Sent to the Carlsb CHEZ on 11/10/2015 EGULATORY TE	new interval, a Form 316 on, have been completed, NM C NM C n System ad 5 (16JAS1010SE) CHNICIAN	0-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 53 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/ Approved by Paul Kautz 6/17/ I hereby certify that the foregoing is Comm Name (Printed/Typed) HOPE KN. Signature (Electronic S	I operations. If the operation res pandomment Notices shall be file inal inspection.) approval to change the po 610 -San Lorenzo Bone S 96217 ? Willow Lake Bone 15. I true and correct. Electronic Submission #3 For CIMAREX ENER For CIMAREX ENER Fitted to AFMSS for process AULS Submission)	ults in a multiple completion d only after all requirements bol assigned to the refe pring North Spring SE 06482 verified by the BL RGY COMPANY OF CO, ing by JENNIFER SANC Title R Date Of R FEDERAL OR ST	n or recompletion in a s, including reclamatic erenced well: erenced well: Erenced well: Erenced well: Sent to the Carlsb CHEZ on 11/10/2015 EGULATORY TE	new interval, a Form 316 on, have been completed, NM C NM C n System ad 5 (16JAS1010SE) CHNICIAN	0-4 shall be filed once and the operator has DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 53 Proposed Pool Assignment: 53 C102 Attached Approved by Paul Kautz 6/17/ Intereby certify that the foregoing is Comm Name (Printed/Typed) HOPE KN, Signature (Electronic S ACCEPTEDIONE proved By State and Segal or eque	I operations. If the operation respandomment Notices shall be file inal inspection.) approval to change the poent of the second	ults in a multiple completion d only after all requirements bol assigned to the refe pring North Spring SE) ////19/2015 06482 verified by the BL RGY COMPANY OF CO, ing by JENNIFER SANC Title R Date Of R FEDERAL OR ST 	n or recompletion in a s, including reclamatic erenced well: erenced well: Erenced well: Erenced well: Sent to the Carlsb CHEZ on 11/10/2015 EGULATORY TE	new interval, a Form 316 on, have been completed, NM C NM C n System ad 5 (16JAS1010SE) CHNICIAN	DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015 RECEIVED
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 530 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/ I hereby certify that the foregoing is Comm Name (Printed/Typed) HOPE KN Signature (Electronic S	I operations. If the operation respandomment Notices shall be file inal inspection.) approval to change the possible file in the section of t	ults in a multiple completion d only after all requirements bol assigned to the refe pring North Spring SE) ////19/2015 06482 verified by the BL RGY COMPANY OF CO, ing by JENNIFER SANC Title R Date Of R FEDERAL OR ST office rime for any person knowin	n or recompletion in a s, including reclamatic erenced well: ERULATORY TE 6/24/2015 ATE OFFICE U	new interval, a Form 316 on, have been completed, NM C NM C n System ad 5 (16JAS1010SE) CHNICIAN SE	DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015 RECEIVED
following completion of the involved testing has been completed. Final At determined that the site is ready for fi Cimarex respectfully requests Current Pool Assignment: 53 Proposed Pool Assignment: 5 C102 Attached Approved by Paul Kautz 6/17/ Approved by Paul Kautz 6/17/ . Thereby certify that the foregoing is Comm Name (Printed/Typed) HOPE KN. Signature (Electronic S ACCEPTEDATE proved By/S/DAVE itions of approval, HoN, are staded by that the applicant holds legal or equin h would entitle the applicant to condu 18 U.S.C. Section 1001 and Title 45 tes any false Entitions of approval of the staded test any false Entitions of approval of the staded by the state of the staded of the staded for the state of the staded of the staded of the staded for the state of the staded of the staded of the staded for the staded of t	I operations. If the operation respandomment Notices shall be file inal inspection.) approval to change the possible file in the section of t	and the second s	n or recompletion in a s, including reclamatic erenced well: M Well Information sent to the Carlsb CHEZ on 11/10/2011 EGULATORY TE 6/24/2015 ATE OFFICE U gly and willfully to ma diction.	new interval, a Form 316 on, have been completed, NM C n System ad 5 (16JAS1010SE) CHNICIAN SE ake to any department or	DIL CONSERVA ARTESIA DISTRICT NOV 1 9 2015 RECEIVED

.

.

.

, ,

4