

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED  
OMB NO. 1004-0135  
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.  
NMLC029338A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

## 1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.  
GISSLER A 302. Name of Operator  
BURNETT OIL COMPANY INCContact: LESLIE GARVIS  
E-Mail: lgarvis@burnettoil.com9. API Well No.  
30-015-35336-00-X13a. Address  
801 CHERRY STREET UNIT 9  
FORT WORTH, TX 76102-68813b. Phone No. (include area code)  
Ph: 817.583.873010. Field and Pool, or Exploratory  
LOCO HILLS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 11 T17S R30E SESE 330FSL 330FEL

11. County or Parish, and State

EDDY COUNTY, NM

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION                                    | TYPE OF ACTION                                |   |  |   |
|---|---|---|--|---|
| <input type="checkbox"/> Notice of Intent             | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen           | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off   |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat   | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity   |
| <input type="checkbox"/> Final Abandonment Notice     | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete                | <input checked="" type="checkbox"/> Other |
|   | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon       | Production Facility                       |
|   | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back        | <input type="checkbox"/> Water Disposal            | Changes                                   |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BJA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Attached you will find the updated facility diagram for the Gissler A Tank Battery.

The Gissler A Battery is located at:

T17S, R30E, Sec. 11, UNIT P SESE  
Approx: 609' FSL, 483' FEL

The following wells are associated with this battery:

GISSLER A 12 (30-015-25682) ✓  
GISSLER A 13 (30-015-25683) ✓  
GISSLER A 14 (30-015-25765) ✓

## NM OIL CONSERVATION

ARTESIA DISTRICT

DEC 21 2015

RECEIVED

12/22/15  
Accepted for Record  
NMOCD

Accepted for Record Purposes.

Approval Subject to Onsite Inspection.

Date: 12/3/15

*[Signature]*

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #323119 verified by the BLM Well Information System  
For BURNETT OIL COMPANY INC, sent to the Carlsbad  
Committed to AFMSS for processing by CATHY QUEEN on 11/16/2015 (15DLM0034S)

Name (Printed/Typed) LESLIE GARVIS

Title REGULATORY COORDINATOR

Signature (Electronic Submission)

Date 11/10/2015

## THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

**Additional data for EC transaction #323119 that would not fit on the form**


**32. Additional remarks, continued**

GISSLER A 15 (30-015-25875) ✓  
GISSLER A 29 (30-015-31111) ✓  
GISSLER A 30 (30-015-35336) ✓  
GISSLER A 34 (30-015-36818) ✓  
GISSLER A 35 (30-015-37976) ✓  
GISSLER A 36 (30-015-37977) ✓  
GISSLER A 38 (30-015-38601) ✓  
GISSLER A 39 (30-015-38676) ✓  
GISSLER A 42 (30-015-40846) ✓

BURNETT OIL CO., INC.  
 EDDY COUNTY, NM  
 GISSLER A FEDERAL BATTERY  
 T 175, R 30E, SEC 11, UNIT P, SESE  
 APPROX: 609' FSL, 483' FEL  
 LEASE: NMLC-029338-A









\*Note: Flare will be located on the Gissler A 30 Pad

UPDATED: 10/27/2015













Accepted for Record Purposes.  
 Approval Subject to Onsite Inspection.  
 Date: 12/3/15  
*[Signature]*

**SITE LEGEND**

|   |                                    |
|---|------------------------------------|
|  | 400 BBL STEEL OIL SALES TANK 35030 |
|  | 400 BBL STEEL OIL SALES TANK 35102 |
|  | 400 BBL STEEL OIL SALES TANK 35761 |
|  | 210 BBL STEEL SKIM TANK            |
|  | 500 BBL FIBERGLASS WATER TANK      |
|  | 500 BBL FIBERGLASS WATER TANK      |
|  | 750 BBL FIBERGLASS GUN BARREL      |
|  | 2 PHASE SEPARATOR                  |

**VALVE LEGEND**

|   |  |
|---|--|
|  | LOAD LINE VALVE                        |
|  | FILL LINE VALVE                        |
|  | EQUALIZER LINE VALVE                   |
|  | COMBUSTOR GAS METER Meter# FMS 200F-33 |
|  | CIRC LINE VALVE                        |
|  | BS&W LOAD LINE VALVE                   |
|  | WATER LINE VALVE                       |
|  | COMBUSTOR                              |
|  | EMERGENCY FLARE                        |
|  | FLARE GAS METER                        |

**REVISION** 5/8/2014

BURNETT OIL CO., INC.  
 EDDY COUNTY, NM  
 GISSLER A FEDERAL BATTERY  
 T 17S, R 30E, SEC 11, UNIT P, SESE  
 APPROX: 609' FSL, 483' FEL  
 LEASE: NMLC-029338-A

**ATTACHMENT TO SITE FACILITY DIAGRAM**

General sealing of valves, sales by tank gauge

**Production Phase:**

Load Line Valves sealed closed. Fill valve to tank that is in production will be open.

Equalizer valve to tank that is in production will be open. Circulation valves will be opened as necessary, then resealed.

BS&W Load Line valve will be sealed at all times, unless cleaning tanks, then resealed once tank maintenance is complete.

**Sales Phase:**

The tank from which sales are being made will be isolated by sealing closed the fill line valve, circulating valve, and the equalizer valve during sales and opening the sales valve. Upon completion of the sale, the sales valve will be resealed.

Sales by truck will be by tank gauge.

GISSLER A BATTERY  
 GISSLER A 12  
 GISSLER A 13  
 GISSLER A 14  
 GISSLER A 15  
 GISSLER A 29  
 GISSLER A 30  
 GISSLER A 34  
 GISSLER A 35  
 GISSLER A 36  
 GISSLER A 38  
 GISSLER A 39  
 GISSLER A 42

|   | VALVE                         | PRODUCTION PHASE | SALES PHASE | CIRCULATING    | NOTE  |
|---|-------------------------------|------------------|-------------|----------------|---|
| ⑪ | LOAD LINE VALVE               | CLOSED           | OPEN        | CLOSED         |   |
| ⑫ | PRODUCTION<br>FILL LINE VALVE | OPEN OR CLOSED   | CLOSED      | CLOSED OR OPEN |   |
| ⑬ | EQUALIZER LINE<br>VALVE       | OPEN             | CLOSED      | CLOSED OR OPEN |   |
| ⑭ | CIRCULATING<br>LINE VALVE     | OPEN OR CLOSED   | CLOSED      | OPEN           | RE-SEALED ONCE CIRCULATING IS COMPLETE                              |
| ⑮ | BS&W LOAD<br>LINE VALVE       | CLOSED           | CLOSED      | CLOSED         | OPEN FOR TANK MAINTENANCE, RESEALED ONCE<br>MAINTENANCE IS COMPLETE |
| ⑯ | WATER LINE<br>VALVE           | OPEN             | NA          | NA             | WATER TANKS ARE ISOLATED FROM OIL PRODUCTION TANKS                  |